

## Predecessor

---

- Predecessor Problem
- van Emde Boas
- Tries

Philip Bille

## Predecessor


---

- Predecessor Problem
- van Emde Boas
- Tries

## Predecessors

---

- **Predecessor problem.** Maintain a set  $S \subseteq U = \{0, \dots, u-1\}$  supporting
  - predecessor(x): return the largest element in  $S$  that is  $\leq x$ .
  - successor(x): return the smallest element in  $S$  that is  $\geq x$ .
  - insert(x): set  $S = S \cup \{x\}$
  - delete(x): set  $S = S - \{x\}$



## Predecessors

---

- **Applications.**
  - Simplest version of **nearest neighbor problem**.
  - Several applications in other algorithms and data structures.
  - Central problem for internet routing.

## Predecessors

---

- Routing IP-Packets

- Where should we forward the packet to?
- To address matching the **longest prefix** of 192.110.144.123.
- Equivalent to predecessor problem.
- Best practical solutions based on advanced predecessor data structures [Degermark, Brodnik, Carlsson, Pink 1997]



## Predecessors

---

- Which solutions do we know?

## Predecessor

---


- Predecessor Problem
- van Emde Boas
- Tries

## van Emde Boas

---


- **Goal.** Static predecessor with  $O(\log \log u)$  query time.
- **Solution in 5 steps.**
  - **Bitvector.** Very slow
  - **Two-level bitvector.** Slow.
  - ....
  - **van Emde Boas [Boas 1975].** Fast.

### Solution 1: Bitvector




- **Data structure.** Bitvector.
- **Predecessor(x):** Walk left.
- **Time.**  $O(u)$

### Solution 2: Two-Level Bitvector




- **Data structure.** Top bitvector +  $\sqrt{u}$  bottom bitvectors.
- **Predecessor(x):** Walk left in bottom + walk left in top + walk left bottom.
- **Time.**  $O(\sqrt{u} + \sqrt{u} + \sqrt{u}) = O(\sqrt{u})$ .

### Solution 3: Two-Level Bitvector with less Walking



- **Data structure.** Solution 2 with **min** and **max** for each bottom structure.
- **Predecessor(x):** Let  $hi(x)$  and  $lo(x)$  denote index of  $x$  in top and bottom.
  - If  $hi(x)$  in top and  $lo(x) \geq \min$  in bottom[ $lo(x)$ ] walk left in bottom.
  - if  $hi(x)$  in top and  $lo(x) < \min$  or  $hi(x)$  not in top walk left in top. Return max at first non-empty position in top.
- We **either** walk in bottom or top.
- **Time.**  $O(\sqrt{u})$ .
- **Observation.** Query is walking left in vector of size  $\sqrt{u} + O(1)$ . Why not walk using a predecessor data structure?


### Solution 4: Two-Level Bitvector within Top and Bottom



- **Data structure.** Apply solution 3 to top and bottom structures of solution 3.
- Walking left in vector of size  $\sqrt{u}$  now takes  $O(\sqrt{\sqrt{u}}) = O(u^{1/4})$  time.
- Each level adds  $O(1)$  extra work.
- **Time.**  $O(u^{1/4})$ .
- Why not do this recursively?

## Solution 5: van Emde Boas

---



- **Data structure.** Apply recursively until size of vectors is constant.
- **Time.**  $T(u) = T(\sqrt{u}) + O(1) = O(\log \log u)$ .
- **Space.**  $O(u)$

## van Emde Boas

---

- **Theorem.** We can solve the static predecessor problem in
  - $O(u)$  space.
  - $O(\log \log u)$  time.
- Combined with perfect hashing we can reduce space to  $O(n)$  [Mehlhorn and Näher 1990].
- Easy to add insert and delete.

## Predecessor

---


- Predecessor Problem
- van Emde Boas
- Tries

## Tries

---


- **Goal.** Static predecessor with  $O(n)$  space and  $O(\log \log u)$  query time.
- Equivalent to van Emde Boas but different perspective. Simpler?
- **Solution in 3 steps.**
  - **Trie.** Slow and too much space.
  - **X-fast trie.** Fast but too much space.
  - **Y-fast trie.** Fast and little space.

## Tries




- **Trie.** Tree T of prefixes of binary representation of keys in S.
  - Depth of T is  $\log u$
  - Number of nodes in T is  $O(n \log u)$ .

## Solution 1: Top-down Traversal




- **Data structure.**
  - T as binary tree with min and max for each node + keys ordered in a linked list.
- **Predecessor(x):** Top-down traversal to find the **longest common prefix** of x with T.
  - x branches of T to right  $\Rightarrow$  Predecessor(x) is max of sibling branch.
  - x branches of T to left  $\Rightarrow$  Successor(x) is min of sibling branch. Use linked list to get predecessor(x).
- **Time.**  $O(\log u)$
- **Space.**  $O(n \log u)$

## Solution 2: X-Fast Trie




- **Data structure.**
  - For each level store a dictionary of prefixes of keys + solution 1.
- **Example.**  $d_1 = \{0,1\}$ ,  $d_2 = \{00, 10, 11\}$ ,  $d_3 = \{000, 001, 100, 101, 111\}$ ,  $d_4 = S$
- **Space.**  $O(n \log u)$

## Solution 2: X-Fast Trie




- **Predecessor(x):** Binary search over **levels** to find longest matching prefix with x.
- **Example.** Predecessor( $9 = 1001_2$ ):
  - $10_2$  in  $d_2$  exists  $\Rightarrow$  continue in bottom 1/2 of tree.
  - $100_2$  in  $d_3$  exists  $\Rightarrow$  continue in bottom 1/4 of tree.
  - $1001_2$  in  $d_4$  does not exist  $\Rightarrow 100_2$  is longest prefix.

## Solution 2: X-Fast Trie




- **Time.**  $O(\log \log u)$

## Solution 2: X-Fast Trie




- **Theorem.** We can solve the static predecessor problem in
  - $O(\log \log u)$  time
  - $O(n \log u)$  space.
- How do we get linear space?

## Solution 3: Y-Fast Trie



- **Bucketing.**
  - Partition  $S$  into  $O(n / \log u)$  groups of  $\log u$  consecutive keys.
  - Compute  $S'$  = set of **split keys** between groups.  $|S'| = O(n/\log u)$
- **Data structure.** x-fast trie over  $S'$  + balanced binary search trees for each group.
- **Space.**
  - x-fast trie:  $O(|S'| \log u) = O(n/\log u \cdot \log u) = O(n)$ .
  - Balanced binary search trees:  $O(n)$ .
  - $\Rightarrow O(n)$  in total.

## Solution 3: Y-Fast Trie



- **Predecessor(x):**
  - Compute  $s = \text{predecessor}(x)$  in x-fast trie.
  - Compute  $\text{predecessor}(x)$  in BBST to the left or right of  $s$ .
- **Time.**
  - x-fast trie:  $O(\log \log u)$
  - balanced binary search tree:  $O(\log(\text{group size})) = O(\log \log u)$ .
  - $\Rightarrow O(\log \log u)$  in total.

## Solution 3: Y-Fast Trie

---

- **Theorem.** We can solve the static predecessor problem in
  - $O(\log \log u)$  time
  - $O(n)$  space.

## Solution 3: Y-Fast Trie

---

- **Theorem.** We can solve the static predecessor problem in
  - $O(n)$  space.
  - $O(\log \log u)$  time.
- **Theorem.** We can solve the dynamic predecessor problem in
  - $O(n)$  space
  - $O(\log \log u)$  **expected** time for predecessor and updates.

From dynamic hashing

## Predecessor

---

- Predecessor Problem
- van Emde Boas
- Tries