

A Domain Analysis & Description Method

Principles, Techniques and Modelling Languages

Dines Bjørner

Technical University of Denmark, DK 2800 Kgs. Lyngby, Denmark

October 24, 2018: 03:34 am

Abstract

- We present a *method* for **analysing and describing domains**.
- By a **domain** we shall understand
 - a **rationally describable** segment of
 - a **human assisted** reality, i.e., of the world,
 - its **physical parts**,
 - * **natural** [“God-given”] and
 - * **artifactual** [“man-made”],
 - and **living species**:
 - * **plants** and
 - * **animals**
 - including, notably, **humans**.

- These are
 - **endurants** (“still”), existing in space,
 - as well as **perdurants** (“alive”), existing also in time.
- Emphasis is placed on “**human-assistedness**”,
 - that is, that there is *at least one (man-made) artifact*
 - and, therefore, that **humans** are a primary cause for
 - change of endurant **states**
 - as well as perdurant **behaviours**.

-
- By a **method** we shall mean
 - a set of **principles** of **analysis**
 - and for **selecting** and **applying**
 - a number of **techniques** and **tools**in the construction of some artifact, say a domain description.
 - We shall present a method for constructing domain models¹.
 - Among the tools we shall only be concerned with **modelling**, that is, analysis and synthesis languages.

¹We shall use the terms ‘model’ and ‘description’ (or ‘prescription’ or ‘specification’) interchangeably.

- *Domain science & engineering* marks a new area of *computing science*.
 - Just as we are *formalising*
 - the *syntax and semantics of programming languages*,
 - so we are *formalising*
 - the *syntax and semantics of human-assisted domains*.

-
- Just as *physicists* are studying *mother nature*,
 - endowing it with *mathematical models*,
 - so we, *computing scientists*, are studying these *domains*,
 - endowing them with *mathematical models*,
 - A difference between the endeavours of physicists and ours lies in the models:
 - the physics models are based on *classical mathematics, differential equations and integrals, etc.*;
 - our models are based on *mathematical logic set theory, and algebra.*

1. Introduction

1.1. Foreword

- Dear student!
 - You are about to embark on a journey.
 - The lectures in front of us are many !
 - But it is not the number of lecture slides, 429,
 - or duration of my unfolding the slides that I am referring to.

- It is the mind that should be prepared for a journey.
- It is a journey into a new realm.
- A realm where we confront the computer & computing scientists with a new universe:
 - a universe in which we build a bridge between the *informal* world,
 - that we live in,
 - the context for eventual, *formal* software,
 - and that *formal* software.
 - The bridge involves
 - a novel construction, new in computing science:
 - a **transcendental deduction**.

- We are going to present you, we immodestly claim,
 - with a new way of looking at the “origins” of software,
 - the domain in which it is to serve.
- We shall show a method,
 - a set of principles and techniques and a set of languages,
 - some formal, some “almost” formal,
 - and the informal language of usual computing science papers
 - for a systematic to rigorous way of
 - *analysing & describing domains.*
- We immodestly claim that such a method has not existed before.

1.2. An Engineering and a Science Viewpoint

1.2.1. A Triptych of Software Development

- It seems reasonable to expect that
 - before **software** can be designed
 - we must have a reasonable grasp of its **requirements**;
 - before **requirements** can be expressed
 - we must have a reasonable grasp of the underlying **domain**.

- It therefore seems reasonable to structure software development into:
 - **domain engineering**, in which “the underlying” domain is *analysed and described*²;
 - **requirements engineering**, in which requirements are *analysed and prescribed* – such as we suggest it [1, 2] – based on a domain description³; and
 - **software design**, in which the software is *rigorously “derived”* from a requirements prescription⁴.
- Our interest, in this paper, lies sôlely in domain analysis & description.

²including the statement and possible proofs of properties of that which is denoted by the domain description

³including the statement and possible proofs of properties of that which is denoted by the requirements prescription with respect also to the domain description

⁴including the statement and possible proofs of properties of that which is specified by the software design with respect to both the requirements prescription and the domain description

1.2.2. Domain Science & Engineering:

- The present paper outlines a *methodology* for an aspect of software development.
- Domain analysis & description can be pursued in isolation, for example, without any consideration of any other aspect of software development.
- As such domain analysis & description represents an aspect of **domain science & engineering**.

- Other aspects are covered in:
 - [3, *Domain Facets*],
 - [2, *Requirements Engineering*],
 - [4, *An Analysis & Description Process Model*],
 - [5, *From Mereologies to Lambda-Expressions*] and in
 - [6, *A Philosophy Basis*].
- This work is over-viewed in [7, *Domain Science & Engineering – A Review of 10 Years Work*].
- They are all facets of an emerging **domain science & engineering**.
- *We consider the present paper to outline the basis for this science and engineering.*

1.3. Some Issues: Metaphysics, Epistemology, Mereology and Ontology

- But there is an even more fundamental issue “at play” here.
 - It is that of philosophy.
 - Let us briefly review some aspects of philosophy.
- **Metaphysics**
 - is a branch of *philosophy* that explores fundamental questions, including the nature of concepts like
 - *being, existence, and reality* ■⁵

⁵ ■ is used to signal the end of a characterisation, a definition, or an example.

- Traditional metaphysics seeks to answer,
 - in a “suitably abstract and fully general manner”,
 - the questions:
 - *What is there?* and
 - *And what is it like?*⁶.

⁶<https://en.wikipedia.org/wiki/Metaphysics>

- Topics of metaphysical investigation include
 - existence,
 - objects and their properties,
 - space and time,
 - cause and effect, and
 - possibility.
- **Epistemology**
 - is the branch of philosophy concerned with
 - the theory of knowledge⁷ ■

⁷<https://en.wikipedia.org/wiki/Epistemology>

- *Epistemology* studies the nature of
 - knowledge, justification, and the rationality of belief.
 - Much of the debate in epistemology centers on four areas:
 - (1) the philosophical analysis of the nature of knowledge and how it relates to such concepts as truth, belief, and justification,
 - (2) various problems of skepticism,
 - (3) the sources and scope of knowledge and justified belief, and
 - (4) the criteria for knowledge and justification.
 - A central branch of *epistemology* is *ontology*.⁸

⁸<https://en.wikipedia.org/wiki/Metaphysics>

- **Ontology:** An *ontology* encompasses
 - a representation,
 - formal naming, and
 - definition
 - of the categories,
 - properties, and
 - relations
- of the entities that substantiate one, many, or all domains.⁹.
- An *upper ontology* (also known as a top-level ontology or foundation ontology) is an ontology which consists of very general terms (such as *entity*, *endurant*, *attribute*) that are common across all domains¹⁰ ■

⁹[https://en.wikipedia.org/wiki/On-tology_\(information_science\)](https://en.wikipedia.org/wiki/On-tology_(information_science))

¹⁰https://en.wikipedia.org/wiki/Upper_ontology

- **Mereology** (from the Greek *μερος* ‘part’) is the theory of part-hood relations:
 - of the relations of part to whole
 - and the relations of part to part within a whole [8]¹¹ ■

¹¹<https://plato.stanford.edu/entries/mereology>




Figure 1: Immediately ‘Adjacent’ and ‘Embedded Within’ Parts

- Accordingly two parts, p_x and p_y , (of a same “whole”) are
 - are either “adjacent”,
 - or are “embedded within”, one within the other,as loosely indicated in Fig. 1.

- ‘Adjacent’ parts
 - are direct parts of a same third part, p_z ,
 - i.e., p_x and p_y are “embedded within” p_z ;
 - or one (p_x) or the other (p_y) or both (p_x and p_y) are parts of a same third part, p'_z “embedded within” p_z ;
 - et cetera;

as loosely indicated in Fig. 2 on the next slide,
- or one is “embedded within” the other — etc.
as loosely indicated in Fig. 2 on the facing slide.




Figure 2: Transitively ‘Adjacent’ and ‘Embedded Within’ Parts

- Parts, whether ‘adjacent’ or ‘embedded within’, can share properties.
 - For adjacent parts this sharing seems, in the literature, to be diagrammatically expressed by letting the part rectangles “intersect”.
 - Usually properties are not spatial hence ‘intersection’ seems confusing.

- We refer to Fig. 3.




Figure 3: Two models, [L,R], of parts sharing properties

- Instead of depicting parts sharing properties as in Fig. 3[L]left,
 - where shaded, dashed rounded-edge rectangles stands for ‘sharing’,
- we shall (eventually) show parts sharing properties as in Fig. 3[R]ight
 - where ●—● connections connect those parts.

We refer to [5, *From Mereologies to Lambda-Expressions*].

- Mereology is basically the contribution [9, 10] of the Polish philosopher, logician and mathematician Stanisław Leśniewski (1886–1939).

1.3.1. Kai Sørlander's Philosophy:

- We shall base some of our modelling decisions of Kai Sørlander's Philosophy [11, 12, 13, 14].
- A main contribution of Kai Sørlander is, on the philosophical basis of the *possibility of truth* (in contrast to Kant's *possibility of self-awareness*),
 - to *rationally and transcendently deduce*
 - **the absolutely necessary conditions for describing any world.**

- These conditions presume a *principle of contradiction* and lead to the *ability*
 - to *reason* using *logical connectives* and
 - to *handle asymmetry, symmetry* and *transitivity*.
 - *Transcendental deductions* then lead to
 - *space* and *time*,
 - not as priory assumptions, as with Kant,
 - but derived facts of any world.

- From this basis Kai Sørlander then, by further transcendental deductions, arrive at
 - kinematics,
 - dynamics and
 - the bases for Newton's Laws.
- And so forth.
- We build on Sørlander's basis to argue
 - that the domain analysis & description calculi are necessary and sufficient and
 - that a number of relations between domain entities
 - can be understood transcendentially and
 - as “variants” of laws of physics, biology, etc. !

1.4. The Precursor

- The present lectures are based on a revision of the published [15].
- The major revision that prompts this complete rewrite is due to a serious study of Kai Sørlander's Philosophy.
- As a result we extend [15]'s ontology of endurants: describable phenomena that exists in space, to not only cover those of **physical phenomena**, but also those of **living species**, notably **humans**, and, as a result of that, our understanding of discrete endurants is refined into those of **natural parts** and **artifacts**.
- A new contribution is that of **intentional "pull"** akin to the *gravitational pull* of physics.

- Both these lectures and [15] are the result of extensive “non-toy” example case studies, see the example: *Universes of Discourse* – on Page 47.
- The last half of these were carried out in the years since [15] was first submitted (i.e., 2014).
- The present lectures omit the extensive introduction and closing of [15, Sects. 1 and 5].
- Most notably, however, is a clarified view on the transition from **parts** to **behaviours**, a **transcendental deduction** from *domain space* to *domain time*.

1.5. What are these Lectures About ?

- We present a *method* for *analysing &¹² describing domains*.

¹²By *A&B* we mean one topic, the confluence of topics *A* and *B*.

Definition 1 Domain:

- By a **domain** we shall understand
 - a **rationaly describable** segment of
 - a **human assisted** reality, i.e., of the world,
 - its **physical parts**,
 - * **natural** [“God-given”] and
 - * **artifactual** [“man-made”],
 - and **living species**:
 - * **plants** and
 - * **animals**
including, predominantly, **humans**.

- These are
 - **endurants** (“still”), existing in space,
 - as well as **perdurants** (“alive”), existing also in time.
- Emphasis is placed on “**human-assistedness**”,
 - that is, that there is *at least one (man-made) artifact*
 - and that **humans** are a primary cause for
 - change of endurant **states**
 - as well as perdurant **behaviours** ■

Definition 2 Domain Description: By a **domain description** we shall understand

- a combination of **narration** and **formalisation** of a domain.
- A **formal specification** is a collection of
 - *sort*, or *type* definitions,
 - *function* and *behaviour* definitions,
 - together with *axioms* and *proof obligations* constraining the definitions.

- A **specification narrative** is a natural language text which in terse statements introduces
 - the names of (in this case, the domain),
 - and, in cases, also the definitions, of
 - sorts (types), functions, behaviours and axioms;
 - not anthropomorphically, but by emphasizing their properties ■

- *Domain descriptions* are (to be) void of any reference to future, contemplated software, let alone IT systems, that may support entities of the domain.
 - As such *domain models*¹³
 - can be studied separately, for their own sake, for example as a basis for investigating possible domain theories, or
 - can, subsequently, form the basis for requirements engineering
 - with a view towards development of (‘future’) software, etc.
- *Our aim is to provide a method for the precise analysis and the formal description of domains.*

¹³We use the terms ‘*domain descriptions*’ and ‘*domain models*’ interchangeably.

2. Entities: Endurants and Perdurants

2.1. A Generic Domain Ontology – A Synopsis

- Figure 4 on Slide 39 shows an *upper ontology* for domains such a defined in Defn. 1 on Slide 32.
- Kai Sørlander's Philosophy justifies our organising the *entities* of any describable domain, for example¹⁴, as follows:
 - We shall review Fig. 4 on Slide 39 by means of a top-down, left-traversal of the tree (whose root is at the top).

¹⁴We could organise the ontology differently: entities are either naturals, artifacts or living species, et cetera. If an upper node (●) satisfies a predicate \mathcal{P} then all descendant nodes do likewise.

- There are
 - *describable* phenomena and there are
 - phenomena that we cannot describe.
 - The former we shall call *entities*.
- The *entities* are
 - either *endurants*, “still” entities – existing in *space*,
 - or *perdurants*, “alive” entities – existing also in *time*.




Figure 4: An Upper Ontology for Domains

- *Endurants* are
 - either *discrete*
 - or *continuous* –
 - in which latter case we call them *materials*¹⁵.
- *Discrete* endurants are
 - *physical parts*,
 - *living species*, or are
 - *structures*.

¹⁵Please observe that *materials* were either *natural* or *artifactual*, but that we do not “bother” in this paper. You may wish to slightly change the ontology diagram to reflect a distinction.

- *Physical parts* are
 - either *naturals*,
 - *artifacts*, i.e. man-made,
 - or *components*¹⁶,
 - or *sets of parts*.
- *Living Species* are
 - either *plants*
 - or *animals*.
- Among animals we have the *humans*.

¹⁶Whether a discrete endurant as we shall soon see, is treated as a part or a component is a matter of pragmatics. Again cf. Footnote 15.

- *Naturals and artifacts* are
 - either atomic or
 - or composite – consisting of two or more differently typed parts.
- *Structures* consist of one or more endurants.
 - Structures and components really are parts, but for pragmatic reasons we choose to not model them as [full fledged] parts.

- The categorisation into

- structures,
- natural parts,
- artifactual parts,
- plants,
- animals, and
- components

is thus partly based in Sørlander's Philosophy, partly pragmatic.

- The distinction between endurants and perdurants, are necessitated by Sørlander as being in space, respectively in space **and** time;
 - discrete and continuous are motivated by arguments of natural sciences;
 - structures and components are purely pragmatic;
 - plants and animals, including humans, are necessitated by Kai Sørlander's Philosophy.
- The distinction between natural, physical parts, and artifacts is not necessary in Sørlander's Philosophy, but, we claim, necessary, philosophically, in order to perform the *intentional "pull"*, a transcendental deduction.

● On Pragmatics:

- We have used the term ‘pragmatic’ a few times.
- On one hand there is philosophy’s need for absolute clarity.
- On the other hand, when applying the
- natural part, artifactual part, and living species,
- concepts in practice, there can be a need for “loosening” up.
- As for example: a structure really is a part, whether natural or man-made.
- As we shall later see, parts are transcendentally to be understood as behaviours.
- We know that modelling imperative when we model a domain,
- but we may not wish to model a discrete endurant as a behaviour
- so we decide, pragmatically, to model it as a structure.

- Our reference, here, to Kai Sørlander’s Philosophy, is very terse.
 - We refer to a detailed research report:
 - *A Philosophy of Domain Science & Engineering*¹⁷
 - for carefully reasoned arguments.
- That report is under continued revision:
 - It reviews the domain analysis & description method;
 - translates many of Sørlander’s arguments
 - and relates, in detail, the “options”
 - of the domain analysis & description approach to Sørlander’s Philosophy.

¹⁷<http://www.imm.dtu.dk/~dibj/2018/philosophy/filo.pdf>

2.2. Universes of Discourse

- By a **universe of discourse** we shall understand
 - the same as the **domain of interest**,
 - that is, the *domain to be analysed & described* ■

Example 0: Example 0: **Universes of Discourse**

- **railways** [16, 17, 18],
 - **container shipping** [19],
 - **stock exchange** [20],
 - **oil pipelines** [21],
 - **“The Market”** [22],
 - **Web systems** [23],
 - **weather information** [24],
 - **credit card systems** [25],
 - **document systems** [26],
 - **urban planning** [27],
 - **swarms of drones** [28],
 - **container terminals** [29]
-

- It may be a **“large” domain**, that is, consist
 - of many, as we shall see, *endurants* and *perdurants*,
 - of many *parts*, *components* and *materials*,
 - of many *humans* and *artifacts*,
 - and of many *actors*, *actions*, *events* and *behaviours*.
- Or it may be a **“small” domain**, that is, consist
 - of a few such entities.

- The choice of “boundaries”, that is,
 - of how much or little to include, and
 - of how much or little to exclude
- is entirely the choice of the domain engineer cum scientist:
 - the choice is crucial, and is not always obvious.
 - The choice delineates an *interface*,
 - that is, that which is within the boundary, i.e., is in the domain,
 - and that which is without, i.e., outside the domain, i.e., is the **context of the domain**,
 - that is, the **external domain interfaces**.
 - Experience helps set reasonable boundaries.

- There are two “situations”:
 - Either a domain analysis & description endeavour is pursued in order to
 - prepare for a subsequent development of *requirements modelling*,
 - in which case one tends to choose a **“narrow” domain**,
 - that is, one that “fits”, includes, but not much more,
 - the domain of interest for the requirements.

- Or a domain analysis & description endeavour is pursued in order to research a domain.
 - *Either* one that can form the basis
 - for subsequent engineering studies
 - aimed, eventually at requirements development;
 - in this case “wider” boundaries may be sought.
- *Or* one that experimentally “throws a larger net”,
 - that is, seeks a “large” domain
 - so as to explore interfaces
 - between what is thought of as **internal system interfaces**.

- Where, then, to start the *domain analysis & description* ?
 - Either one can start “bottom-up”, that is,
 - with atomic entities: endurants or perdurants,
 - one-by-one, and work one’s way “out”,
 - to include composite entities, again endurants or perdurants,
 - to finally reach some satisfaction:
 - *Eureka*, a goal has been reached.
 - Or one can start “top-down”, that is, “casting a wide net”.
 - The choice is yours.
- Our presentation, however, is “top down”:
most general domain aspects first.

Example 1: Example 1: Universe of Discourse

- The universe of discourse is *road transport systems*.
 - We analyse & describe not the class of all road transport systems
 - but a representative subclass, UoD, is *structured* into such notions as
 - a road net, RN, of hubs, H, (intersections) and links, L, (street segments between intersections);
 - a fleet of vehicles, FV,
structured into companies, BC, of buses, B,
and pools, PA, of private automobiles, A (et cetera);
 - et cetera.
 - See Fig. 5 on Slide 143.



2.3. Entities

Characterisation 1 Entity:

- By an **entity** we shall understand a **phenomenon**, i.e., something
 - that can be *observed*, i.e., be
 - seen or touched by humans,
 - *or* that can be *conceived*
 - as an *abstraction* of an entity;
 - alternatively,
 - a phenomenon is an entity, *if it exists, it is “being”*,
 - *it is that which makes a “thing” what it is: essence, essential nature* ■

Analysis Prompt 1 *is_entity*:

- *The domain analyser analyses “things” (θ) into entities or non-entities.*
- *The method can thus be said to provide the domain analysis prompt:*
 - ***is_entity** – where $is_entity(\theta)$ holds if θ is an entity¹⁸ ■*
- *is_entity is said to be a prerequisite prompt for all other prompts.*

¹⁸Analysis prompt definitions and description prompt definitions and schemes are delimited by ■

- *The entities that we are concerned with*
 - *are those with which Kai Sørlander's Philosophy is likewise concerned.*
 - *They are the ones that are unavoidable in any*
 - *any description of any possible world.*

- *And then, which are those entities ?*
 - *In both [11] and [14]*
 - *Kai Sørlander rationally deduces that these entities*
 - *must be in space and time,*
 - *must satisfy laws of physics – like those of Newton and Einstein,*
 - *but among them are also living species: plants and animals*
and hence humans.
 - *The living species, besides still*
 - *being in space and time, and satisfying laws of physics,*
 - *must satisfy further properties – which we shall outline later.*

2.4. Endurants and Perdurants

- The concepts of endurants and perdurants
 - are not present in,
 - that is, are not essentialto Sørlander's Philosophy.
- Since our departure point is that of *computing science*
 - where, eventually, conventional computing performs operations on, i.e. processes data,
 - we shall, however, introduce these two notions:
 - *endurant* and *perdurant*.
 - The former, in a rough sense, “corresponds” to data;
 - the latter, similarly, to processes.

Characterisation 2 Endurant:

- By an **endurant** we shall understand an entity
 - that can be observed, or conceived and described, as a “complete thing” at no matter which given snapshot of time;
 - alternatively an entity is endurant if it is capable of *enduring*, that is *persist*, “*hold out*”.

Were we to “freeze” time

- we would still be able to observe the entire endurant ■

Example 2: Example 2: Endurants Geography Endurants:

- *The geography of an area, like some island, or a country, consists of*
 - *its geography – “the lay of the land”,*
 - *the geodetics of this land,*
 - *the meteorology of it,*
 - *et cetera.*

Railway System Endurants:

- *Example railway system endurants are:*
 - *a railway system,*
 - *its net,*
 - *its individual tracks,*
 - *switch points,*
 - *trains,*
 - *their individual locomotives,*
 - *et cetera.*

Analysis Prompt 2 *is_endurant*:

- *The domain analyser analyses an entity, ϕ , into an endurant as prompted by the domain analysis prompt:*
 - ***is_endurant** – ϕ is an endurant if *is_endurant*(ϕ) holds.*
- *is_entity is a prerequisite prompt for is_endurant* ■

Characterisation 3 **Perdurant:**

- By a **perdurant** we shall understand an entity
 - for which only a fragment exists if we look at or touch them at any given snapshot in time.
 - Were we to freeze time we would only see or touch a fragment of the perdurant,
 - alternatively
 - an entity is perdurant
 - if it endures continuously, over time, persists, lasting ■

Example 3: Example 3: Perdurants Geography:

- *Example geography perdurants are:*
 - *the continuous changing of the weather (meteorology);*
 - *the erosion of coast lines;*
 - *the rising of some land and the “sinking” of other land areas;*
 - *volcano eruptions;*
 - *earth quakes;*
 - *et cetera.*

Railway Systems:

- *Example railway system perdurants are:*
 - *the ride of a train from one railway station to another; and*
 - *the stop of a train at a railway station
from some arrival time to some departure time.*

Analysis Prompt 3 *is_perdurant*:

- *The domain analyser analyses an entity e into perdurants as prompted by the domain analysis prompt:*
 - *$is_perdurant$ – e is a perdurant if $is_perdurant(e)$ holds.*
- *is_entity is a prerequisite prompt for $is_perdurant$ ■*

3. Endurants: Analysis of External Qualities

3.1. Discrete and Continuous Endurants

Characterisation 4 Discrete Endurant:

- By a **discrete endurant** we shall understand an endurant which is
 - separate,
 - individual or
 - distinctin form or concept ■
- *To simplify matters we shall allow separate elements of a discrete endurant to be continuous !*

Example 4: Example 4: Discrete Endurants

- *The individual endurants of the above example of railway system endurants were all discrete.*
- *Here are examples of discrete endurants of pipeline systems.*
 - *A pipeline and*
 - *its individual units:*
 - *pipes,*
 - *valves,*
 - *pumps,*
 - *forks,*
 - *etc.*

Analysis Prompt 4 *is_discrete*:

- *The domain analyser analyses endurants e into discrete entities as prompted by the domain analysis prompt:*
 - *$is_discrete$ – e is discrete if $is_discrete(e)$ holds* ■

Characterisation 5 **Continuous Endurant:**

- By a **continuous endurant** we shall understand an endurant which is
 - prolonged, without interruption,
 - in an unbroken series or pattern ■
- *We shall prefer to refer to continuous endurants as materials*
- *and otherwise cover materials in Sect. on Slide 121.*

Example 5: Example 5: **Materials**

- *Examples of materials are:*
 - *water, oil, gas, compressed air, etc.*
- *A container, which we consider a discrete endurant,*
 - *may contain a material,*
 - *like a gas pipeline unit may contain gas.*

Analysis Prompt 5 *is_continuous*:

- *The domain analyser analyses endurants e into continuous entities as prompted by the domain analysis prompt:*
 - *$is_continuous$ – e is continuous if $is_continuous(e)$ holds*



- Continuity shall here not be understood in the sense of mathematics.
 - Our definition of ‘continuity’ focused on
 - *prolonged,*
 - *without interruption,*
 - *in an unbroken series or*
 - *pattern.*
 - In that sense materials shall be seen as ‘continuous’.
- The mathematical notion of ‘continuity’ is an abstract one.
- The endurant notion of ‘continuity’ is physical one.

3.2. Discrete Endurants

- We analyse discrete endurants into
 - *physical parts*,
 - *living species* and
 - *structures*.
- Physical parts and living species can be identified as separate entities – following Kai Sørlander's Philosophy.
- To model discrete endurants as structures represent a pragmatic choice which relieves the domain describer from transcendently considering structures as behaviours.

3.2.1. Physical Parts

Characterisation 6 Physical Parts:

- By a *physical part* we shall understand
 - a discrete endurant existing in time and
 - subject to laws of physics,
 - including the *causality principle* and
 - *gravitational pull*¹⁹ ■

¹⁹This characterisation is the result of our study of relations between philosophy and computing science, notably influenced by Kai Sørlander's Philosophy. We refer to our research report [6, www.imm.dtu.dk/~dibj/2018/philosophy/filo.pdf].

Analysis Prompt 6 *is_physical_part*:

- *The domain analyser analyses “things” (η) into physical part.*
- *The method can thus be said to provide the domain analysis prompt:*
 - ***is_physical_part** – where $is_physical_part(\eta)$ holds if η is a physical part* ■
- *Section continues our treatment of physical parts.*

3.2.2. Living Species

Definition 3 Living Species, I:

- By a *living species* we shall understand
 - a discrete endurant existing in space and time,
 - subject to laws of physics, and
 - additionally subject to *causality of purpose*.²⁰
- [Defn. 9 on Slide 105 elaborates further on this point] ■

²⁰See Footnote 19 on Slide 73.

Analysis Prompt 7 *is_living_species*:

- *The domain analyser analyses “things” (e) into living species.*
- *The method can thus be said to provide the domain analysis prompt:*
 - *is_living_species* – where *is_living_species(e)* holds if *e* is a living species ■

- Living species
 - have a *form* they can *develop* to reach;
 - they are *causally* determined to *maintain* this form;
 - and they do so by *exchanging matter* with an *environment*.
 - We refer to [6] for details.
- Section continues our treatment of living species.

3.2.3. Structures

Definition 4 Structure: By a **structure** we shall understand

- a discrete endurant
- which the domain engineer chooses
- to describe as consisting of one or more endurants,
- whether discrete or continuous,
- but to **not** endow with **internal qualities**:
 - unique identifiers,
 - mereology or
 - attributes ■

- *Structures* are “conceptual endurants”.
 - A *structure* “gathers” one or more endurants under “one umbrella”,
 - often simplifying a presentation of some elements of a domain description.
- Sometimes, in our domain modelling, we choose
 - to model an endurant as a *structure*,
 - sometimes as a *physical part*;
 - it all depends on what we wish to focus on
 - in our domain model.

- As such structures are “compounds”
 - where we are interested
 - only in the (external and internal) qualities
 - of the elements of the compound,
 - but not in the qualities
 - of the structure itself.

Example 6: Example 6: Structures

- *A transport system is modelled as structured into*
 - *a road net structure and*
 - *an automobile structure.*
- *The road net structure is then structured as a pair:*
 - *a structure of hubs and*
 - *a structure of links.*
- *These latter structures are then modelled as set of hubs, respectively links.*

Example 7: Example 7: Structures – Contd.

- *We could have modelled the road net structure*
 - *as a composite part*
 - *with unique identity, mereology and attributes*
 - *which could then serve to model*
 - *a road net authority.*
- *We could have modelled the automobile structure*
 - *as a composite part*
 - *with unique identity, mereology and attributes*
 - *which could then serve to model*
 - *a department of vehicles.*

- The concept of *structure* is new.
- Whether to analyse & describe a discrete endurant into a structure or a physical part is a matter of choice.
- If we choose to analyse a discrete endurant into a *physical part* then it is because we are interested in endowing the part with *qualities*, the
 - unique identifiers,
 - mereology and
 - one or more attributes.
- If we choose to analyse a discrete endurant into a *structure* then it is because we are **not** interested in endowing the endurant with *qualities*.

- When we choose that an endurant sort should be modelled as a part sort
 - with unique identification, mereology and proper attributes,
 - then it is because we eventually shall consider the part sort
 - as being the basis for transcendentially deduced behaviours.

Analysis Prompt 8 *is_structure*:

- *The domain analyser analyse endurants, e , into structure entities as prompted by the domain analysis prompt:*
 - *$is_structure$ e is a structure if $is_structure(e)$ holds* ■

- We shall now treat the external qualities of discrete endurants:
 - *physical parts* (Sect.) and
 - *living species* (Sect.).
- After that we cover
 - *components* (Sect.),
 - *materials* (Sect.) and
 - *artifacts* (physical man-made parts, Sect.) .

- We remind the listener
 - that in this section, i.e. Sect. , we cover only the *analysis calculus* for *external qualities*;
 - the *description calculus* for *external qualities* is treated in Sect. .
- The analysis and description calculi for internal qualities is covered in Sect. .

3.3. Physical Parts

- Physical parts are
 - either *natural parts*,
 - or *components*,
 - or *sets of parts* of the same type,
 - or are *artifacts* i.e. man-made parts.

- The categorisation of physical parts into these four is pragmatic.
 - *Physical parts* follow from Kai Sørlander's Philosophy.
 - *Natural parts* are what Sørlander's Philosophy is initially about.
 - *Artifacts* follow from *humans* acting according to their *purpose* in making "physical parts".
 - *Components* is a simplification of natural and man-made parts.
 - *Set of parts* is a simplification of composite natural and composite man-made parts as will be made clear in Sect. .

3.3.1. Natural Parts

Characterisation 7 Natural Parts:

- Natural parts
 - are in *space* and *time*;
 - are subject to the *laws of physics*,
 - and also subject to
 - the *principle of causality*
 - and *gravitational pull* ■

- *The above is a factual characterisation of natural parts.*

- *The below is our definition – such as we shall model natural parts.*

Definition 5 Natural Part:

- By a **natural part** we shall understand
 - a *physical part*
 - which the domain engineer chooses
 - to endow with all three **internal qualities**:
 - unique identification,
 - mereology, and
 - one or more attributes ■

3.3.2. Artifacts

Characterisation 8 Man-made Parts: Artifacts:

- Artifacts are man-made either discrete or continuous endurants.
 - In this section we shall only consider discrete endurants.
 - Man-made continuous endurants are not treated separately but are “lumped” with [natural] materials.
 - Artifacts are
 - are in *space* and *time*;
 - are subject to the *laws of physics*,
 - and also subject to
 - * the *principle of causality*
 - * and *gravitational pull* ■

- *The above is a factual characterisation of discrete artifacts.*
- *The below is our definition – such as we shall model discrete artifacts.*

Definition 6 Artifact:

- By an **artifact** we shall understand
 - *a man-made physical part*
 - which, like for *natural parts*, the domain engineer chooses
 - to endow with all three **internal qualities**:
 - unique identification,
 - mereology, and
 - one or more attributes ■

3.3.3. Parts

We revert to our treatment of parts.

Example 8: Example 8: Parts

- *The geography examples (of Page 60) are all natural parts.*
- *The railway system examples (of Page 60) are all artifacts*
- Except for the *intent* attribute of artifacts, we shall, in the following, treat
 - *natural* and
 - *artifactual*parts on par, i.e., just as physical parts.

Analysis Prompt 9 *is_part*:

- *The domain analyser analyse endurants, e, into part entities as prompted by the domain analysis prompt:*
 - *is_part e is a part if $is_part(e)$ holds* ■

3.3.4. Atomic and Composite Parts:

- A distinguishing quality
 - of natural and artifactual parts
 - is whether they are
 - atomic or
 - composite.
- Please note that we shall,
 - in the following,
 - examine the concept of parts
 - in quite some detail.
- That is, parts become the domain endurants of main interest, whereas components, structures and materials become of secondary interest.

- This is a choice.
 - The choice is based on pragmatics.
 - It is still the domain analyser cum describers' choice whether to consider a discrete endurant
 - a part
 - or a component,
 - or a structure.
 - If the domain engineer wishes to investigate
 - the details of a discrete endurant
 - then the domain engineer choose to model²¹
 - the discrete endurant as a part
 - otherwise as a component.

²¹We use the term *to model* interchangeably with the composite term *to analyse & describe*; similarly *a model* is used interchangeably with *an analysis & description*.

3.3.5. Atomic Parts

Definition 7 Atomic Part:

- **Atomic parts** are those which,
 - in a given context,
 - are deemed to *not* consist of meaningful, separately observable proper *sub-parts*.
- A **sub-part** is a *part* ■

Analysis Prompt 10 *is_atomic*:

- *The domain analyser analyses a discrete endurant, i.e., a part p into an atomic endurant:*
 - *is_atomic : p is an atomic endurant if $is_atomic(p)$ holds* ■

Example 9: Example 9: Atomic Road Net Parts

- *From one point of view all of the following can be considered atomic parts:*
 - *hubs, links²², and*
 - *automobiles.*

23

²³Hub \equiv street intersection; link \equiv street segments with no intervening hubs.

3.3.6. Composite Parts

Definition 8 Composite Part:

- **Composite parts** are those which,
 - in a given context,
 - are deemed to *indeed* consist of meaningful, separately observable proper *sub-parts* ■

Analysis Prompt 11 *is_composite*:

- *The domain analyser analyses a discrete endurant, i.e., a part p into a composite endurant:*
 - *$is_composite$: p is a composite endurant if $is_composite(p)$ holds ■*
- *is_discrete* is a prerequisite prompt of both *is_atomic* and *is_composite*.

Example 10: Example 10: Composite Automobile Parts

- *From another point of view all of the following can be considered composites parts:*
 - *an automobile,*
consisting of, for example, the following composite parts:
 - *the engine train,*
 - *the doors and*
 - *the chassis,*
 - *the wheels.*
 - *the car body,*
 - *These can again be considered composite parts.*

3.4. Living Species

- We refer to Sect. for our first characterisation (Slide 75) of the concept of *living species*²⁴:
 - a discrete endurant existing in time,
 - subject to laws of physics, and
 - additionally subject to *causality of purpose*²⁵

²⁴See analysis prompt 7 on Slide 76.

²⁵See Footnote 19 on Slide 73.

Definition 9 Living Species, II:

- Living species
 - must have some *form they can be developed to reach*;
 - which they must be *causally determined to maintain*.
 - This *development and maintenance* must further *in an exchange of matter with an environment*.

- It must be possible that living species occur in one of two forms:
 - one form which is characterised by *development, form and exchange*;
 - another form which, **additionally**, can be characterised by the *ability to purposeful movement*
- The first we call **plants**,
- the second we call **animals** ■

Analysis Prompt 12 *is_living_species*:

- *The domain analyser analyse discrete endurants, ℓ , into living species entities as prompted by the domain analysis prompt:*
 - *$is_living_species$ – where $is_living_species\ell$ holds if ℓ is a living species* ■

3.4.1. Plants

We start with some examples.

Example 11: Example 11: Plants

- *Although we have not yet come across domains for which the need to model the living species of plants were needed, we give some examples anyway:*
 - *grass,*
 - *tulip,*
 - *rhododendron,*
 - *oak tree.*

Analysis Prompt 13 *is_plant*:

- *The domain analyser analyses “things” (ℓ) into a plant.*
- *The method can thus be said to provide the domain analysis prompt:*
 - *is_plant – where $is_plant(\ell)$ holds if ℓ is a plant* ■
- The predicate $is_living_species(\ell)$ is a prerequisite for $is_plant(\ell)$.

3.4.2. Animals

Definition 10 Animal: We refer to the initial definition of *living species* above – while ephasizing the following traits:

- (i) *form animals can be developed to reach;*
- (ii) *causally determined to maintain.*
- (iii) *development and maintenance
in an exchange of matter with an environment, and*
- (iv) *ability to purposeful movement* ■

Analysis Prompt 14 *is_animal*:

- *The domain analyser analyses “things” (ℓ) into an animal.*
- *The method can thus be said to provide the domain analysis prompt:*
 - *is_animal – where $is_animal(\ell)$ holds if ℓ is an animal* ■
- The predicate $is_living_species(\ell)$ is a prerequisite for $is_animal(\ell)$.

Example 12: Example 12: **Animals**

- *Although we have not yet come across domains for which the need to model the living species of animals, in general, were needed, we give some examples anyway:*
 - *dolphin,*
 - *goose*
 - *cow*
 - *dog,*
 - *lion,*
 - *fly.*
- We have not decided, for these lectures,
 - whether to model animals singly
 - or as sets of such.

3.4.3. Humans

Definition 11 **Human:**

- A *human* (a *person*) is an *animal*,
cf. Definition 10, with the additional properties of having
 - *language*,
 - being *conscious of having knowledge* (of its own situation), and
 - *responsibility* ■

Analysis Prompt 15 *is_human*:

- *The domain analyser analyses “things” (ℓ) into a human.*
- *The method can thus be said to provide the domain analysis prompt:*
 - *is_human – where $is_human(\ell)$ holds if ℓ is a human* ■
- The predicate $is_animal(\ell)$ is a prerequisite for $is_human(\ell)$.
- We refer to [6, Sects. 10.4–10.5]
 - for a specific treatment of living species, animals and humans,
 - and to [6] in general
for the philosophy background for rationalising
the treatment of living species, animals and humans.

- We have not, in our many experimental domain modelling efforts
 - had occasion to model humans;
 - or rather:
 - we have modelled, for example, automobiles
 - * as possessing human qualities,
 - * i.e., “subsuming humans”.

- We have found, in these experimental domain modelling efforts
 - that we often confer anthropomorphic qualities on artifacts²⁶,
 - that is, that these artifacts have human characteristics.
- You, the listener are reminded
 - that when some programmers try to explain their programs
 - they do so using such phrases as
 - *and here the program does ... so-and-so !*

²⁶Cf. Sect. below.

3.5. Components

Definition 12 **Component:**

- By a **component** we shall understand
 - a discrete endurant
 - which we, the domain analyser cum describer
 - chooses to not endow with **mereology** ■

- Components are discrete endurants.
 - Usually they come in sets.
 - That is, sets of sets of components of different sorts (cf. Sect. on Slide 157).
 - A discrete endurant can (itself) “be” a set of components.
 - But physical parts may contain (`has_components`) components:
 - natural parts may contain natural components,
 - artifacts may contain natural and artifactual components.
 - We leave it to the listener to provide analysis predicates for natural and artifactual “componentry”.

Example 13: Example 13: Components

- *A natural part, say a land area may contain*
 - *gravel pits of sand,*
 - *clay pits*
 - *tar pits and*
 - *other “pits”.*
- *An artifact, say a postal letter box may contain*
 - *letters,*
 - *small parcels,*
 - *newspapers and*
 - *advertisement brochures.*

Analysis Prompt 16 *has_components*:

- *The domain analyser analyses discrete endurants e into component entities as prompted by the domain analysis prompt:*
 - *$has_components(p)$ holds if part p potentially may contain components* ■
- We refer to Sect. on Slide 157 for further treatment of the concept of *components*.

3.6. Continuous Endurants \equiv Materials

Definition 13 **Material:**

- By a **material** we shall understand a continuous endurant ■

- Materials are continuous endurants.
 - Usually they come in sets.
 - That is, sets of materials of different sorts (cf. Sect. on Slide 162).
 - So an endurant can (itself) “be” a set of materials.
 - But physical parts may contain (has_materials) materials:
 - natural parts may contain natural materials,
 - artifacts may contain natural and artifactual materials.
 - We leave it to the listener to provide analysis predicates for natural and artifactual “materials”.

Example 14: Example 14: Natural and Man-made Materials

- A **natural part**, say a land area, may contain
 - lakes,
 - rivers,
 - irrigation dams and
 - border seas.
- An **artifact**, say an automobile, usually contains
 - gasoline,
 - lubrication oil,
 - engine cooler liquid and
 - window screen washer water.

Analysis Prompt 17 *has_materials*:

- *The domain analysis prompt:*
 - *has_materials*(p) yields **true** if part $p:P$ potentially may contain materials otherwise false ■
- We refer to Sect. on Slide 162 for further treatment of the concept of *materials*.
- We shall soon define the terms unique identification, mereology and attributes.

3.7. Artifacts

Definition 14 **Artifacts:**

- By artifacts we shall understand
 - a man-made physical part or a man-made material ■

Example 15: Example 15: **More Artifacts** *From the shipping industry:*

- *ship,*
- *container vessels,*
- *container,*
- *container stack,*
- *container terminal port,*
- *harbour.*

Analysis Prompt 18 *is_artifact*:

- *The domain analyser analyses “things” (p) into artifacts.*
- *The method can thus be said to provide the domain analysis prompt:*
 - ***is_artifact** – where $is_artifact(p)$ holds if p is an artifact* ■

3.8. States

Definition 15 **State:**

- By a *state* we shall understand any number of
 - physical parts and/or
 - materials
- each possessing
 - as we shall later introduce them
 - at least one dynamic attribute.
- There is no need to introduce time at this point ■

Example 16: Example 16: **Artifactual States**

- *The following endurants are examples of states (including being elements of state compounds):*
 - *pipe units (pipes, valves, pumps, etc.) of pipe-lines;*
 - *hubs and links of road nets (i.e., street intersections and street segments);*
 - *automobiles (of transport systems).*
- The notion of *state* becomes relevant in Sect. .
- We shall there exemplify states further: example *Constants and States [Indexed States]* Page 283.

4. Endurants: The Description Calculus

4.1. Parts: Natural or Man-made

- The observer functions of this section applies to
 - both natural parts
 - and man-made parts (i.e., artifacts).

4.1.1. On Discovering Endurant Sorts

- Our aim now
 - is to present the basic principles that let
 - the domain analyser decide on *part sorts*.

- We observe parts one-by-one.
- (α) *Our analysis of parts concludes when we have*
 - *“lifted” our examination of a particular part instance*
 - *to the conclusion that it is of a given sort²⁷,*
 - *that is, reflects a formal concept.*

²⁷We use the term ‘sort’ for abstract types, i.e., for the type of values whose concrete form we are not describing. The term ‘sort’ is commonly used in algebraic semantics [30].

- Thus there is, in this analysis, a “eureka”,
 - a step where we shift focus
 - from the concrete to the abstract,
 - from observing specific part instances
 - to postulating a sort: from one to the many.
- If p is a part of sort P , then we express that as: $p:P$.

Analysis Prompt 19 *observe_endurant_sorts*:

- *The domain analysis prompt:*
 - *observe_endurant_sorts*
- *directs the domain analyser to observe the sub-endurants of an endurant e and to suggest their sorts.*
- *Let $observe_endurant_sorts(e) = \{e_1:E_1, e_2:E_2, \dots, e_m:E_m\}$ ■*

- (β) *The analyser analyses, for each of these endurants, e_i ,*
 - *which formal concept, i.e., sort, it belongs to;*
 - *let us say that it is of sort E_k ;*
 - *thus the sub-parts of p are of sorts $\{E_1, E_2, \dots, E_m\}$.*
- *Some E_k*
 - *may be natural parts,*
 - *other artifacts (man-made parts)*
 - *or structures,*
 - *and yet others may be components*
 - *or materials.*
- *And parts may be either atomic or composite.*

- The domain analyser continues to examine a finite number of other composite parts: $\{p_j, p_\ell, \dots, p_n\}$.
 - It is then “discovered”, that is, decided, that they all consists of the same number of sub-parts
 - $\{e_{i_1}, e_{i_2}, \dots, e_{i_m}\}$,
 - $\{e_{j_1}, e_{j_2}, \dots, e_{j_m}\}$,
 - $\{e_{\ell_1}, e_{\ell_2}, \dots, e_{\ell_m}\}$,
 - ...,
 - $\{e_{n_1}, e_{n_2}, \dots, e_{n_m}\}$, of the same, respective, endurant sorts.

- *(γ) It is therefore concluded, that is, decided, that $\{e_i, e_j, e_\ell, \dots, e_n\}$ are all of the same endurant sort P with observable part sub-sorts $\{E_1, E_2, \dots, E_m\}$.*

- Above we have *type-font-highlighted* three sentences: (α, β, γ) .
- When you analyse what they “prescribe” you will see that they entail a “depth-first search” for part sorts.
 - The β sentence says it rather directly:
 - *“The analyser analyses, for each of these parts, p_k , which formal concept, i.e., part sort it belongs to.”*
 - To do this analysis in a proper way, the analyser must (“recursively”) analyse
 - structures into sub-structures, parts, components and materials, and
 - parts “down” to their atomicity.
 - Components and materials are considered “atomic”, i.e., to not contain further analysable endurants.

- For the structures, parts (whether natural or man-made), components and materials of the structure the analyser cum describer decides on their sort,
- and work (“recurse”) their way “back”,
- through possibly intermediate endurants,
- to the p_k s.
- Of course, when the analyser starts by examining atomic parts, components and materials,
 - then their endurant structure and part analysis “recursion” is not necessary.

4.1.2. Endurant Sort Observer Functions:

- The above analysis amounts to the analyser
 - first “applying” the *domain analysis* prompt
 - `is_composite(e)` to a discrete endurant, e ,
 - where we now assume that the obtained truth value is **true**.
 - Let us assume that endurants $e:E$ consist of sub-endurants of sorts
 $\{E_1, E_2, \dots, E_m\}$.
 - Since we cannot automatically guarantee that our domain descriptions secure that
 - E and each E_i ($1 \leq i \leq m$)
 - denotes disjoint sets of entitieswe must prove it.

Domain Description Prompt 1 *observe_endurant_sorts*:

- *If $is_composite(p)$ holds, then the analyser “applies” the domain description prompt*
 - *$observe_endurant_sorts(p)$*

resulting in the analyser writing down the endurant sorts and endurant sort observers domain description text according to the following schema:

1. observe_endurant_sorts Observer Schema

Narration:

- [s] ... narrative text on sorts ...
- [o] ... narrative text on sort observers ...
- [p] ... narrative text on proof obligations ...

Formalisation:**type**

- [s] E ,
- [s] E_i $i:[1..m]$ **comment:** E_i $i:[1..m]$ abbreviates E_1, E_2, \dots, E_m

value

- [o] **obs** $_E$: $E \rightarrow E_i$ $i:[1..m]$

proof obligation [Disjointness of endurant sorts]

- [p] $\mathcal{PO} : \forall e:(E_1|E_2|\dots|E_m) \cdot \bigwedge \{ \mathbf{is}_{E_i}(e) \equiv \bigwedge \{ \sim \mathbf{is}_{E_j}(e) | j:[1..m] \setminus \{i\} \} | i:[1..m] \}$

- `is_composite` is a **prerequisite prompt** of `observe_endurant_sorts`.
- That is, the composite may satisfy `is_natural` or `is_artifact` ■

Note: The above schema as well as the following schemes introduce, i.e., define in terms of a function signature, a number of functions whose names begin with bold-faced **obs_...**, **uid_...**, **mereo_...**, **attr_...** et cetera. These observer functions are one of the bases of domain descriptions.

Example 17: Example 17: Composite Endurant Sorts

1 *There is the universe of discourse, UoD.*

It is structured into

2 *a road net, RN, and*

3 *a fleet of vehicles, FV.*

Both are structures.

type

1 UoD **axiom** $\forall uod:UoD \cdot is_structure(uod)$.

2 RN **axiom** $\forall rn:RN \cdot is_structure(rn)$.

3 FV **axiom** $\forall fv:FV \cdot is_structure(fv)$.

value

2 obs_RN: UoD \rightarrow RN

3 obs_FV: UoD \rightarrow FV






Figure 5: A Road Transport System

Example 18: Example 18: Structures

4 *The road net consists of*

- a. *a structure, SH , of hubs and*
- b. *a structure, SL , of links.*

5 *The fleet of vehicles consists of*

- a. *a structure, SBC , of bus companies, and*
- b. *a structure, PA , a pool of automobiles.*

type

4a. SH **axiom** $\forall sh:SH \cdot is_structure(sh)$

4b. SL **axiom** $\forall sl:SL \cdot is_structure(sl)$

5a. SBC **axiom** $\forall sbc:SBC \cdot is_structure(bc)$

5b. PA **axiom** $\forall pa:PA \cdot is_structure(pa)$

value

4a. obs_SH: RN \rightarrow SH

4b. obs_SL: RN \rightarrow SL

5a. obs_BC: FV \rightarrow BC

5b. obs_PA: FV \rightarrow PA



4.2. Concrete Part Types

Sometimes it is expedient to ascribe concrete types to sorts.

Analysis Prompt 20 *has_concrete_type*:

- *The domain analyser*
 - *may decide that it is expedient, i.e., pragmatically sound,*
 - *to render a part sort, P , whether atomic or composite, as a concrete type, T .*
 - *That decision is prompted by the holding of the domain analysis prompt:*
 - *has_concrete_type.*
 - *is_discrete is a prerequisite prompt of has_concrete_type* ■

- The reader is reminded that
 - the decision as to whether an abstract type is (also) to be described concretely
 - is entirely at the discretion of the domain engineer.

Domain Description Prompt 2 *observe_part_type*:

- *Then the domain analyser applies the domain description prompt:*
 - *observe_part_type(p)*²⁸
- *to parts $p:P$ which then yield the part type and part type observers domain description text according to the following schema:*

²⁸has_concrete_type is a *prerequisite prompt* of observe_part_type.

2. observe_part_type Observer Schema

Narration:

[t₁] ... narrative text on sorts and types S_i ...

[t₂] ... narrative text on types T ...

[o] ... narrative text on type observers ...

Formalisation:

type

[t₁] $S_1, S_2, \dots, S_m, \dots, S_n,$

[t₂] $T = \mathcal{E}(S_1, S_2, \dots, S_n)$

value

[o] **obs_T**: $P \rightarrow T$ ■

- Usually it is wise to restrict the part type definitions, $T_i = \mathcal{E}_i(Q, R, \dots, S)$, to simple type expressions.²⁹

29

- $T = A\text{-set}$ or
- $T = A^*$ or

- $T = ID \xrightarrow{m} A$ or
- $T = A_t | B_t | \dots | C_t$

where

- ID is a sort of unique identifiers,
- $T = A_t | B_t | \dots | C_t$ defines the disjoint types
 - $A_t == mkA_t(s:A_s)$,
 - $B_t == mkB_t(s:B_s)$, ...,
 - $C_t == mkC_t(s:C_s)$,

and where

- A, A_s, B_s, \dots, C_s are sorts.
- Instead of $A_t == mkA_t(a:A_s)$, etc., we may write $A_t :: A_s$ etc.

- The type name,
 - T , of the concrete type,
 - as well as those of the auxiliary types, S_1, S_2, \dots, S_m ,
 - are chosen by the domain describer:
 - they may have already been chosen
 - for other sort-to-type descriptions,
 - or they may be new.

Example 19: Example 19: Concrete Part Types

6 *The structure of hubs is a set, sH , of atomic hubs, H .*

7 *The structure of links is a set, sL , of atomic links, L .*

8 *The structure of buses is a set, sBC , of composite bus companies, BC .*

9 *The composite bus companies, BC , are sets of buses, sB .*

10 *The structure of private automobiles is a set, sA , of atomic automobiles, A .*

- 6 $H, sH = H\text{-set axiom } \forall h:H \cdot \text{is_atomic}(h)$
- 7 $L, sL = L\text{-set axiom } \forall l:L \cdot \text{is_atomic}(l)$
- 8 $BC, BCs = BC\text{-set axiom } \forall bc:BC \cdot \text{is_composite}(bc)$
- 9 $B, Bs = B\text{-set axiom } \forall b:B \cdot \text{is_atomic}(b)$
- 10 $A, sA = A\text{-set axiom } \forall a:A \cdot \text{is_atomic}(a)$

value

- 6 $\text{obs_sH}: SH \rightarrow sH$
- 7 $\text{obs_sL}: SL \rightarrow sL$
- 8 $\text{obs_sBC}: SBC \rightarrow BCs$
- 9 $\text{obs_Bs}: BCs \rightarrow Bs$
- 10 $\text{obs_sA}: SA \rightarrow sA$



4.3. On Endurant Sorts

4.3.1. Derivation Chains

- Let E be a composite sort.
- Let E_1, E_2, \dots, E_m be the part sorts “discovered” by means of `observe_endurant_sorts(e)` where $e:E$.
- We say that E_1, E_2, \dots, E_m are (immediately) **derived** from E .
- If E_k is derived from E_j and E_j is derived from E_i , then, by transitivity, E_k is **derived** from E_i .

4.3.2. No Recursive Derivations:

- We “mandate” that
 - if E_k is derived from E_j
 - then there
 - E_j is different from E_k and there
 - can be no E_k derived from E_j ,
 - that is, E_k cannot be derived from E_k .
- That is, we do not “provide for” recursive domain sorts.
- It is not a question, actually of allowing recursive domain sorts.
 - It is, we claim to have observed,
 - in very many *analysis & description* experiments,
 - that there are no recursive domain sorts !³⁰

³⁰Some readers may object, but we insist! If *trees* are brought forward as an example of a recursively definable domain, then we argue: Yes, trees can be recursively defined, but it is not recursive. Trees can, as well, be defined as a variant of graphs, and you wouldn't claim, would you, that graphs are recursive?

4.3.3. Names of Part Sorts and Types:

- The domain analysis & description text prompts
 - observe_endurant_sorts, – observe_component_sorts
 - as well as the below-defined and
 - observe_part_type, – observe_material_sorts,
 - as well as the further below defined
 - attribute_names, er,
 - observe_material_sorts, – observe_mereology and
 - observe_unique_identifi- – observe_attributes
- prompts introduced below – “yield” type names.

- That is, it is as if there is
 - a reservoir of an indefinite-size set of such names
 - from which these names are “pulled”,
 - and once obtained are never “pulled” again.
- There may be domains for which two distinct part sorts may be composed from identical part sorts.
- *In this case the domain analyser indicates so by prescribing a part sort already introduced.*

4.4. Components

- We refer to Sect. on Slide 117 for our initial treatment of ‘components’.

Domain Description Prompt 3 *observe_component_sorts*:

- *The domain description prompt:*
 - *observe_component_sorts(p)*
 - *yields the component sorts and component sort observer domain description text according to the following schema –*
 - *whether or not the actual part p contains any components:*

3. observe_component_sorts Observer Schema

Narration:

- [s] ... narrative text on component sorts ...
- [o] ... narrative text on component observers ...
- [p] ... narrative text on component sort proof obligations ...

Formalisation:

type

- [s] K_1, K_2, \dots, K_n
- [s] $K = K_1 | K_2 | \dots | K_n$
- [s] $KS = K\text{-set}$

value

- [o] $\text{obs_components_P}: P \rightarrow KS$

Proof Obligation: [Disjointness of Component Sorts]

- [p] $\mathcal{PO}: \forall k_i:(K_1|K_2|\dots|K_n) \cdot \bigwedge \text{is_}K_i(k_i) \equiv \bigwedge \{\sim \text{is_}K_j(k_j) | j:[1..n] \setminus \{i\}\} \quad i:[1..n] \quad \blacksquare$

- The $\text{is_}K_j(e)$ is defined by $K_i, i:[1..n]$.

Example 20: Example 20: **Components**

- To illustrate the concept of components
 - we describe timber yards, waste disposal areas, road material storage yards, automobile scrap yards, and the like
 - as special “cul de sac” hubs with components.
 - Here we describe road material storage yards.

11 Hubs may contain components, but only if the hub is connected to exactly one link.

12 These “cul-de-sac” hub components may be such things as Sand, Gravel, Cobble Stones, Asphalt, Cement or other.

value

11 has_components: $H \rightarrow \mathbf{Bool}$

type

12 Sand, Gravel, Stones, Asphalt, Cement, ...

12 $KS = (\text{Sand|Gravel|Stones|Asphalt|Cement|...})\text{-set}$

value

11 obs_components_H: $H \rightarrow KS$

11 **pre:** $\text{obs_components_H}(h) \equiv \mathbf{card} \text{ mereo}(h) = 1$



- We have presented one way of tackling the issue of describing components.
 - There are other ways.
 - We leave those ‘other ways’ to the reader.
- We are not going to suggest techniques and tools for analysing, let alone ascribing qualities to components.
 - We suggest that conventional abstract modelling techniques and tools be applied.

4.5. Materials

- We refer to Sect. on Slide 121 for our initial treatment of ‘materials’.
- Continuous endurants (i.e., **materials**) are entities, m , which satisfy:
 - $\text{is_material}(e) \equiv \text{is_continuous}(e)$
- If $\text{is_material}(e)$ holds
 - then we can apply the *domain description prompt*:
 - $\text{observe_material_sorts}(e)$.

Domain Description Prompt 4 *observe_material_sorts*:

- *The domain description prompt:*

- *observe_material_sorts(e)*

yields the material sorts and material sort observers'

domain description text

according to the following schema

whether or not part p actually contains materials:

4. observe_material_sorts Observer Schema

Narration:

- [s] ... narrative text on material sorts ...
- [o] ... narrative text on material sort observers ...
- [p] ... narrative text on material sort proof obligations ...

Formalisation:

type

- [s] M_1, M_2, \dots, M_n
- [s] $M = M_1 \mid M_2 \mid \dots \mid M_n$
- [s] $MS = M\text{-set}$

value

- [o] $\mathbf{obs_}M_i: P \rightarrow M, [i:1..n]$

proof obligation [Disjointness of Material Sorts]

- [p] $\mathcal{PO}: \forall m_i:M \cdot \bigwedge \{ \mathbf{is_}M_i(m_i) \equiv \bigwedge \{ \sim \mathbf{is_}M_j(m_j) \mid j \in \{1..m\} \setminus \{i\} \} \mid i:[1..n] \}$

- The $\mathbf{is_}M_j(e)$ is defined by $M_i, i:[1..n]$.

- *Let us assume that parts $p:P$ embody materials of sorts $\{M_1, M_2, \dots, M_n\}$.*
- *Since we cannot automatically guarantee that our domain descriptions secure that*
 - *each M_i ($[1 \leq i \leq n]$)*
 - *denotes disjoint sets of entities**we must prove it* ■

Example 21: Example 21: **Materials**

- *To illustrate the concept of materials*
 - *we describe waterways (river, canals, lakes, the open sea) along links*
 - *as links with material of type water.*

13 Links may contain material.

14 That material is water, W.

type

14 W

value

13 obs_material: $L \rightarrow W$

13 **pre:** obs_material(l) \equiv has_material(h)



5. Endurants: Analysis & Description of Internal Qualities

- We remind the listener that internal qualities cover
 - *unique Identifiers* (Sect.),
 - *mereology* (Sect.) and
 - *attributes* (Sect.).

5.1. Unique Identifiers

- We introduce a notion of unique identification of parts and components.
- We assume
 - (i) that all parts and components, p , of any domain P , have *unique identifiers*,
 - (ii) that *unique identifiers* (of parts and components $p:P$) are *abstract values* (of the *unique identifier* sort PI of parts $p:P$),
 - (iii) such that distinct part or component sorts, P_i and P_j , have distinctly named *unique identifier* sorts, say PI_i and PI_j ,
 - (iv) that all $\pi_i:PI_i$ and $\pi_j:PI_j$ are distinct, and
 - (v) that the observer function **uid** _{P} applied to p yields the unique identifier, $\pi:PI$, of p .

- The description language function **type_name**
 - applies to unique identifiers, $p_{ui}:P_UI$, and
 - yield the name of the type, P , of the parts
 - having unique identifiers of type P_UI .

Representation of Unique Identifiers:

- Unique identifiers are abstractions.
 - When we endow two parts (say of the same sort) with distinct unique identifiers
 - then we are simply saying that these two parts are distinct.
 - We are not assuming anything about how these identifiers otherwise come about.

Domain Description Prompt 5 *observe_unique_identifier*:

- *We can therefore apply the domain description prompt:*
 - *observe_unique_identifier*
- *to parts $p:P$*
 - *resulting in the analyser writing down*
 - *the unique identifier type and observer domain description text according to the following schema:*

5. observe_unique_identifier Observer Schema

Narration:

- [s] ... narrative text on unique identifier sort PI ...
- [u] ... narrative text on unique identifier observer **uid_P** ...
- [a] ... axiom on uniqueness of unique identifiers ...

Formalisation:

type

[s] PI

value

[u] **uid_P**: $P \rightarrow PI$

axiom [Disjointness of Domain Identifier Types]

[a] $\mathcal{A}: \mathcal{U}(PI, PI_i, PI_j, \dots, PI_k)$

Example 22: Example 22: Unique Identifiers

15 We assign unique identifiers to all parts.

16 By a road identifier we shall mean a link or a hub identifier.

17 By a vehicle identifier we shall mean a bus or an automobile identifier.

18 Unique identifiers uniquely identify all parts.

a. All hubs have distinct [unique] identifiers.

b. All links have distinct identifiers.

c. All bus companies have distinct identifiers.

d. All buses of all bus companies have distinct identifiers.

e. All automobiles have distinct identifiers.

f. All parts have distinct identifiers.

type

15 H_UI, L_UI, BC_UI, B_UI, A_UI

16 R_UI = H_UI | L_UI

17 V_UI = B_UI | A_UI

value

18a. uid_H: H \rightarrow H_UI

18b. uid_L: H \rightarrow L_UI

18c. uid_BC: H \rightarrow BC_UI

18d. uid_B: H \rightarrow B_UI

18e. uid_A: H \rightarrow A_UI

- *Appendix Sect. A on Slide 435 presents some auxiliary functions related to unique identifiers*



- We ascribe, in principle, unique identifiers
 - to all parts
 - whether natural
 - or artifactual,
 - and
 - to all components.
- We find, from our many experiments, cf. the *Universes of Discourse* example, Page 47,
 - that we really focus on those domain entities which are
 - artifactual endurants and
 - their behavioural “counterparts”.

5.2. Mereology

- Mereology is the study and knowledge of parts and part relations.
 - Mereology, as a logical/philosophical discipline, can perhaps best be attributed to the Polish mathematician/logician Stanisław Leśniewski [8, 31].

5.2.1. Part Relations:

- Which are the relations that can be relevant for part-hood ?
- We give some examples.
 - (i) Two otherwise distinct parts may “*share*” values.
 - By ‘*sharing*’ values we shall, as a generic example, mean that two parts of different sorts has the same attributes
 - but that one ‘*defines*’ the attribute, like, for example ‘*programming*’ its values, cf. Defn.8 Page205,
 - whereas the other ‘*uses*’ these values, like, for example considering them ‘*inert*’, cf. Defn.3 Page203.
 - (ii) Two otherwise distinct parts may be said to, for example, be topologically “adjacent” or one “embedded” within the other.

- These examples are in no way indicative of the “space” of part relations that may be relevant for part-hood.
- The domain analyser is expected to do a bit of experimental research in order to discover necessary, sufficient and pleasing “mereology-hoods” !

5.2.2. Part Mereology: Types and Functions

Analysis Prompt 21 *has_mereology*:

- *To discover necessary, sufficient and pleasing “mereology-hoods” the analyser can be said to endow a truth value, **true**, to the domain analysis prompt:*
 - *has_mereology*
- When the domain analyser decides that
 - some parts are related in a specifically enunciated mereology,
 - the analyser has to decide on suitable
 - *mereology types* and
 - *mereology observers* (i.e., part relations).

- 19 We may, to illustration, define a **mereology type** of a part $p:P$ as a triplet type expression over set of unique [part] identifiers.
- 20 There is the identification of all those part types $P_{i_1}, P_{i_2}, \dots, P_{i_m}$ where at least one of whose properties "is_of_interest" to parts $p:P$.
- 21 There is the identification of all those part types $P_{io_1}, P_{io_2}, \dots, P_{io_n}$ where at least one of whose properties "is_of_interest" to parts $p:P$ and vice-versa.
- 22 There is the identification of all those part types $P_{o_1}, P_{o_2}, \dots, P_{o_o}$ for whom properties of $p:P$ "is_of_interest" to parts of types $P_{o_1}, P_{o_2}, \dots, P_{o_o}$.
- 23 The the mereology triplet sets of unique identifiers are disjoint and are all unique identifiers of the universe of discourse.

- The three part mereology is just a suggestion.
 - As it is formulated here we mean the three ‘sets’ to be disjoint.
 - Other forms of expressing a mereology should be considered
 - for the particular domain and for the particular parts of that domain.
- We leave out further characterisation of
 - the seemingly vague notion "is_of_interest".

type

20 $iPI = iPI1 \mid iPI2 \mid \dots \mid iPI_m$

21 $ioPI = ioPI1 \mid ioPI2 \mid \dots \mid ioPI_n$

22 $oPI = oPI1 \mid oPI2 \mid \dots \mid oPI_o$

19 $MT = iPI\text{-set} \times ioPI\text{-set} \times oPI\text{-set}$

axiom

23 $\forall (iset, ioiset, oset): MT .$

23 $\mathbf{card} \text{ iset} + \mathbf{card} \text{ ioiset} + \mathbf{card} \text{ oset} = \mathbf{card} \cup \{iset, ioiset, oset\}$

23 $\cup \{iset, ioiset, oset\} \subseteq \text{unique_identifiers}(uod)$

value

23 $\text{unique_identifiers}: P \rightarrow UI\text{-set}$

23 $\text{unique_identifiers}(p) \equiv \dots$

Domain Description Prompt 6 *observe_mereology*:

- *If $has_mereology(p)$ holds for parts p of type P ,*
 - *then the analyser can apply the **domain description prompt**:*
 - *observe_mereology*
 - *to parts of that type*
 - *and write down the mereology types and observer domain description text according to the following schema:*

6. observe_mereology Observer Schema

Narration:

- [t] ... narrative text on mereology type ...
- [m] ... narrative text on mereology observer ...
- [a] ... narrative text on mereology type constraints ...

Formalisation:

type

- [t] MT³¹

value

- [m] mereo_P: $P \rightarrow MT$

axiom [Well-formedness of Domain Mereologies]

- [a] $\mathcal{A}: \mathcal{A}(MT)$

³¹The mereology descriptor, MT will be referred to in the sequel.

- $\mathcal{A}(MT)$ is a predicate
over possibly all unique identifier types of the domain description.
- To write down the concrete type definition for MT
requires a bit of analysis and thinking.
- *has_mereology* is a
prerequisite prompt for *observe_mereology* ■

Example 23: Example 23: Mereology

24 *The mereology of hubs is a pair: (i) the set of all bus and automobile identifiers³², and (ii) the set of unique identifiers of the links that it is connected to and the set of all unique identifiers of all vehicle (buses and private automobiles).³³.*

25 *The mereology of links is a pair: (i) the set of all bus and automobile identifiers, and (ii) the set of the two distinct hubs they are connected to.*

26 *The mereology of of a bus company is a set the unique identifiers of the buses operated by that company.*

27 *The mereology of a bus is a pair: (i) the set of the one single unique identifier of the bus company it is operating for, and (ii) the unique identifiers of all links and hubs³⁴.*

28 *The mereology of an automobiles is the set of the unique identifiers of all links and hubs³⁵.*

³²This is just another way of saying that the meaning of hub mereologies involves the unique identifiers of all the vehicles that might pass through the hub `is_of_interest` to it

³³... its link identifiers designate the links, zero, one or more, that a hub is connected to `is_of_interest` to both the hub and that these links is `interested` in the hub.

³⁴that the bus might pass through

³⁵that the automobile might pass through

type

24 H_Mer = V_UI-set \times L_UI-set

24 **axiom** \forall (vuis,luis):H_Mer \cdot luis \subseteq l_{uis} \wedge vuis = v_{uis}

25 L_Mer = V_UI-set \times H_UI-set

25 **axiom** \forall (vuis,huis):L_Mer \cdot

25 vuis = v_{uis} \wedge huis \subseteq h_{uis} \wedge **card**huis = 2

26 BC_Mer = B_UI-set

26 **axiom** \forall buis:H_Mer \cdot buis = b_{uis}

27 B_Mer = BC_UI \times R_UI-set

27 **axiom** \forall (bc_ui,ruis):H_Mer \cdot bc_ui \in bc_{uis} \wedge ruis = r_{uis}

28 A_Mer = R_UI-set

28 **axiom** \forall ruis:A_Mer \cdot ruis = r_{uis}

value

24 mereo_H: H \rightarrow H_Mer

25 mereo_L: L \rightarrow L_Mer

26 mereo_BC: BC \rightarrow BC_Mer

27 mereo_B: B \rightarrow B_Mer

28 mereo_A: A \rightarrow A_Mer

- We can express some additional axioms,
- in this case for relations between hubs and links:

29 If hub, h , and link, l , are in the same road net,

30 and if hub h connects to link l then link l connects to hub h .

axiom

```

29  ∀ h:H,l:L · h ∈ hs ∧ l ∈ ls ⇒
    let (_,luis)=mereo_H(h), (_,huis)=mereo_L(l)
30  in uid_L(l)∈luis⇒uid_H(h)∈huis end

```

- More mereology axioms need be expressed –
- but we leave, to the student,
- to narrate and formalise those



5.2.3. Formulation of Mereologies:

- The `observe_mereology` domain descriptor, Slide 183,
 - may give the impression that the mereo type MT can be described
 - “at the point of issue” of the `observe_mereology` prompt.
 - Since the MT type expression may depend on any part sort
 - the mereo type MT can, for some domains,
 - “first” be described when all part sorts have been dealt with.

5.2.4. Some Modelling Observations:

- It is, in principle, possible to find examples of mereologies of natural parts:
 - rivers: their confluence, lakes and oceans; and
 - geography: mountain ranges, flat lands, etc.
- But in our experimental case studies, cf. Example on Page 47, we have found no really interesting such cases.
- All our experimental case studies appears to focus on the mereology of artifacts.

- And, finally, in modelling humans,
 - we find that their mereology encompass
 - all other humans
 - and all artifacts !
 - Humans cannot be tamed to refrain from interacting with everyone and everything.
- Some domain models may emphasize *physical mereologies* based on spatial relations,
- others may emphasize *conceptual mereologies* based on logical “connections”.

5.3. Attributes

- To recall: there are three sets of **internal qualities**:
 - unique part identifiers,
 - part mereology and
 - attributes.
- Unique part identifiers and part mereology are rather definite kinds of internal endurant qualities.
- Part attributes form more “free-wheeling” sets of **internal qualities**.

5.3.1. Technical Issues:

- We divide Sect. into two subsections:
 - *technical issues*, the present one, and
 - *modelling issues*, Sect. .

5.3.1.1 Inseparability of Attributes from Parts and Materials:

- Parts and materials are
 - typically recognised because of their spatial form
 - and are otherwise characterised by their intangible, but measurable attributes.
- We equate all endurants which, besides possible type of unique identifiers (i.e., excepting materials) and possible type of mereologies (i.e., excepting components and materials), have the same types of attributes, with one sort.
- Thus removing a quality from an endurant makes no sense:
 - the endurant of that type
 - either becomes an endurant of another type
 - or ceases to exist (i.e., becomes a non-entity) !

Attribute Quality and Attribute Value:

- We distinguish between
 - an attribute (as a logical proposition, of a name, i.e.) type, and
 - an attribute value, as a value in some value space.

Analysis Prompt 22 *attribute types*:

- *One can calculate the set of attribute types of parts and materials with the following domain analysis prompt:*
 - *attribute_types*
- *Thus for a part p we may have $attribute_types(p) = \{A_1, A_2, \dots, A_m\}$.*

- Whether by `attribute_types(p)`
 - we mean the names of the types $\{A_1, A_2, \dots, A_m\}$
 - for example $\{\eta A_1, \eta A_2, \dots, \eta A_m\}$
 - where η is some meta-function which applies to a type and yields its name, or
 - or we mean the [full] types themselves,
 - i.e., some possibly infinite, suitably structured set
 - of values (of that type),
 - we shall here leave open !

5.3.1.2 Attribute Types and Functions:

- Let us recall that attributes cover qualities other than unique identifiers and mereology.
- Let us then consider that parts and materials have one or more attributes.
 - These attributes are qualities
 - which help characterise “what it means” to be a part or a material.
- Note that we expect every part and material to have at least one attribute.
- The question is now, in general, how many and, particularly, which.

Domain Description Prompt 7 *observe_attributes*:

- *The domain analyser experiments, thinks and reflects about part attributes.*
- *That process is initiated by the domain description prompt:*
 - *observe_attributes.*
- *The result of that domain description prompt is that the domain analyser cum describer writes down the attribute (sorts or) types and observers domain description text according to the following schema:*

7. observe_attributes Observer Schema

Narration:

- [t] ... narrative text on attribute sorts ...
- [o] ... narrative text on attribute sort observers ...
- [p] ... narrative text on attribute sort proof obligations ...

Formalisation:

type

[t] $A_i \ [1 \leq i \leq n]$

value

[o] $\text{attr_}A_i: P \rightarrow A_i \ i:[1..n]$

proof obligation [Disjointness of Attribute Types]

[p] \mathcal{PO} : **let** P be any part sort **in** [the domain description]

[p] **let** $a:(A_1|A_2|\dots|A_n)$ **in** $\text{is_}A_i(a) \neq \text{is_}A_j(a)$ **end end** [$i \neq j, i,j:[1..n]$]

- The $\text{is_}A_j(e)$ is defined by $A_i, i:[1..n]$.

- The **type** (or rather sort) definitions: A_1, A_2, \dots, A_n , inform us that the domain analyser has decided to focus on the distinctly named A_1, A_2, \dots, A_n attributes.
 - And the **value** clauses
 - **attr** $_A_1:P \rightarrow A_1$,
 - **attr** $_A_2:P \rightarrow A_2$,
 - ...,
 - **attr** $_A_n:P \rightarrow A_n$
- are then “automatically” given:
- if a part, $p:P$, has an attribute A_i
 - then there is postulated, “by definition” [eureka]
an attribute observer function **attr** $_A_i:P \rightarrow A_i$ etcetera ■

- We cannot automatically, that is, syntactically, guarantee that our domain descriptions secure that
 - the various attribute types
 - for a part sort
 - denote disjoint sets of values.

Therefore we must prove it.

Attribute Categories:

- Michael A. Jackson [32] has suggested a hierarchy of attribute categories:
 - static or
 - dynamic values – and within the dynamic value category:
 - inert values or
 - reactive values or
 - active values – and within the dynamic active value category:
 - * autonomous values or
 - * biddable values or
 - * programmable values.
- We now review these attribute value types.
The review is based on [32, M.A. Jackson].

- *Part attributes* are either constant or varying, i.e., **static** or **dynamic** attributes.

Attribute Category: 1 • By a **static attribute**, $a:A$,
`is_static_attribute(a)`,

we shall understand an attribute whose values

- are constants,
- i.e., cannot change.

Attribute Category: 2 • By a **dynamic attribute**, $a:A$,
`is_dynamic_attribute(a)`,

we shall understand an attribute whose values

- are variable,
- i.e., can change.

Dynamic attributes are either *inert*, *reactive* or *active* attributes.

Attribute Category: 3 • By an **inert attribute**, $a:A$,
`is_inert_attribute(a)`,
we shall understand a dynamic attribute whose values

- only change as the result of external stimuli where
- these stimuli prescribe new values.

Attribute Category: 4 • By a **reactive attribute**, $a:A$,
`is_reactive_attribute(a)`,
we shall understand dynamic attributes whose value,

- if they vary, change in response to external stimuli,
- where these stimuli come from outside the domain of interest.

Attribute Category: 5 • By an **active attribute**, $a:A$,
`is_active_attribute(a)`,
we shall understand a dynamic attribute whose values
– change (also) of its own volition.

Active attributes are either *autonomous*, *biddable* or *programmable* attributes.

Attribute Category: 6 • By an **autonomous attribute**, $a:A$,
`is_autonomous_attribute(a)`,
we shall understand a dynamic active attribute
– whose values change value only “on their own volition”.³⁶

³⁶The values of an autonomous attributes are a “law onto themselves and their surroundings”.

Attribute Category: 7 • By a **biddable attribute**, $a:A$, `is_biddable_attribute(a)` we shall understand a dynamic active attribute whose values

- *are prescribed*
- *but may fail to be observed as such.*

Attribute Category: 8 • By a **programmable attribute**, $a:A$, `is_programmable_attribute(a)`, we shall understand a dynamic active attribute whose values

- can be prescribed.

- Figure 6 captures an attribute value ontology.




Figure 6: Attribute Value Ontology

Example 24: Example 24: Attributes

- We treat part attributes, sort by sort.

Hubs: We show just a few attributes:

31 There is a hub state. It is a set of pairs, (l_f, l_t) of link identifiers, where these link identifiers are in the mereology of the hub. The meaning of the hub state, in which, e.g., (l_f, l_t) is an element, is that the hub is open, “green”, for traffic from link l_f to link l_t . If a hub state is empty then the hub is closed, i.e., “red” for traffic from any connected links to any other connected links.

32 There is a hub state space. It is a set of hub states. The meaning of the hub state space is that its states are all those the hub can attain. The current hub state must be in its state space.

- 33 *Since we can think rationally about it, it can be described, hence it can model, as an attribute of hubs a history of its traffic: the recording, per unique bus and automobile identifier, of the time ordered presence in the hub of these vehicles.*
- 34 *The link identifiers of hub states must be in the set, $l_{ui}s$, of the road net's link identifiers.*

type31 $H\Sigma = (L_UI \times L_UI)\text{-set}$ **axiom**31 $\forall h:H \cdot \text{obs_H}\Sigma(h) \in \text{obs_H}\Omega(h)$ **type**32 $H\Omega = H\Sigma\text{-set}$ 33 $H_Traffic$ 33 $H_Traffic = (A_UI|B_UI) \xrightarrow{m} (\mathcal{T} \times VPos)^*$ **axiom**33 $\forall ht:H_Traffic, ui:(A_UI|B_UI) \cdot ui \in \mathbf{dom} \ ht$ 33 $\Rightarrow \text{time_ordered}(ht(ui))$ **value**31 $\text{attr_H}\Sigma: H \rightarrow H\Sigma$ 32 $\text{attr_H}\Omega: H \rightarrow H\Omega$ 33 $\text{attr_H_Traffic}: : \rightarrow H_Traffic$ **axiom**34 $\forall h:H \cdot h \in hs \Rightarrow$ 34 **let** $h\sigma = \text{attr_H}\Sigma(h)$ **in**34 $\forall (l_{ui}i, l_{ui}i'): (L_UI \times L_UI) \cdot (l_{ui}i, l_{ui}i') \in h\sigma$ 34 $\Rightarrow \{l_{ui}i, l_{ui}i'\} \subseteq l_{ui}S$ **end****value**33 $\text{time_ordered}: \mathcal{T}^* \rightarrow \mathbf{Bool}$ 33 $\text{time_ordered}(tvpl) \equiv \dots$

Calculating Attributes:

35 Given a part p we can *meta-linguistically*³⁷ calculate names for its static attributes.

36 Given a part p we can *meta-linguistically* calculate names for its controllable attributes.

37 And given a part p we can *meta-linguistically* calculate name for its monitorable attributes attributes.

38 These three sets make up all the attributes of part p .

The type names $nSA1, \dots, nMAM$ designate sets of names.

³⁷By using the term *meta-linguistically* here we shall indicate that we go outside what is computable – and thus appeal to the reader’s forbearance.

value35 stat_attr_typs: $P \rightarrow \text{nSA-set}$ 36 ctrl_attr_typs: $P \rightarrow \text{nCA-set}$ 37 mon_attr_typs: $P \rightarrow \text{nMA-set}$ **axiom**38 $\forall p:P .$ 38 **let** stat_nms = stat_attr_typs(p),

38 ctrl_nms = ctrl_attr_typs(p),

38 moni_nms = mon_attr_typs(p) **in**38 **card** stat_nms + **card** ctrl_nms + **card** moni_nms38 = **card**(stat_nms \cup ctrl_nms \cup moni_nms) **end**

The above formulas are indicative, like mathematical formulas, they are not computable.

39 Given a part p we can *meta-linguistically* calculate its static attribute values.

40 Given a part p we can *meta-linguistically* calculate its controllable, i.e., the biddable and programmable attribute values.

The type names $sa1, \dots, cac$ refer to the types denoted by the corresponding types name $nsa1, \dots, ncac$.

value

39 stat_attr_vals: $P \rightarrow SA1 \times SA2 \times \dots \times SAs$

39 stat_attr_vals(p) \equiv **let** {n_{sa1}, n_{sa2}, ..., n_{sas}}

39 = stat_attr_typs(p) **in** (attr_sa1(p), attr_sa2(p), ..., attr_sas(p)) **end**

40 ctrl_attr_vals: $P \rightarrow CA1 \times CA2 \times \dots \times CAc$

40 ctrl_attr_vals(p) \equiv **let** {n_{ca1}, n_{ca2}, ..., n_{cac}}

40 = ctrl_attr_typs(p) **in** (attr_ca1(p), attr_ca2(p), ..., attr_cac(p)) **end**

- The “ordering” of type values,
 - (attr_sa1(p), ..., attr_sas(p)), respectively
 - (attr_ca1(p), ..., attr_cac(p)),
 - is arbitrary.

5.3.2. Basic Principles for Ascribing Attributes:

- Section dealt with technical issues of expressing attributes.
- This section will indicate some modelling principles.

Natural Parts:

- are in space and time – and are subject to laws of physics.
- So basic attributes focus on physical (including chemical) properties.
- These attributes cover the full spectrum of attribute categories outlined in Sect. .

Materials:

- are in space and time – and are subject to laws of physics.
- So basic attributes focus on physical, especially chemical properties.
- These attributes cover the full spectrum of attribute categories outlined in Sect. .
- The next paragraphs, **living species, animate entities** and **humans**, reflect Sørlander's Philosophy [14, pp 14–182].



Causality of Purpose:

- If there is to be *the possibility of language and meaning*
 - then there must exist primary entities
 - which are *not entirely encapsulated within the physical conditions*;
 - that they are stable and
 - can influence one another.
- This is only possible if such primary entities are
 - subject to a *supplementary causality*
 - *directed at the future*:
 - *a causality of purpose*.

Living Species:

- These primary entities are here called *living species*.
- What can be deduced about them ?
- Living species are also in space and time – and are subject to laws of physics.

- Additionally living species *plants* and *animals* are
 - characterised by *causality of purpose*;
 - they *have some form they can be developed to reach*;
 - and which *they must be causally determined to maintain*;
 - this development and maintenance must further *in an exchange of matter with an environment*.
 - It must be possible that living species occur in one of two forms:
 - one form which is characterised by *development, form and exchange*,
 - and another form which, additionally, can be characterised by *the ability to purposeful movements*.
 - The first we call *plants*, the second we call *animals*.

Animate Entities:

- For an animal to purposefully move around
 - there must be “additional conditions” for such self-movements to be in accordance with the principle of causality:
 - they must have *sensory organs* sensing among others the immediate purpose of its movement;
 - they must have *means of motion* so that it can move; and
 - they must have *instincts, incentives* and *feelings* as causal conditions that what it senses can drive it to movements.
 - And all of this in accordance with the laws of physics.

Animals: To possess these three kinds of “additional conditions”,

- must be built from special units which have an inner relation to their function as a whole;
- Their *purposefulness* must be built into their physical building units,
- that is, as we can now say, their *genomes*.
- That is, animals are built from genomes which give them the *inner determination* to such building blocks for *instincts*, *incentives* and *feelings*.
- Similar kinds of deduction can be carried out with respect to plants.
- Transcendentally one can deduce basic principles of evolution but not its details.

Humans: Consciousness and Learning:

- The existence of animals is a necessary condition for there being language and meaning in any world.
 - That there can be *language* means that animals are capable of *developing language*.
 - And this must presuppose that animals can *learn from their experience*.
 - To learn implies that animals
 - can *feel* pleasure and distaste
 - and can *learn*.
 - One can therefore deduce that animals must possess such building blocks whose inner determination is a basis for learning and consciousness.

Language:

- Animals with higher social interaction
 - uses *signs*, eventually developing a *language*.
 - These languages adhere to the same system of defined concepts
 - which are a prerequisite for any description of any world:
 - namely the system that philosophy lays bare from a basis
 - of transcendental deductions and
 - the *principle of contradiction* and
 - its *implicit meaning theory*.
- A *human* is an animal which has a *language*.

Knowledge:

- Humans must be *conscious*
 - of having *knowledge* of its concrete situation,
 - and as such that human can have knowledge about what he feels
 - and eventually that human can know whether what he feels is true or false.
 - Consequently *a human can describe his situation correctly.*

Responsibility:

- In this way one can deduce that humans
 - can thus have *memory*
 - and hence can have *responsibility*,
 - be *responsible*.
 - Further deductions lead us into *ethics*.
- We shall not develop the theme of
 - *living species: plants and animals*,
 - thus excluding, most notably *humans*,
 - much further in this paper.

- We claim that the present paper,
 - due to its foundation in Kai Sørlander's Philosophy,
 - provides a firm foundation
 - withing which we, or others, can further develop
 - this theme: *analysis & description of living species.*

Intentionality:

- *Intentionality is*
 - *a philosophical concept*
 - *and is defined by the*
*Stanford Encyclopedia of Philosophy*³⁸ *as*
 - *“the power of minds to be about, to represent, or to stand for,*
 - *things, properties and states of affairs.”*

³⁸Jacob, P. (Aug 31, 2010). *Intentionality*. Stanford Encyclopedia of Philosophy (<https://seop.illc.uva.-nl/entries/intentionality/>) October 15, 2014, retrieved April 3, 2018.

Definition 16 **Intentional Pull:**

- Two or more artifactual parts
 - of different sorts, but with overlapping sets of intents
 - may exert an *intentional “pull”* on one another ■
- This *intentional “pull”* may take many forms.
 - Let $p_x : X$ and $p_y : Y$
 - be two parts of *different sorts* (X, Y) ,
 - and with *common intent*, 1 .
 - *Manifestations* of these, their common intent
 - must somehow be *subject to constraints*,
 - and these must be *expressed predicatively*.

Example 25: Intentional Pull

- Vehicles are meant to drive on roads: hubs and links.
- Hubs and links are meant to accept vehicles driving on them.
- These two facts are recorded separately in the
 - histories of automobiles and buses, and in the
 - histories of roads: hubs and links.
- These two histories must be commensurate.
- That is the in-avoidable intentional “pull” !

The paper version of this example is very detailed on this.
Also formally so !

Artifacts:

- Humans create artifacts –
for a reason, to serve a purpose, that is, with **intent**.
 - Artifacts are like parts.
 - They satisfy the laws of physics –
 - and serve a *purpose*, fulfill an *intent*.

Assignment of Attributes:

- So what can we deduce from the above, a little more than two pages ?
- The attributes of **natural parts** and **natural materials**
 - are generally of such concrete types –
 - expressible as some **real** with a dimension³⁹ of
 - the International System of Units:
 - <https://physics.nist.gov/cuu/Units/units.html>.
- Attribute values usually enter *differential equations* and *integrals*,
- that is, classical calculus.

³⁹Basic units are *meter*, *kilogram*, *second*, *Ampere*, *Kelvin*, *mole*, and *candela*. Some derived units are: *Newton*: $kg \times m \times s^{-2}$, *Weber*: $kg \times m^2 \times s^{-2} \times A^{-1}$, etc.

- The attributes of **humans**, besides those of parts,
 - significantly includes one of a usually non-empty set of *intents*.
 - In directing the creation of artifacts
 - humans create these with an intent.

Example 26: Intentional Pull

- *These are examples of human intents:*
 - *they create roads and automobiles with the intent of transport.*
 - *they create houses with the intents of living, offices, production, etc., and*
 - *they create pipelines with the intent of oil or gas transport* ■

- Human attribute values usually enter into *modal logic* expressions.

Artifacts, including Man-made Materials:

- Artifacts, besides those of parts,
 - significantly includes a usually singleton set of *intents*.

Example 27: Intents

- *Roads and automobiles*
possess the intent of transport;
- *houses*
possess either one of the intents of
living, offices, production; and
- *pipelines*
possess the intent of oil or gas transport.

- Artifact attribute values usually enter into *mathematical logic* expressions.
- We leave it to the listener to formulate attribute assignment principles for plants and non-human animals.

5.4. The Unfolding of an Ontology

- We have unfolded an ontology of domain endurants.
- Figure 7 illustrates this “unfolding”:




Figure 7: Five Stages of Ontology Development

- The upper left diagram shows the ontology of *part* and *material* endurants and of perdurants.
- The upper middle diagram shows the ontology addition of *concrete part sets* and *structures*.
- The upper right diagram shows the ontology addition of *living species*.
- The lower left diagram shows the ontology addition of *artifacts*.
- The lower middle diagram shows the ontology with the *transcendentally deduced “coupling”* of *internal endurant qualities* with *perdurant behaviour arguments*.
- The lower rightmost diagram shows the fully annotated ontology – and that diagram is the same as Fig. 4.

5.5. Some Axioms and Proof Obligations

- To remind you, an **axiom** – in the *context* of domain analysis & description – means
 - a logical expression, usually a predicate,
 - that constrains the types and values, including
 - unique identifiers and mereologies
 - of domain models.
- Axioms,
 - together with the sort, including type definitions, and the
 - unique identifier, mereology and attribute observer functions,
 - define the domain value spaces.

- We refer to axioms in Item [a] of domain description prompts of
 - *unique identifiers*: 5 on Slide 171 and of
 - *mereologies*: 6 on Slide 183.

- Another reminder: a **proof obligation** – in the *context* of domain analysis & description – means
 - a logical expression
 - that predicates relations between
 - the types and values, including
 - unique identifiers, mereologies and attributes
 - of domain models,
 - where these predicates must be shown, i.e., proved, to hold.

- Proof obligations supplement axioms.
- We refer to proof obligations in
 - Item [p] of domain description prompts about
 - *endurant sorts*: 1 on Slide 140, about
 - *components sorts*: 3 on Slide 158, about
 - *materials sorts*: 4 on Slide 164, and about
 - *attribute types*: 7 on Slide 198.
- The difference between expressing axioms and expressing proof obligations is this:

- **We use axioms**

- when our formula cannot otherwise express it simply,
- but when physical or other *properties of the domain*⁴⁰
- dictates property consistency.

- **We use proof obligations**

- where necessary constraints
- are not necessarily physically impossible.

- **Proof obligations finally arise**

- in the transition from endurants to perdurants
- where endurant axioms
- become properties that must be proved to hold.

⁴⁰— examples of such properties are: (i) topologies of the domain makes certain compositions of parts physically impossible, and (ii) conservation laws of the domain usually dictates that endurants cannot suddenly arise out of nothing.

- When considering *endurants* we interpret these as stable, i.e.,
 - that although they may have, for example, programmable attributes,
 - when we observe them, we observe them at any one moment,
 - but *we do not consider them over a time*.
 - That is what we turn to next: *perdurants*.

- When considering a part with, for example, a programmable attribute, at two different instances of time
 - we expect the particular programmable attribute
 - to enjoy any expressed well-formedness properties.
- We shall, as from Slide 280,
 - see how these programmable attributes
 - re-occur as explicit behaviour parameters,
 - “programmed” to possibly new values
 - passed on to recursive invocations of the same behaviour.

- If well-formedness axioms were expressed
 - for the part on which the behaviour is based,
 - then a *proof obligation* arises,
 - one that must show that new values of the programmed attribute
 - satisfies the part attribute axiom.
- This is, but one relation between *axioms* and *proof obligations*.
- We refer to remarks made in the bullet (●) named **Biddable Access** Slide 330.

5.6. Discussion of Endurants

- Domain descriptions are, as we have already shown, formulated,
 - both informally
 - and formally,by means of abstract types,
 - that is, by sorts
 - for which no concrete models are usually given.
- Sorts are made to denote
 - possibly empty,
 - possibly infinite,
 - rarely singleton,
 - sets of entities on the basis of the qualities defined for these sorts, whether external or internal.

- By **junk** we shall understand
 - that the domain description
 - unintentionally denotes undesired entities.
- By **confusion** we shall understand
 - that the domain description
 - unintentionally have two or more identifications
 - of the same entity or type.
- The question is
 - *can we formulate a [formal] domain description*
 - *such that it does not denote junk or confusion?*
- The short answer to this is no !

- So, since one naturally wishes “no junk, no confusion”
what does one do ?
- The answer to that is
 - *one proceeds with great care!*

6. A Transcendental Deduction

6.1. An Explanation

- It should be clear to the reader that in domain analysis & description
 - we are reflecting on a number of philosophical issues.
 - First and foremost on those of *epistemology*, especially *ontology*.
 - In this section on a sub-field of epistemology, namely that of a number of issues of *transcendental* nature, we refer to
 - [33, Oxford Companion to Philosophy, pp 878–880]
 - [34, The Cambridge Dictionary of Philosophy, pp 807–810]
 - [35, The Blackwell Dictionary of Philosophy, pp 54–55 (1998)].

Definition 17 Transcendental: By **transcendental** we shall understand the philosophical notion: **the a priori or intuitive basis of knowledge, independent of experience** ■

- A priori knowledge or intuition is central:
 - By *a priori* we mean that it not only precedes,
 - but also determines rational thought.

Definition 18 Transcendental Deduction: By a **transcendental deduction** we shall understand the philosophical notion: **a transcendental "conversion" of one kind of knowledge into a seemingly different kind of knowledge** ■

Example 27: Example 27: **Some Transcendental Deductions**

- *We give some intuitive examples of transcendental deductions.*
- *They are from the “domain” of programming languages.*
 - *There is the syntax of a programming language, and there are the programs that supposedly adhere to this syntax.*
 - *Given that, the following are now transcendental deductions.*
 - *The software tool, a syntax checker, that takes a program and checks whether it satisfies the syntax, including the statically decidable context conditions, i.e., the statics semantics – that tool is one of several forms of transcendental deductions;*

- *The software tools, an automatic theorem prover⁴¹ and a model checker, for example SPIN [43], that takes a program and some theorem, respectively a Promela statement, and proves, respectively checks, the program correct with respect the theorem, or the statement.*
- *A compiler and an interpreter for any programming language.*

⁴¹ACL2 [36, 37], Coq [38], Isabelle/HOL [39], STeP [40], PVS [41] and Z3 [42]

- *Yes, indeed, any abstract interpretation [44, 45] reflects a transcendental deduction:*
 - *First these examples show that there are many transcendental deductions.*
 - *Secondly they show that there is no single-most preferred transcendental deduction.*

- A transcendental deduction, crudely speaking,
 - is just any “concept”
 - that can be “linked” to another,
 - not by logical necessity,
 - but by logical (and philosophical) possibility !

Definition 19 Transcendentality:

By **transcendentality** we shall here mean the philosophical notion:
the state or condition of being transcendental ■

Example 28: Example 28: **Transcendentality**

- *We can speak of a bus in at least three senses:*
 - (i) *The bus as it is being "maintained, serviced, refueled";*
 - (ii) *the bus as it "speeds" down its route; and*
 - (iii) *the bus as it "appears" (listed) in a bus time table.*
- *The three senses are:*
 - (i) *as an **endurant** (here a part),*
 - (ii) *as a **perdurant** (as we shall see a behaviour), and*
 - (iii) *as an **attribute***⁴²



⁴²— in this case rather: as a fragment of a bus time table *attribute*

- The above example, we claim, reflects *transcendentality* as follows:
 - (i) We have knowledge of an endurant (i.e., a part) being an endurant.
 - (ii) We are then to assume that the perdurant referred to in (ii) is an aspect of the endurant mentioned in (i) – where perdurants are to be assumed to represent a different kind of knowledge.
 - (iii) And, finally, we are to further assume that the attribute mentioned in (iii) is somehow related to both (i) and (ii) – where at least this attribute is to be assumed to represent yet a different kind of knowledge.

- In other words:
 - two (i–ii) kinds of different knowledge;
 - that they relate *must indeed* be based on *a priori knowledge*.
 - Someone claims that they relate !
- The two statements (i–ii) are claimed to relate transcendently.⁴³

⁴³– the attribute statement was “thrown” in “for good measure”,
i.e., to highlight the issue !

6.2. Classical Transcendental Deductions

- We present a few of the transcendental deductions of [14, Kai Sørlander: *Introduction to The Philosophy*, 2016]

6.2.1. Space:

- [14, pp 154] *The two relations asymmetric and symmetric, by a transcendental deduction, can be given an interpretation:*
 - The relation (spatial) *direction* is asymmetric; and
 - the relation (spatial) *distance* is symmetric.
 - Direction and distance are spatial relations.
 - From these relations are derived the relation *in-between*.
- Hence we must conclude that *primary entities exist in space*.
- *Space* is therefore an unavoidable characteristic of any possible world

6.2.2. Time:

- [14, pp 159] *Two different states must necessarily be ascribed different incompatible predicates.*
 - *But how can we ensure so ?*
 - *Only if states stand in an asymmetric relation to one another.*
 - *This state relation is also transitive.*
 - *So that is an indispensable property of any world.*
 - *By a transcendental deduction we say that primary entities exist in time.*
- *So every possible world must exist in time*

6.3. Some Special Notation

- The *transcendentality* that we are referring to is one in which we “**translate**” endurant descriptions of
 - *parts* and their
 - *unique identifiers, mereologies* and *attributes*
- into descriptions of perdurants, i.e., transcendental interpretations of parts
 - *as behaviours,*
 - *part mereologies as channels,* and
 - *part attributes as attribute value accesses.*
- The *translations* referred to above,
 - *compile* endurant descriptions into RSL⁺Text.
- We shall therefore first explain some aspects of this translation.

- Where in the function definition bodies
 - we enclose some RSL^+Text ,
 - e.g., $\text{rsl}^+\text{_text}$, in $\langle\langle\text{_}\rangle\rangle\text{s}$,
 - i.e., $\langle\langle\text{rsl}^+\text{_text}\rangle\rangle$
 - we mean that text.
- Where in the function definition bodies
 - we write $\langle\langle\text{rsl}^+\text{_text}\rangle\rangle\text{function_expression}$
 - we mean that $\text{rsl}^+\text{_text}$
 - concatenated to the RSL^+Text emanating from $\text{function_expression}$.

- Where in the function definition bodies
 - we write $\langle\langle \rangle\rangle$ function_expression
 - we mean just rsl^+ _text emanating from function_expression.
 - That is: $\langle\langle \rangle\rangle$ function_expression \equiv function_expression and $\langle\langle \rangle\rangle$
 $\langle\langle \rangle\rangle \equiv \langle\langle \rangle\rangle$.
- Where in the function definition bodies
 - we write $\{ \langle\langle f(x) \rangle\rangle \mid x:\text{RSL}^+\text{Text} \}$
 - we mean the “expansion” of the RSL^+ Text $f(x)$,
 in arbitrary, linear text order, for appropriate RSL^+ Texts x .

7. Space and Time

- This section is a necessary prelude to our treatment of perdurants.
- Following Kai Sørlander's Philosophy we must accept that space and time are rationally potentially mandated in any domain description.
 - It is, however not always necessary to model space and time.
 - We can talk about space and time;
 - **and** when we do, we must model them.

7.1. Space

7.1.1. General:

- Mathematicians and physicists model space
 - in, for example, the form of Hausdorff (or topological) space⁴⁴;
 - or a metric space
 - which is a set for which distances between all members of the set are defined;
 - Those distances, taken together, are called a metric on the set;
 - a metric on a space induces topological properties like open and closed sets, which lead to the study of more abstract topological spaces;
 - or Euclidean space, due to *Euclid of Alexandria*.

⁴⁴Armstrong, M. A. (1983) [1979]. Basic Topology. Undergraduate Texts in Mathematics. Springer. ISBN 0-387-90839-0.

7.1.2. Space Motivated Philosophically

Characterisation 9 Indefinite Space:

- We motivate the concept of indefinite space as follows:
- [14, pp 154] *The two relations asymmetric and symmetric, by a transcendental deduction, can be given an interpretation:*
 - The relation (spatial) *direction* is asymmetric; and
 - the relation (spatial) *distance* is symmetric.
 - Direction and distance are spatial relations.
 - From these relations are derived the relation *in-between*.
- Hence we must conclude that *primary entities exist in space*.
- *Space* is therefore an unavoidable characteristic of any possible world ■

Characterisation 10 **Definite Space:**

- By a **definite space** we shall understand
 - a space with a definite metric ■
- *There is but just one space.*
 - *It is all around us, from the inner earth to the farthest galaxy.*
 - *It is not manifest.*
 - *We can not observe it as we observe a road or a human.*

7.1.3. Space Types

The Spatial Value:

41 There is an abstract notion of (definite) SPACE(s) of further unanalysable points; and

42 there is a notion of POINT in SPACE.

type

41 SPACE

42 POINT

- Space is not an attribute of endurants.
- Space is just there.
- So we do not define an observer, [observe_space](#).

- For us, bound to model mostly artifactual worlds on this earth there is but one space.
 - Although SPACE, as a type, could be thought of as defining more than one space we shall consider these isomorphic !

7.1.4. Spatial Observers

43 A point observer, `observe_POINT`, is a function

- which applies to physical endurants, e ,
- and yield a point, $\ell : \text{POINT}$.

value

43 `observe_POINT`: $E \rightarrow \text{POINT}$

7.2. Time

7.2.1. General

- Concepts of time⁴⁵ continue to fascinate thinkers [46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56].
 - **J.M.E. McTaggart** (1908, [48, 47, 56]) discussed theories of time around the notions of
 - **“A-series”**: with concepts like “past”, “present” and “future”, and
 - **“B-series”**: has terms like “precede”, “simultaneous” and “follow”.

⁴⁵**Time:** (i) a moving image of eternity; (ii) the number of the movement in respect of the before and the after; (iii) the life of the soul in movement as it passes from one stage of act or experience to another; (iv) a present of things past: memory, a present of things present: sight, and a present of things future: expectations.[34, (i) Plato, (ii) Aristotle, (iii) Plotinus, (iv) Augustine].

- **Johan van Benthem** [46]

TO BE WRITTEN

- **Wayne D. Blizard** [57, 1980] relates abstracted entities to spatial points and time.
- A recent computer programming-oriented treatment is given in [58, **Mandrioli et al.**, 2013].

7.2.2. Time Motivated Philosophically

Characterisation 11 Indefinite Time:

- We motivate the abstract notion of time as follows.
 - [14, pp 159] *Two different states must necessarily be ascribed different incompatible predicates.*
 - *But how can we ensure so ?*
 - *Only if states stand in an asymmetric relation to one another.*
 - *This state relation is also transitive.*
 - *So that is an indispensable property of any world.*
 - *By a transcendental deduction we say that primary entities exist in time.*
 - *So every possible world must exist in time* ■

Characterisation 12 **Definite Time:**

- By a **definite time** we shall understand
 - an abstract representation of time
 - such as for example year, month, day, hour, minute, second, et cetera ■

Example 29: Example 29: Temporal Notions of Endurants

- *By temporal notions of endurants we mean*
 - *time properties of endurants,*
 - *usually modelled as attributes.*
- *Examples are:*
 - *(i) the time stamped link traffic, cf. Item 110 on Slide 441 and*
 - *(ii) the time stamped hub traffic, cf. Item 33 on Slide 208.*

7.2.3. Time Values

- We shall not be concerned with any representation of time.
- That is, we leave it to the domain analyser cum describer to choose an own representation [58].
- Similarly we shall not be concerned with any representation of time intervals.⁴⁶

44 So there is an abstract type *Time*,

45 and an abstract type *TI*: *TimeInterval*.

46 There is no *Time* origin, but there is a “zero” *TI*me interval.

47 One can add (subtract) a time interval to (from) a time and obtain a time.

⁴⁶– but point out, that although a definite time interval may be referred to by number of years, number of days (less than 365), number of hours (less than 24), number of minutes (less than 60)number of seconds (less than 60), et cetera, this is not a time, but a time interval.

- 48 One can add and subtract two time intervals and obtain a time interval – with subtraction respecting that the subtrahend is smaller than or equal to the minuend.
- 49 One can subtract a time from another time obtaining a time interval respecting that the subtrahend is smaller than or equal to the minuend.
- 50 One can multiply a time interval with a real and obtain a time interval.
- 51 One can compare two times and two time intervals.

type44 \mathbb{T} 45 \mathbb{TI} **value**46 $\mathbf{0}:\mathbb{TI}$ 47 $+, -: \mathbb{T} \times \mathbb{TI} \rightarrow \mathbb{T}$ 48 $+, -: \mathbb{TI} \times \mathbb{TI} \xrightarrow{\sim} \mathbb{TI}$ 49 $-: \mathbb{T} \times \mathbb{T} \rightarrow \mathbb{TI}$ 50 $*: \mathbb{TI} \times \mathbf{Real} \rightarrow \mathbb{TI}$ 51 $<, \leq, =, \neq, \geq, >: \mathbb{T} \times \mathbb{T} \rightarrow \mathbf{Bool}$ 51 $<, \leq, =, \neq, \geq, >: \mathbb{TI} \times \mathbb{TI} \rightarrow \mathbf{Bool}$ **axiom**47 $\forall t:\mathbb{T} \cdot t+\mathbf{0} = t$

7.2.4. Temporal Observers

52 We define the signature of the meta-physical time observer.

type

52 T

value

52 `record_TIME`: **Unit** $\rightarrow T$

- The time recorder applies to nothing and yields a time.

7.2.5. Models of Time:

- Modern models of time, by mathematicians and physicists
 - evolve around spacetime⁴⁷
 - We shall not be concerned with this notion of time.
- Models of time related to computing differs from those of mathematicians and physicists in focusing on
 - divergence and convergence, zero (Zenon) time and
 - interleaving time [59] are relevant
 - in studies of real-time, typically distributed computing systems.
 - We shall also not be concerned with this notion of time.

⁴⁷The concept of **Spacetime** was first “announced” by Hermann Minkowski, 1907–08 – based on work by Henri Poincaré, 1905–06, [https://en.wikisource.org/wiki/Translation: The_Fundamental_Equations_for_Electromagnetic_Processes_in_Moving_Bodies](https://en.wikisource.org/wiki/Translation:The_Fundamental_Equations_for_Electromagnetic_Processes_in_Moving_Bodies)

7.2.6. Spatial and Temporal Modelling:

- It is not always that we are compelled to endow our domain descriptions with those of spatial and/or temporal properties.
 - In our experimental domain descriptions, for example,
 - [24, 27, 26, 28, 19, 20, 25, 22], we have
 - either found no need to model space and/or time,
 - or we model them explicitly,
 - using slightly different types and observers
 - than presented above.

7.3. Whither Attributes ?

- Are space and time attributes of endurants ?
 - Of course not !
 - Space and time surround us.
 - Every endurant is in the one-and-only space we know of.
 - Every endurant is “somewhere” in that space.
 - We represent that ‘somewhere’ by a point in space.
 - Every endurant point can be recorded.
 - And every endurant point can be time-stamped.

8. Perdurants

- Perdurants are understood in terms of
 - a notion of *time* and
 - a notion of *state*.
- We covered the notion of
 - time in Sect. on Slide 268, and
 - state in Sect. on Slide 128.

8.1. States, Actors, Actions, Events and Behaviours: A Preview

Example 30: Example 30: Constants and States

Constants:

53 Let there be given a universe of discourse, rts . It is an example of a state.

From that state we can calculate other states.

54 The set of all hubs, hs .

55 The set of all links, ls .

56 The set of all hubs and links, hls .

57 The set of all bus companies, bcs .

58 The set of all buses, bs .

59 The map from the unique bus company identifiers, see Item 18c. Slide 172, to the set of all the identifies bus company's buses, $bc_{ui}bs$.

60 The set of all private automobiles, as .

61 The set of all parts, ps .

value

53 $rts:UoD$ [53]

54 $hs:H\text{-set} \equiv :H\text{-set} \equiv \text{obs_sH}(\text{obs_SH}(\text{obs_RN}(rts)))$

55 $ls:L\text{-set} \equiv :L\text{-set} \equiv \text{obs_sL}(\text{obs_SL}(\text{obs_RN}(rts)))$

56 $hls:(H|L)\text{-set} \equiv hs \cup ls$

57 $bcs:BC\text{-set} \equiv \text{obs_BCs}(\text{obs_SBC}(\text{obs_FV}(\text{obs_RN}(rts))))$

58 $bs:B\text{-set} \equiv \cup\{\text{obs_Bs}(bc) \mid bc:BC \cdot bc \in bcs\}$

59 $as:A\text{-set} \equiv \text{obs_BCs}(\text{obs_SBC}(\text{obs_FV}(\text{obs_RN}(rts))))$

Indexed States:

- We shall

62 index bus companies,

63 index buses, and

64 index automobiles

using the unique identifiers of these parts.

type62 BC_{ui} 63 B_{ui} 64 A_{ui} **value**62 $ibcs:BC_{ui}\text{-set} \equiv$ 62 $\{ bc_{ui} \mid bc:BC, bc:BC_{ui}:BC_{ui} \cdot bc \in bcs \wedge ui = uid_BC(bc) \}$ 63 $ibs:B_{ui}\text{-set} \equiv$ 63 $\{ b_{ui} \mid b:B, b:B_{ui}:B_{ui} \cdot b \in bs \wedge ui = uid_B(b) \}$ 64 $ias:A_{ui}\text{-set} \equiv$ 64 $\{ a_{ui} \mid a:A, a:A_{ui}:A_{ui} \cdot a \in as \wedge ui = uid_A(a) \}$ 

8.1.1. **Actors, Actions, Events, Behaviours and Channels**

- To us perdurants are further, pragmatically, analysed into
 - *actions*,
 - *events*, and
 - *behaviours*.
- We shall define these terms below.
- Common to all of them is that they potentially change a state.
- Actions and events are here considered atomic perdurants.
- For behaviours we distinguish between
 - discrete and
 - continuousbehaviours.

8.1.2. Time Considerations

- We shall, without loss of generality, assume
 - that actions and events are atomic
 - and that behaviours are composite.
- Atomic perdurants may “occur” during some time interval,
 - but we omit consideration of and concern for what actually goes on during such an interval.
- Composite perdurants can be analysed into “constituent”
 - actions,
 - events and
 - “sub-behaviours”.
- We shall also omit consideration of temporal properties of behaviours.

8.1.3. **Actors**

Definition 20 Actor: By an **actor** we shall understand

- something that is capable of initiating and/or **carrying out**
 - actions,
 - events or
 - behaviours ■

- We shall, in principle, associate an actor with each part⁴⁸.
 - These actors will be described as behaviours.
 - These behaviours evolve around a state.
 - The state is
 - the set of qualities,
in particular the dynamic attributes,
of the associated parts
 - and/or any possible components or materials of the parts.

⁴⁸This is an example of a *transcendental deduction*.

8.1.4. Discrete Actions

Definition 21 Discrete Action: By a **discrete action** we shall understand

- a foreseeable thing
- which deliberately and
- potentially changes a well-formed state, in one step,
- usually into another, still well-formed state,
- for which an actor can be made responsible ■

- An action is what happens when a function invocation changes, or potentially changes a state.

8.1.5. Discrete Events

Definition 22 Event: By an **event** we shall understand

- some unforeseen thing,
- that is, some ‘not-planned-for’ “action”, one
- which surreptitiously, non-deterministically changes a well-formed state
- into another, but usually not a well-formed state,
- and for which no particular domain actor can be made responsible



- Events can be characterised by
 - a pair of (before and after) states,
 - a predicate over these
 - and, optionally, a *time* or *time interval*.

8.1.6. Discrete Behaviours

Definition 23 Discrete Behaviour: By a **discrete behaviour** we shall understand

- a set of sequences of potentially interacting sets of discrete
 - actions,
 - events and
 - behaviours ■

- Discrete behaviours now become the *focal point* of our investigation.
 - To every part we associate, by transcendental deduction, a behaviour.
 - We shall express these behaviours as CSP *processes* [60].
 - For those behaviours we must therefore establish their means of *communication via channels*;
 - their *signatures*; and
 - their *definitions* – as *translated* from endurant parts.

Example 31: Example 31: **Behaviours**

- *In the figure of the Channels example of Page 300*
- *we “symbolically”, i.e., the “...”, show the following parts:*
 - *each individual hub,*
 - *each individual link,*
 - *each individual bus company,*
 - *each individual bus, and*
 - *each individual automobile*
 - *and all of these.*

- *The idea is that those are the parts for which we shall define behaviours.*
- *That figure, however, and in contrast to Fig. 5 on Slide 143,*
 - *shows the composite parts as not containing their atomic parts,*
 - *but as if they were “free-standing, atomic” parts.*
- *That shall visualise the transcendental interpretation*
 - *as atomic part behaviours*
 - *not being somehow embedded in composite behaviours,*
 - *but operating concurrently, in parallel*



8.2. Channels and Communication

- We choose to exploit the CSP [60] subset of RSL
- since CSP is a suitable vehicle for expressing
- suitably abstract synchronisation and communication between behaviours.
- The mereology of domain parts induces channel declarations.
- CSP channels are loss-free.
 - That is: two CSP processes, of which one offers and the other offers to accept a message
 - do so synchronously and without forgetting that message.

- If you model actual, so-called “real-life” communication
 - via queues or allowing “channels” to forget,
 - then you must model that explicitly in CSP.
 - We refer to [60, 61, 62].

8.2.1. **The CSP Story:**

- Behaviours
 - sometimes synchronise
 - and usually communicate.
- Communication is abstracted as
 - the sending (ch ! m) and
 - receipt (ch ?)
 - of messages, m:M,
 - over channels, ch.

type M


channel ch:M

- Communication between (unique identifier) indexed behaviours have their channels modeled as similarly indexed channels:

out: $ch[idx]!m$
in: $ch[idx]?$
channel $\{ch[ide]:M|ide:IDE\}$

where IDE typically is some type expression over unique identifier types.

Example 32: Example 32: Channels



- *We shall argue for hub-to-link channels based on the mereologies of those parts.*
 - *Hub parts may be topologically connected to any number, 0 or more, link parts.*
 - *Only instantiated road nets knows which.*
 - *Hence there must be channels between any hub behaviour and any link behaviour.*
 - *Vice versa: link parts will be connected to exactly two hub parts.*
 - *Hence there must be channels from any link behaviour to two hub behaviours.*
- *See the figure above.*

Channel Message Types:

- *We ascribe types to the messages offered on channels.*
 - 65 Hubs and links communicate, both ways, with one another, over channels, $h1_ch$, whose indexes are determined by their mereologies.*
 - 66 Hubs send one kind of messages, links another.*
 - 67 Bus companies offer timed bus time tables to buses, one way.*
 - 68 Buses and automobiles offer their current, timed positions to the road element, hub or link they are on, one way.*

type

66 H_L_Msg, L_H_Msg

65 HL_Msg = H_L_Msg | L_F_Msg

67 BC_B_Msg = T × BusTimTbl

68 V_R_Msg = T × (BPos|APos)

Channel Declarations:

69 *This justifies the channel declaration which is calculated to be:*

channel

```

69 { hl_ch[h_ui,l_ui]:H_L_Msg
69   | h_ui:H_UI,l_ui:L_UI.i ∈ huis ∧ j ∈ lhuim(h_ui) }
69 ∪
69 { hl_ch[h_ui,l_ui]:L_H_Msg
69   | h_ui:H_UI,l_ui:L_UI.l_ui ∈ luis ∧ i ∈ lhuim(l_ui) }

```


- *We shall argue for bus company-to-bus channels based on the mereologies of those parts.*
 - *Bus companies need communicate to all its buses, but not the buses of other bus companies.*
 - *Buses of a bus company need communicate to their bus company, but not to other bus companies.*

70 This justifies the channel declaration which is calculated to be:

channel

```

70 { bc_b_ch[bc_ui,b_ui] | bc_ui:BC_UI, b_ui:B_UI
70   · bc_ui ∈ bc_uis ∧ b_ui ∈ b_uis }: BC_B_Msg
70 { bc_b_ch[bc_ui,b_ui] | bc_ui:BC_UI,b_ui:B_UI
70   · bc_ui ∈ bc_uis ∧ j ∈ b_uis }: BC_B_MSG
70 { bc_b_ch[bc_ui,b_ui] | bc_ui:BC_UI,b_ui:B_UI
70   · bc_ui ∈ bc_uis ∧ j ∈ b_uis }: BC_B_MSG

```

- *We shall argue for vehicle to road element channels based on the mereologies of those parts.*
 - *Buses and automobiles need communicate to*
 - *all hubs and*
 - *all links.*

71 This justifies the channel declaration which is calculated to be:

channel

71 $\{ v_r_ch[v_ui, r_ui] \mid v_ui:V_UI, r_ui:R_UI$
 71 $\cdot v_ui \in v_{ui}S \wedge r_ui \in r_{ui}S \} : V_R_Msg$

- *The channel calculations are described on Slides 331–338*



8.2.2. From Mereologies to Channel Declarations:

- The fact
 - that a part, p of sort P with unique identifier p_i ,
 - has a mereology, for example the set of unique identifiers $\{q_a, q_b, \dots, q_d\}$
 - identifying parts $\{q_a, q_b, \dots, q_d\}$ of sort Q , may mean
 - that parts p and $\{q_a, q_b, \dots, q_d\}$
 - may wish to exchange – for example, attribute – values,
 - one way (from p to the qs)
 - or the other (vice versa)
 - or in both directions.

- Figure 8 shows two dotted rectangle box diagrams.




Figure 8: Two Part and Channel Constallations.
u:p unique id. *p*; *m:p* mereology *p*

- The left fragment of the figure intends to show a 1:1 Constallation of a single $p:P$ box and a single $q:Q$ part, respectively, indicating, within these parts, their unique identifiers and mereologies.
- The right fragment of the figure intends to show a 1:n Constallation of a single $p:P$ box and a set of $q:Q$ parts, now with arrowed lines connecting the p part with the q parts.
- These lines are intended to show channels.
- We show them with two way arrows.
- We could instead have chosen one way arrows, in one or the other direction.
- The directions are intended to show a direction of value transfer.
- We have given the same channel names to all examples, ch_{PQ} .
- We have ascribed channel message types MPQ to all channels.⁴⁹

⁴⁹Of course, these names and types would have to be distinct for any one domain description.

- Figure 9 shows an arrangement similar to that of Fig. 8 on Slide 308, but for an $m:n$ Constellation.




Figure 9: Multiple Part and Channel Arrangements:
 $u:p$ unique id. p ; $m:p$ mereology p

- The channel declarations corresponding to Figs. 8 and 9 are:

channel

- [1] $\text{ch_PQ}[i,j]:\text{MPQ}$
- [2] $\{ \text{ch_PQ}[i,x]:\text{MPQ} \mid x:\{j,k,\dots,l\} \}$
- [3] $\{ \text{ch_PQ}[p,q]:\text{MPQ} \mid p:\{x,y,\dots,z\}, q:\{j,k,\dots,l\} \}$

- Since there is only one index i and j for channel [1], its declaration can be reduced.
- Similarly there is only one i for declaration [2]:

channel

[1] $ch_{PQ}:MPQ$
 [2] $\{ ch_{PQ}[x]:MPQ \mid x:\{j,k,\dots,l\} \}$

72 The following description identities holds:

$$72 \quad \{ \text{ch_PQ}[x]:\text{MPQ} \mid x:\{j,k,\dots,l\} \} \equiv \text{ch_PQ}[j],\text{ch_PQ}[k],\dots,\text{ch_PQ}[l],$$

$$72 \quad \{ \text{ch_PQ}[p,q]:\text{MPQ} \mid p:\{x,y,\dots,z\}, q:\{j,k,\dots,l\} \} \equiv$$

$$72 \quad \text{ch_PQ}[x,j],\text{ch_PQ}[x,k],\dots,\text{ch_PQ}[x,l],$$

$$72 \quad \text{ch_PQ}[y,j],\text{ch_PQ}[y,k],\dots,\text{ch_PQ}[y,l],$$

$$72 \quad \dots,$$

$$72 \quad \text{ch_PQ}[z,j],\text{ch_PQ}[z,k],\dots,\text{ch_PQ}[z,l]$$

- We can sketch a diagram
- similar to Figs. 8 on Slide 308 and 9 on Slide 310
- for the case of composite parts.

8.2.3. Continuous Behaviours:

- By a **continuous behaviour** we shall understand
 - a *continuous time*
 - sequence of *state changes*.
- We shall not go into what may cause these *state changes*.
- And we shall not go into continuous behaviours in these lectures.

8.3. **Perdurant Signatures**

- We shall treat perdurants as function invocations.
- In our cursory overview of perdurants
 - we shall focus on one perdurant quality:
 - function signatures.

Definition 24 Function Signature: By a **function signature** we shall understand

- a *function name* and
- a *function type expression* ■

Definition 25 Function Type Expression: By a **function type expression** we shall understand

- a pair of *type expressions*.
- separated by a *function type constructor*
 - either \rightarrow (for **total function**)
 - or $\overset{\sim}{\rightarrow}$ (for **partial function**) ■
- The *type expressions*
 - are part sort or type, or material sort or type, or component sort or type, or attribute type names,
 - but may, occasionally be expressions over respective type names involving **-set**, \times , $*$, \overline{m} and $|$ type constructors.

8.3.1. Action Signatures and Definitions:

- Actors usually provide their initiated actions with arguments, say of type VAL.
 - Hence the schematic function (action) signature and schematic definition:

action: $VAL \rightarrow \Sigma \xrightarrow{\sim} \Sigma$

action(v)(σ) as σ'

pre: $\mathcal{P}(v, \sigma)$

post: $\mathcal{Q}(v, \sigma, \sigma')$

- expresses that a selection of the domain,
- as provided by the Σ type expression,
- is acted upon and possibly changed.

- The partial function type operator $\overset{\sim}{\rightarrow}$
 - shall indicate that $\text{action}(v)(\sigma)$
 - may not be defined for the argument, i.e., initial state σ
 - and/or the argument $v:\text{VAL}$,
 - hence the precondition $\mathcal{P}(v, \sigma)$.
- The post condition $\mathcal{Q}(v, \sigma, \sigma')$ characterises the “after” state, $\sigma':\Sigma$, with respect to the “before” state, $\sigma:\Sigma$, and possible arguments ($v:\text{VAL}$).

- Which could be the argument values, $v:VAL$, of actions ?
 - Well, there can basically be only the following kinds of argument values:
 - parts, components and materials, respectively
 - unique part identifiers, mereologies and attribute values.

- **Perdurant (action) analysis thus proceeds as follows:**
 - identifying relevant actions,
 - assigning names to these,
 - delineating the “smallest” relevant state⁵⁰,
 - ascribing signatures to action functions, and
 - determining
 - action pre-conditions and
 - action post-conditions.

⁵⁰By “smallest” we mean: containing the fewest number of parts. Experience shows that the domain analyser cum describer should strive for identifying the smallest state.

- Of these, ascribing signatures is the most crucial:
 - In the process of determining the action signature
 - one oftentimes discovers
 - that part or component or material attributes have been left (“so far”) “undiscovered”.

8.3.2. Event Signatures and Definitions:

- Events are usually characterised by
 - the absence of known actors and
 - the absence of explicit “external” arguments.
- Hence the schematic function (event) signature:

value

event: $\Sigma \times \Sigma \xrightarrow{\sim} \mathbf{Bool}$

event(σ, σ') as tf

pre: $P(\sigma)$

post: tf = $Q(\sigma, \sigma')$

- The event signature expresses
 - that a selection of the domain
 - as provided by the Σ type expression
 - is “acted” upon, by unknown actors, and possibly changed.
- The partial function type operator $\xrightarrow{\sim}$
 - shall indicate that $\text{event}(\sigma, \sigma')$
 - may not be defined for some states σ .
- The resulting state may, or may not, satisfy axioms and well-formedness conditions over Σ – as expressed by the post condition $Q(\sigma, \sigma')$.

- Events may thus cause well-formedness of states to fail.
- Subsequent actions,
 - once actors discover such “disturbing events”,
 - are therefore expected to remedy that situation, that is,
 - to restore well-formedness.
- We shall not illustrate this point.

8.3.3. Discrete Behaviour Signatures

Signatures:

- We shall only cover behaviour signatures when expressed in RSL/CSP.
- The behaviour functions are now called processes.
- That a behaviour function is a never-ending function, i.e., a process, is “revealed” by the “trailing” **Unit**:

behaviour: ... \rightarrow ... **Unit**

- That a process takes no argument is "revealed" by a "leading" Unit:

behaviour: **Unit** \rightarrow ...

- That a process accepts channel, viz.: ch, inputs, is "revealed" as follows:

behaviour: ... \rightarrow **in** ch ...

- That a process offers channel, viz.: ch , outputs is “revealed” as follows:

behaviour: $\dots \rightarrow \mathbf{out} \ ch \ \dots$

- That a process accepts other arguments is “revealed” as follows:

behaviour: $ARG \rightarrow \dots$

- where ARG can be any type expression:

$T, T \rightarrow T, T \rightarrow T \rightarrow T$, etcetera

where T is any type expression.

8.3.4. **Attribute Access:**

- We shall only be concerned with part attributes.
- And we shall here consider them in the context of part behaviours.
 - Part behaviour definitions embody part attributes.
 - In this section we shall suggest how behaviours embody part attributes.

- **Static attributes** designate constants, cf. Defn. 1 Slide 202. As such they can be “compiled” into behaviour definitions. We choose, instead to list them, in behaviour signatures, as arguments.
- **Inert attributes** designate values provided by external stimuli, cf. Defn. 3 Slide 203, that is, must be obtained by channel input: `attr_Inert_A_ch ?`.
- **Reactive attributes** are functions of other attribute values, cf. Defn. 4 Slide 203.
- **Autonomous attributes** must be input, cf. Defn. 6 Slide 204, like inert attributes: `attr_Autonomous_A_ch ?`.

- **Programmable attribute** values are calculated by their behaviours,
cf. Defn. 8 Slide 205.
We list them as behaviour arguments.
The behaviour definitions may then specify new values. These are provided in the position of the programmable attribute arguments in *tail recursive* invocations of these behaviours.
- **Biddable attributes** are like programmable attributes, but when provided in possibly tail recursive invocations of their behaviour the calculated biddable attribute value is *modified*, usually by some *perturbation*⁵¹ of the calculated value – to reflect that although they *are prescribed they may fail to be observed as such*, cf. Defn. 7 Slide 205.

⁵¹– in the sense of https://en.wikipedia.org/wiki/Perturbation_function

8.3.5. Calculating In/Output Channel Signatures:

- Given a part p we can calculate the RSL^+ Text that designates the input channels on which part p behaviour obtains monitorable attribute values.
- For each monitorable attribute, A , the text $\ll attr_A_ch \gg$ is to be “generated”.
- One or more such channel declaration contributions is to be preceded by the text $\ll \mathbf{in} \gg$
- If there are no monitorable attributes then no text is to be yielded.

73 The function `calc_i_o_chn_refs` apply to parts and yield RSL^+ Text.

- a. From `p` we calculate its unique identifier value, its mereology value, and its monitorable attribute values.
- b. If there the mereology is not void and/or the are monitorable values then a (Currying⁵²) right pointing arrow, \rightarrow , is inserted.⁵³
- c. If there is an input mereology and/or there are monitorable values then the keyword **in** is inserted in front of the monitorable attribute values and input mereology.
- d. Similarly for the input/output mereology;
- e. and for the output mereology.

⁵²<https://en.wikipedia.org/wiki/Currying>

⁵³We refer to the three parts of the mereology value as the input, the input/output and the output mereology (values).

value

73 $\text{calc_i_o_chn_refs}: P \rightarrow \text{RSL}^+ \text{Text}$

73 $\text{calc_i_o_chn_refs}(p) \equiv ;$

73a. **let** $ui = \text{uid}_P(p)$, $(ics, iocs, ocs) = \text{mereo}_-(p)$, $\text{atrvs} = \text{obs_attrib_values}_P(p)$ **in**

73b. **if** $ics \cup iocs \cup ocs \cup \text{atrvs} \neq \{\}$ **then** $\llbracket \rightarrow \rrbracket$ **end** ;

73c. **if** $ics \cup \text{atrvs} \neq \{\}$ **then** $\llbracket \text{in} \rrbracket$ $\text{calc_attr_chn_refs}(ui, \text{atrvs})$, $\text{calc_chn_refs}(ui, ics)$ **end** ;

73d. **if** $iocs \neq \{\}$ **then** $\llbracket \text{in, out} \rrbracket$ $\text{calc_chn_refs}(ui, iochs)$ **end** ;

73e. **if** $ocs \neq \{\}$ **then** $\llbracket \text{out} \rrbracket$ $\text{calc_chn_refs}(ui, ochs)$ **end end**

74 The function `calc_attr_chn_refs`

- a. apply to a set, `mas`, of monitorable attribute types and yield $\text{RSL}^+ \text{Text}$.
- b. If `achs` is empty no text is generated.
Otherwise a channel declaration `attr_A_ch` is generated for each attribute type whose name, `A`, which is obtained by applying η to an observed attribute value, ηa .

74a. `calc_attr_chn_refs`: $\text{UI} \times \text{A-set} \rightarrow \text{RSL}^+ \text{Text}$

74b. `calc_attr_chn_refs(ui,mas) \equiv { \llcorner attr_ ηa _ch[ui] \ggtr | a:A·a \in mas }`

75 The function `calc_chn_refs`

- a. apply to a pair, (ui, uis) of a unique part identifier and a set of unique part identifiers and yield RSL^+Text .
- b. If uis is empty no text is generated. Otherwise an array channel declaration is generated.

75a. $calc_chn_refs: P_UI \times Q_UI\text{-set} \rightarrow RSL^+Text$

75b. $calc_chn_refs(pui, quis) \equiv \{ \llcorner \eta(pui, qui)_ch[pui, qui] \gg \mid qui:Q_UI \cdot qui \in quis \}$

76 The function `calc_all_chn_dcls`

- a. apply to a pair, $(pui, quis)$ of a unique part identifier and a set of unique part identifiers and yield $RSL^+ \text{Text}$.
- b. If `quis` is empty no text is generated. Otherwise an array channel declaration
 - $\{ \llcorner \eta(pui, qui)_{ch}[pui, qui]: \eta(pui, qui)M \ggg \mid qui: Q_UI \cdot qui \in quis \}$
is generated.

76a. `calc_all_chn_dcls`: $P_UI \times Q_UI\text{-set} \rightarrow RSL^+ \text{Text}$

76a. `calc_all_chn_dcls(pui, quis)` $\equiv \{ \llcorner \eta(pui, qui)_{ch}[pui, qui]: \eta(pui, qui)M \ggg \mid qui$

- The $\eta(\text{pui}, \text{qui})$ invocation serves to prefix-name both
 - the channel, $\eta(\text{pui}, \text{qui})_{\text{ch}}[\text{pui}, \text{qui}]$, and
 - the channel message type, $\eta(\text{pui}, \text{qui})M$.

77 The overloaded η operator is here applied to a pair of unique identifiers.

77 $\eta: (\text{UI} \rightarrow \text{RSL}^+ \text{Text}) | ((X_{\text{UI}} \times Y_{\text{UI}}) \rightarrow \text{RSL}^+ \text{Text})$

77 $\eta(x_{\text{ui}}, y_{\text{ui}}) \equiv (\llbracket \eta x_{\text{ui}} \eta y_{\text{ui}} \rrbracket)$

- Repeating these channel calculations over distinct parts p_1, p_2, \dots, p_n of the same part type P will yield “similar” behaviour signature channel references:

$$\{PQ_ch[p_{1_{ui}}, qui] | p_{1_{ui}}:P_UI, qui:Q_UI \cdot qui \in quis\}$$

$$\{PQ_ch[p_{2_{ui}}, qui] | p_{2_{ui}}:P_UI, qui:Q_UI \cdot qui \in quis\}$$

...

$$\{PQ_ch[p_{n_{ui}}, qui] | p_{n_{ui}}:P_UI, qui:Q_UI \cdot qui \in quis\}$$

- These distinct single channel references can be assembled into one:

$$\{ PQ_ch[p_{ui}, qui] | p_{ui}:P_UI, qui:Q_UI : -p_{ui} \in puis, qui \in quis \}$$

where $puis = \{ p_{1_{ui}}, p_{2_{ui}}, \dots, p_{n_{ui}} \}$

- As an example we have already calculated the array channels for Fig. 9 Slide 310– cf. the left, the **Parts**, of that figure – cf. Items [1–3] Pages 311–313.
- The identities Item 72 Slide 313 apply.

8.4. Discrete Behaviour Definitions

- We associate with each part, $p:P$, a behaviour name \mathcal{M}_P .
- Behaviours have as first argument their unique part identifier: **uid**_P(p).
- Behaviours evolves around a state, or, rather, a set of values:
 - its possibly changing mereology, $mt:MT$ and
 - the attributes of the part.⁵⁴

⁵⁴We leave out consideration of possible components and materials of the part.

- A behaviour signature is therefore:

$$\mathcal{M}_P: ui:Ul \times me:MT \times stat_attr_typs(p) \rightarrow ctrl_attr_typs(p) \rightarrow calc_i_o_chn_refs(p) \text{ **Unit**}$$

where

- (i) $ui:Ul$ is the unique identifier value and type of part p ;
- (ii) $me:MT$ is the value and type mereology of part p ;
- (iii) $stat_attr_typs(p)$: static attribute types of part $p:P$;
- (iv) $ctrl_attr_typs(p)$: controllable attribute types of part $p:P$;
- (v) $calc_i_o_chn_refs(p)$ calculates references to the **input**, the **input/output** and the **output** channels serving the attributes shared between part p and the parts designated in its mereology me .

- Let P be a composite sort defined in terms of enduring⁵⁵ sub-sorts E_1, E_2, \dots, E_n .
 - The behaviour description *translated* from $p:P$, is composed from
 - a behaviour description, \mathcal{M}_P , relying on and handling the unique identifier, mereology and attributes of part p
 - to be *translated* with behaviour descriptions $\beta_1, \beta_2, \dots, \beta_n$ where
 - * β_1 is *translated* from $e_1:E_1$,
 - * β_2 is *translated* from $e_2:E_2$,
 - * ..., and
 - * β_n is *translated* from $e_n:E_n$.

⁵⁵— structures or composite

- The domain description *translation* schematic below “formalises” the above.

Abstract `is_composite(p)` Behaviour Schema

```

value
  TranslateP: P → RSL+Text
  TranslateP(p) ≡
    let ui = uid_P(p), me = mereo_P(p),
      sa = stat_attr_vals(p), ca = ctrl_attr_vals(p),
      MT = mereo_type(p), ST = stat_attr_typs(p), CT = ctrl_attr_typs(p),
      IOR = calc_i_o_chn_refs(p), IOD = calc_all_ch_dcls(p) in
    ⇐ channel
      IOD
      value
         $\mathcal{M}_P$ : P_UI × MT × ST CT IOR Unit
         $\mathcal{M}_P(ui,me,sta)(pa) \equiv \mathcal{B}_P(ui,me,sta)ca$ 
        , ⤵ TranslateP1(obs_endurant_sorts_E1(p))
        ⇐⇐ TranslateP2(obs_endurant_sorts_E2(p))
        ⇐⇐ ...
        ⇐⇐ TranslatePn(obs_endurant_sorts_En(p))
      end
  end

```

- Expression $\mathcal{B}_P(ui, me, sta, pa)$ stands for the *behaviour definition body* in which the names ui , me , sta , pa are bound to the *behaviour definition head*, i.e., the left hand side of the \equiv .
- Endurant sorts E_1, E_2, \dots, E_n are obtained from the `observe_endurant_sorts` prompt, Slide 140.
- We informally explain the **Translate**_{P_i} function.
 - It takes endurants and produces RSL⁺Text.
 - Resulting texts are bracketed: $\langle\langle rsl_text \rangle\rangle$

Example 33: Example 33: Signatures

- *We first decide on names of behaviours.*
 - *In Sect. , Pages 339–358,*
 - *we gave schematic names to behaviours of the form \mathcal{M}_P .*
 - *We now assign mnemonic names: from part names to names of transcendentially interpreted behaviours*
 - *and then we assign signatures to these behaviours.*

.....

78 $hub_{h_{ui}}$:

- a. *there is the usual “triplet” of arguments: unique identifier, mereology and static attributes;*
- b. *then there are the programmable attributes;*
- c. *and finally there are the input/output channel references: first those allowing communication between hub and link behaviours,*
- d. *and then those allowing communication between hub and vehicle (bus and automobile) behaviours.*

value78 $\text{hub}_{h_{ui}}:$ 78a. $h_{ui}: H_UI \times (v_{uis}, l_{uis}, _): H_Mer \times H\Omega$ 78b. $\rightarrow (H\Sigma \times H_Traffic)$ 78c. $\rightarrow \mathbf{in, out} \{ h_l_ch[h_{ui}, l_{ui}] \mid l_{ui}: L_UI \cdot l_{ui} \in l_{uis} \}$ 78d. $\{ ba_r_ch[h_{ui}, v_{ui}] \mid v_{ui}: V_UI \cdot v_{ui} \in v_{uis} \} \mathbf{Unit}$ 78a. $\mathbf{pre}: v_{uis} = v_{ui}S \wedge l_{uis} = l_{ui}S$

.....

79 $link_{l_{ui}}$:

- a. *there is the usual “triplet” of arguments: unique identifier, mereology and static attributes;*
- b. *then there are the programmable attributes;*
- c. *and finally there are the input/output channel references: first those allowing communication between hub and link behaviours,*
- d. *and then those allowing communication between link and vehicle (bus and automobile) behaviours.*

value79 link l_{ui} :79a. $l_{ui}:L_UI \times (vuis,huis, _):L_Mer \times L\Omega$ 79b. $\rightarrow (L\Sigma \times L_Traffic)$ 79c. $\rightarrow \mathbf{in,out} \{ h_l_ch[h_ui,l_ui] \mid h_ui:H_UI:h_ui \in huis \}$ 79d. $\{ ba_r_ch[l_ui,v_ui] \mid v_ui:(B_UI|A_UI).v_ui \in vuis \}$ **Unit**79a. **pre:** $vuis = v_{ui}S \wedge huis = h_{ui}S$

.....

80 *bus_company*_{bc_{ui}}:

- a. *there is here just a “doublet” of arguments: unique identifier and mereology;*
- b. *then there is the one programmable attribute;*
- c. *and finally there are the input/output channel references: first the input time channel,*
- d. *then the input/output allowing communication between the bus company and buses.*

value

80 bus_company $_{bc_{ui}}$:

80a. $bc_ui:BC_UI \times (_, _, buis):BC_Mer$

80b. $\rightarrow BusTimTbl$

80c. $\rightarrow \mathbf{in}$ attr_T_ch

80d. $\mathbf{in, out}$ $\{bc_b_ch[bc_ui, b_ui] \mid b_ui: B_UI \cdot b_ui \in buis\}$ **Unit**

80a. **pre:** $buis = b_{ui}s \wedge huis = h_{ui}s$

.....

81 $bus_{b_{ui}}$:

- a. there is here just a “doublet” of arguments: unique identifier and mereology;
- b. then there are the programmable attributes;
- c. and finally there are the input/output channel references: first the input time channel, and the input/output allowing communication between the bus company and buses,
- d. and the input/output allowing communication between the bus and the hub and link behaviours.

value81 $\text{bus}_{b_{ui}}$:81a. $b_{ui}: B_UI \times (bc_{ui}, _, r_{uis}): B_Mer$ 81b. $\rightarrow (LN \times BTT \times BPOS)$ 81c. $\rightarrow \mathbf{in} \text{ attr_T_ch } \mathbf{in, out} \ bc_b_ch[bc_{ui}, b_{ui}],$ 81d. $\{ba_r_ch[r_{ui}, b_{ui}] \mid r_{ui}: (H_UI \mid L_UI) \cdot ui \in v_{ui}S\}$ **Unit**81a. **pre:** $r_{uis} = r_{ui}S \wedge bc_{ui} \in bc_{ui}S$

.....

82 *automobile*_{au}:

- a. there is the usual “triplet” of arguments: unique identifier, mereology and static attributes;
- b. then there is the one programmable attribute;
- c. and finally there are the input/output channel references: first the input time channel,
- d. then the input/output allowing communication between the automobile and the hub and link behaviours.

value

82 automobile_{*a_{ui}*}:

82a. $a_ui: A_UI \times (_, _, ruis): A_Mer \times rn: RegNo$

82b. $\rightarrow apos: APos$

82c. \rightarrow **in** attr_T_ch

82d. **in, out** $\{ba_r_ch[a_ui, r_ui] \mid r_ui: (H_UI \mid L_UI) \cdot r_ui \in ruis\}$ **Unit**

82a. **pre:** $ruis = r_{ui}S \wedge a_ui \in a_{ui}S$



- For the case that an endurant is a structure
 - there is only its elements to compile;
 - otherwise Schema 2 is as Schema 1.

Abstract `is_structure(e)` Behaviour Schema

value

Translate_E(e) ≡

Translate_{E₁}(obs_endurant_sorts_E₁(e))

 **Translate**_{E₂}(obs_endurant_sorts_E₂(e))

 ...

 **Translate**_{E_n}(obs_endurant_sorts_E_n(e))

- Let P be a composite sort defined in terms of the concrete type **Q-set**.
 - The process definition compiled from $p:P$, is composed from
 - a process, \mathcal{M}_P , relying on and handling the unique identifier, mereology and attributes of process p as defined by P
 - operating in parallel with processes $q:\mathbf{obs_Qs}(p)$.
- The domain description “compilation” schematic below “formalises” the above.

Concrete `is_composite(p)` Behaviour Schema**type**

Qs = Q-set

valueqs:Q-set = **obs**_Qs(p)**Translate**_P(p) ≡**let** ui = **uid**_P(p), me = **mereo**_P(p),

sa = stat_attr_vals(p), ca = ctrl_attr_vals(p)

ST = stat_attr_typs(p), CT = ctrl_attr_typs(p),

IOR = calc_i_o_chn_refs(p), IOD = calc_all_ch_dcls(p) **in**⊲ **channel**

IOD

value $\mathcal{M}_P: P_UI \times MT \times ST \quad CT \quad IOR \quad \mathbf{Unit}$ $\mathcal{M}_P(ui, me, sa)ca \equiv \mathcal{B}_P(ui, me, sa)ca \quad \gg$ $\{ \ll, \gg \quad \mathbf{Translate}_Q(q) \mid q:Q \cdot q \in qs \}$ **end**

Atomic `is_atomic(p)` Behaviour Schema**value****Translate** $_P(p) \equiv$ **let** $ui = \mathbf{uid_P}(p)$, $me = \mathbf{mereo_P}(p)$, $sa = \mathbf{stat_attr_vals}(p)$, $ca = \mathbf{ctrl_attr_vals}(p)$, $ST = \mathbf{stat_attr_typs}(p)$, $CT = \mathbf{ctrl_attr_typs}(p)$, $IOR = \mathbf{calc_i_o_chn_refs}(p)$, $IOD = \mathbf{calc_all_chs}(p)$ **in** \Leftarrow **channel**

IOD

value $\mathcal{M}_P: P_UI \times MT \times ST \quad PT \quad IOR \quad \mathbf{Unit}$ $\mathcal{M}_P(ui, me, sa)ca \equiv \mathcal{B}_P(ui, me, sa)ca \quad \gg$ **end**

- The core processes can be understood as never ending, “tail recursively defined” processes:

Core Behaviour Schema

$$\mathcal{B}_P: \text{uid:P_UI} \times \text{me:MT} \times \text{sa:SA} \rightarrow \text{ct:CT} \rightarrow \mathbf{in} \text{ in_chns}(p) \mathbf{in, out} \text{ in_out_chns}(me) \mathbf{Unit}$$

$$\mathcal{B}_P(p)(ui, me, sa)(ca) \equiv \mathbf{let} (me', ca') = \mathcal{F}_P(ui, me, sa)ca \mathbf{in} \mathcal{M}_P(ui, me', sa)ca' \mathbf{end}$$

$$\mathcal{F}_P: \text{P_UI} \times \text{MT} \times \text{ST} \rightarrow \text{CT} \rightarrow \text{in_out_chns}(me) \rightarrow \text{MT} \times \text{CT}$$

- We refer to [15, Process Schema V: Core Process (II), Page 40] for possible forms of \mathcal{F}_P .

Example 35: **Automobile Behaviour (at a hub)**

- *We define the behaviours in a different order than the treatment of their signatures.*
- *We “split” definition of the automobile behaviour*
 - *into the behaviour of automobiles when positioned at a hub, and*
 - *into the behaviour automobiles when positioned at on a link.*
 - *In both cases the behaviours include the “idling” of the automobile, i.e., its “not moving”, standing still.*

Example 35: Automobile Behaviour (at a hub), Contd.

83 We abstract automobile behaviour at a Hub (hui).

84 The vehicle remains at that hub, “idling”,

85 informing the hub behaviour,

86 or, internally non-deterministically,

- a. moves onto a link, tl_i , whose “next” hub, identified by th_{ui} , is obtained from the mereology of the link identified by tl_{ui} ;
- b. informs the hub it is leaving and the link it is entering of its initial link position,
- c. whereupon the vehicle resumes the vehicle behaviour positioned at the very beginning (0) of that link,

87 or, again internally non-deterministically,

88 the vehicle “disappears — off the radar” !

Example 35: Automobile Behaviour (at a hub), Contd.

```

83 automobileaui(aui,({}), (ruis,vuis),{ }),rn
83     (apos:atH(flui,hui,tlui)) ≡
84     (bar_ch[aui,hui] ! (attrT_ch?,atH(flui,hui,tlui)));
85     automobileaui(aui,({}), (ruis,vuis),{ }),rn)(apos))
86     □
86a.   (let ({fhui,thui},ruis')=mereoL(∅(tlui)) in
86a.     assert: fhui=hui ∧ ruis=ruis'
83     let onl = (tlui,hui,0,thui) in
86b.   (bar_ch[aui,hui] ! (attrT_ch?,onL(onl)) ||
86b.     bar_ch[aui,tlui] ! (attrT_ch?,onL(onl))) ;
86c.   automobileaui(aui,({}), (ruis,vuis),{ }),rn
86c.     (onL(onl)) end end
87     □
88     stop

```

- Appendix A presents the definition of the remaining automobile, the hub, link, bus company and bus behaviours.

8.5. **Running Systems**

- It is one thing
 - to define the behaviours corresponding to all parts,
 - whether composite or atomic.
- It is another thing to
 - specify an initial configuration of behaviours,
 - that is, those behaviours
 - which “start” the overall system behaviour.

- The choice
 - as to which parts, i.e., behaviours,
 - are to represent an initial, i.e., a start system behaviour,
 - cannot be “formalised”,
 - it really depends on the “deeper purpose”
 - of the system.
- In other words:
 - requires careful analysis and is
 - beyond the scope of the present lectures.

Example 36: Initial System, I/VIII

Initial States:

- We recall the *hub*, *link*, *bus company*, *bus* and the *automobile states*
- first mentioned in Sect. Page 128.

value

```

54  hs:H-set  $\equiv \equiv \text{obs\_sH}(\text{obs\_SH}(\text{obs\_RN}(rts)))$ 
55  ls:L-set  $\equiv \equiv \text{obs\_sL}(\text{obs\_SL}(\text{obs\_RN}(rts)))$ 
57  bcs:BC-set  $\equiv \text{obs\_BCs}(\text{obs\_SBC}(\text{obs\_FV}(\text{obs\_RN}(rts))))$ 
58  bs:B-set  $\equiv \cup \{ \text{obs\_Bs}(bc) \mid bc:BC \cdot bc \in bcs \}$ 
60  as:A-set  $\equiv \text{obs\_BCs}(\text{obs\_SBC}(\text{obs\_FV}(\text{obs\_RN}(rts))))$ 

```

Example 36: Initial System, Starting Initial Behaviours: II/VIII**Starting Initial Behaviours:**

- We are reaching the end of this domain modelling example.
 - Behind us there are narratives and formalisations 1 Slide 142 – 133 Slide 463.
 - Based on these we now express the signature and the body of the definition
 - of a “*system build and execute*” function.

Example 36: Initial System, Starting Initial Behaviours: III/VIII

89 The system to be initialised is

- a. the parallel composition (\parallel) of
- b. the distributed parallel composition ($\parallel \{ \dots | \dots \}$) of
- c. all the hub behaviours,
- d. all the link behaviours,
- e. all the bus company behaviours,
- f. all the bus behaviours, and
- g. all the automobile behaviours.

Example 36: **Initial System**, **Starting Initial Behaviours**: IV/VIII

value

89 initial_system: **Unit** \rightarrow **Unit**

89 initial_system() \equiv

89c. \parallel { hub_{*h_{ui}*}(h_{ui}, me, h ω)(htrf, h σ)

89c. | h:H·h \in *hs*,

89c. h_{ui}:H_{UI}·h_{ui}=uid_H(h),

89c. me:HMetL·me=mereo_H(h),

89c. h ω :H Ω ·h ω =attr_{H Ω} (h),

89c. htrf:H_{Traffic}·htrf=attr_{H_{Traffic}}_H(h),

89c. h σ :H Σ ·h σ =attr_{H Σ} (h) \wedge h σ \in h ω

89c. }

Example 36: Initial System, V/VIII

89a. ||
 89d. || { link_{l_{ui}}(l_{ui},me,l ω)(ltrf,l σ)
 89d. l:L.l \in l_s,
 89d. l_{ui}:L_{UI}.l_{ui}=uid_L(l),
 89d. me:LMet.me=mereo_L(l),
 89d. l ω :L Ω .l ω =attr_{L Ω} (l),
 89d. ltrf:L_{Traffic}.ltrf=attr_{L_{Traffic}}_H(l),
 89d. l σ :L Σ .l σ =attr_{L Σ} (l) \wedge l σ \in l ω
 89d. }

Example 36: Initial System, VI/VIII

89a.		
89e.		{ bus_company _{bc_{ui}} (bc _{ui} ,me)(btt)
89e.		bc:BC.bc ∈ bcs,
89e.		bc_ui:BC_UI.bc_ui=uid_BC(bc),
89e.		me:BCMet.me=mereo_BC(bc),
89e.		btt:BusTimTbl.btt=attr_BusTimTbl(bc)
89e.	}	

Example 36: Initial System, VII/VIII

```

89a.    ||
89f.    || { busbui(bui,me)(ln,btt,bpos)
89f.        b:B·b ∈ bs,
89f.        bui:B_UI·bui=uid_B(b),
89f.        me:BMet·me=mereo_B(b),
89f.        ln:LN·pln=attr_LN(b),
89f.        btt:BusTimTbl·btt=attr_BusTimTbl(b),
89f.        bpos:BPos·bpos=attr_BPos(b)
89f.    }

```

Example 36: Initial System, VIII/VIII

89a.		
89g.		{ automobile _{a_{ui}} (a _{ui} ,me,rn)(apos)
89g.		a:A·a ∈ as,
89g.		a _{ui} :A_UI·a _{ui} =uid_A(a),
89g.		me:AMet·me=mereo_A(a),
89g.		rn:RegNo·rno=attr_RegNo(a),
89g.		apos:APos·apos=attr_APos(a)
89g.		}

8.6. Concurrency: Communication and Synchronisation

- Process Schemas I, II, III and V (Slides 342, 355, 357 and 359), reveal
 - that two or more parts, which temporally coexist (i.e., at the same time),
 - imply a notion of *concurrency*.
- Process Schema IV, Page 358,
 - through the RSL/CSP language expressions $ch!v$ and $ch?$,
 - indicates the notions of *communication* and *synchronisation*.
- Other than this we shall not cover these crucial notion related to *parallelism*.

8.7. Summary and Discussion of Perdurants

- The most significant contribution of this section has been to show that
 - for every domain description
 - there exists a normal form behaviour —
 - here expressed in terms of a CSP process expression.

8.7.1. Summary

- We have proposed to analyse perdurant entities into actions, events and behaviours – all based on notions of state and time.
- We have suggested modelling and abstracting these notions in terms of functions with signatures and pre-/post-conditions.
- We have shown how to model behaviours in terms of CSP (communicating sequential processes).
- It is in modelling function signatures and behaviours that we justify the endurant entity notions of parts, unique identifiers, mereology and shared attributes.

8.7.2. Discussion

- The analysis of perdurants into actions, events and behaviours represents a choice.
- We suggest skeptical readers to come forward with other choices.

9. Closing

- Domain models abstract some reality.
- They do not pretend to capture all of it.

9.1. What Have We Achieved ?

- A step-wise *method*,
 - its *principles*,
 - *techniques*, and
 - a series of *languages*
- for the rigorous development of domain models has been presented.

- A seemingly large number of domain concepts has been established:
 - *entities*,
 - *endurants* and *perdurants*,
 - *discrete* and *continuous* endurants,
 - *structure*, *part*, *component* and *material* endurants,
 - *living species*, *plants*, *animals*, *humans* and *artifacts*,
 - *unique identifiers*, *mereology* and *attributes*.

It is shown

- how CSP *channels* can be calculated from endurant mereologies, and
- how the form of *behaviour arguments* can be calculated from respective attribute categorisations.

The domain concepts outlined above

- form a *domain ontology*
- that applies to a wide variety of domains.

The Transcendental Deduction:

- A concept of *transcendental deduction* has been introduced.
 - It is used to justify the interpretation
 - of *endurant parts*
 - as *perdurant behaviours* – à la CSP.
- The interpretation of *endurant parts* as *perdurant behaviours*
 - represents a *transcendental deduction* –
 - and must, somehow, be rationally justified.
 - the justification is here seen as exactly that:
 - a *transcendental deduction*.

- We claim that when, as an example, programmers, in thinking about or in explaining their code, anthropomorphically⁵⁶, say that “*the program does so and so*” they ‘perform’ and transcendental deduction.
- We refer to the forthcoming [6, Philosophical Issues in Domain Modeling].
- ● This concept should be studied further: *Transcendental Deduction in Computing Science*.

⁵⁶Anthropomorphism is the attribution of human traits, emotions, or intentions to non-human entities.

Living Species:

- The concept of *living species* has been introduced,
 - but it has not been “sufficiently” studied,
 - that is, we have, in Sect. on Slide 214, hinted at a number of ‘living species’ notions:
 - *causality of purpose* et cetera,
 - but no hints has been given as to the kind of attributes
 - that *living species*, especially *humans* give rise to.
- ● This concept should be studied further: *Attributes of Living Species in Computing Science*.

Intentional “Pull”:

- A new concept of *intentional “pull”* has been introduced.
 - It applies, in the form of attributes, to humans and artifacts.
 - It “corresponds”, in a way, to *gravitational pull*;
 - that concept invites further study.
- The pair of gravitational pull and intentional “pull”
 - appears to lie behind the determination
 - of the mereologies of parts;
 - that possibility invites further study.
- ● This concept should be studied further: *Intentional “Pull” in Computing Science.*

What Can Be Described ?

- When you read the texts that explain when
 - phenomena can be considered entities,
 - entities can be considered endurants or perdurants,
 - endurants can be considered discrete or continuous,
 - discrete endurants can be considered structures, parts or components, et cetera,

- then you probably,
 - expecting to read a technical/scientific paper,
 - realise that those explanations are not precise in the sense
 - of such papers.
- Many of our definitions are taken
 - from [63, The Oxford Shorter English Dictionary] and
 - from the Internet based [64, The Stanford Encyclopedia of Philosophy].

- In technical/scientific papers definitions are expected
 - to be precise,
 - but can be that only if the definer has set up, beforehand,
 - or the reported work is based on
 - a precise, in our case mathematical framework.
 - That can not be done here.
 - There is no, a priori given, model of the domains we are interested in.

- This raises the more general question, such as we see it:
 - “*which are the absolutely necessary and unavoidable bases for describing the world?*”
 - This is a question of philosophy.
 - We shall not develop the reasoning here.

- Some other issues are to be further studied.
 - (i) When to use *physical mereologies* and when to apply *conceptual mereologies*, cf. final paragraph of Sect. on Slide 189.
 - (ii) How do we know that the categorisation into unique identification, mereology and attributes embodies all internal qualities; could there be a fourth, etc. ?
 - (iii) Is *intent* an attribute, or does it “belong” to a fourth internal quality category, or a fifth ?
 - (iv) It seems that most of what we first thought off as natural parts really are materials: geographic land masses, etc. – subject, still, to the laws of physics: geo-physics.

- ● We refer to the forthcoming study [6, Philosophical Issues in Domain Modeling] based on [11, 12, 13, 14].

The Contribution:

- In summary we have shown that the domain analysis & description calculi
 - form a sound, consistent and complete approach to domain modelling, and
 - that this approach takes its “resting point” in Kai Sørlander’s Philosophy.

9.2. The Four Languages of Domain Analysis & Description

- Usually mathematics, in many of its shades and forms
 - are deployed in *describing* properties of nature,
 - as when pursuing physics,
- Usually the formal specification languages of *computer & computing science*
 - have a precise semantics and a consistent proof system.
 - To have these properties those languages must deal with *computable objects*.
 - *Domains are not computable*.

- So we revert, in a sense, to mathematics as our specification language.
 - Instead of the usual, i.e., the classical style of mathematics,
 - we “couch” the mathematics in a style close to RSL [65, 66].
 - We shall refer to this language as RSL^+ .
- Main features of RSL^+ evolves in this paper, mainly in Sect. .

- Here we shall make it clear that we need three languages:
 - (i) an **analysis language**,
 - (ii) a **description language**, i.e., RSL^+ , and
 - (iii) the language of explaining domain analysis & description,
- (iv) in modelling “the fourth” language,
 - the domain,
 - its syntax
 - and some abstract semantics.

9.2.1. The Analysis Language:

- Use of the *analysis language* is not written down.
- It consists of a number of single, usually `is_` or `has_`, prefixed *domain analysis prompt* and *domain description prompt* names.
- The **domain analysis prompts** are:

The Analysis Prompts

a. <code>is_ entity</code> , 7	l. <code>is_ living_ species</code> , 12
b. <code>is_ endurant</code> , 8	m. <code>is_ plant</code> , 12
c. <code>is_ perdurant</code> , 8	n. <code>is_ animal</code> , 12
d. <code>is_ discrete</code> , 8	o. <code>is_ human</code> , 12
e. <code>is_ continuous</code> , 8	p. <code>has_ components</code> , 13
f. <code>is_ physical_ part</code> , 9	q. <code>has_ materials</code> , 13
g. <code>is_ living_ species</code> , 9	r. <code>is_ artifact</code> , 14
h. <code>is_ structure</code> , 10	s. <code>observe_ endurant_ sorts</code> , 14
i. <code>is_ part</code> , 11	t. <code>has_ concrete_ type</code> , 16
j. <code>is_ atomic</code> , 11	u. <code>has_ mereology</code> , 23
k. <code>is_ composite</code> , 11	v. <code>attribute_ types</code> , 26

- *They apply to phenomena in the domain, that is, to “the world out there”!*
 - Except for `observe_endurants` and `attribute` types these queries result in truth values;
 - `observe_endurants` results in the *domain scientist cum engineer* noting down, in memory or in typed form, suggestive names [of endurant sorts]; and
 - `attribute_types` results in suggestive names [of attribute types].

- The truth-valued queries directs, as we shall see, the *domain scientist cum engineer* to either further analysis or to “issue” some *domain description prompts*.
- The ‘name’-valued queries help the human analyser to formulate the result of **domain description prompts**:

The Description Prompts

[1] observe_endurant_sorts, 15	[5] observe_unique_identifier, 22
[2] observe_part_type, 17	[6] observe_mereology, 24
[3] observe_component_sorts, 18	[7] observe_attributes, 26
[4] observe_material_sorts, 19	

- Again *they apply to phenomena in the domain*, that is, to “*the world out there*” !
- In this case they result in RSL⁺Text !

9.2.2. The Description Language:

- The **description language** is RSL^+ .
- It is a basically applicative subset of RSL [65, 66],
 - that is: no assignable variables.
 - Also we omit RSL's elaborate *scheme*, *class*, *object* notions.

The Description Language Primitives

- *Structures, Parts, Components and Materials:*
 - **obs_E**, dfn. 1, [o] pg. 140
 - **obs_T: P**, dfn. 2, [t₂] pg. 148
- *Part and Component Unique Identifiers:*
 - **uid_P**, dfn. 5, [u] pg. 171
- *Part Mereologies:*
 - **mereo_P**, dfn. 6, [m] pg. 183
- *Part and Material Attributes:*
 - **attr_A_i**, dfn. 7, [a] pg. 198

- We refer, generally, to all these functions as observer functions.
- They are defined by the analyser cum describer when “applying” description prompts.
- That is, they should be considered user-defined.
- In our examples we use the non-bold-faced observer function names.

9.2.3. The Language of Explaining Domain Analysis & Description:

- In explaining the *analysis & description prompts* we use a natural language which contains terms and phrases typical of
 - the technical language of *computer & computing science*, and
 - the language of *philosophy*, more specifically *epistemology* and *ontology*.
- The reason for the former should be obvious.

- The reason for the latter is given as follows:
 - We are, on one hand, dealing with real, actual segments of domains characterised by their basis in nature, in economics, in technologies, etc., that is, in informal “worlds”, and,
 - on the other hand, we aim at a formal understanding of those “worlds”.
- There is, in other words, the task of
 - explaining how we observe those “worlds”,
 - and that is what brings us close to some issues well-discussed in *philosophy*.

9.2.4. The Language of Domains:

- We consider a domain through the *semiotic looking glass* of
 - its *syntax* and
 - its *semantics*;
 - we shall not consider here its possible *pragmatics*.
- By “*its syntax*” we shall mean
 - the form and “contents”,
 - i.e., the *external* and
 - *internal qualities*
 - of the *endurants* of the domain,
 - i.e., those *entities* that endure.

-
- By “*its semantics*” we shall, by a *transcendental deduction*, mean the *perdurants*:
 - the *actions*,
 - the *events*, and
 - the *behaviours*
 - that center on the the endurants and
 - that otherwise characterise the domain.

9.2.5. An Analysis & Description Process:

Program Schema: A Domain Analysis & Description Process, Part I/II

```

type
  V = Part_VAL | Komp_VAL | Mat_VAL
variable
  new:V-set := {uod:UoD} ,
  gen:V-set := {} ,
  txt:Text := {}
value
  discover_sorts: Unit → Unit
  discover_sorts() ≡
    while new ≠ {} do
      let v:V • v ∈ new in
        new := new \ {v} || gen := gen ∪ {v} ;
        is_part(v) →
          ( is_atomic(v) → skip ,
            is_composite(v) →
              let {e1:E1,e:E2,...,en:En} = observe_endurants(v) in
                new := new ∪ {e1,e,...,en} ; txt := txt ∪ observe_endurant_sorts(e) end ,
              has_concrete_type(v) →
                let {s1,s2,...,sm} = new_sort_values(v) in
                  new := new ∪ {s1,s2,...,sm} ; txt := txt ∪ observe_part_type(v) end ) ,
              has_components(v) → let {k1:K1,k2:K2,...,kn:Kn} = observe_components(v) in
                new := new ∪ {k1,k2,...,kn} ; txt := txt ∪ observe_component_sorts(v) end ,
              has_materials(v) → txt := txt ∪ observe_material_sorts(v) ,
              is_structure(v) → ... EXERCISE FOR THE READER!
            end
          end
    end

```

Program Schema: A Domain Analysis & Description Process, Part II/II

```

discover_uids: Unit → Unit
discover_uids() ≡
  for  $\forall v:(PVAL|KVAL) \cdot v \in \text{gen}$ 
  do  $\text{txt} := \text{txt} \cup \text{observe\_unique\_identifier}(v)$  end
discover_mereologies: Unit → Unit
discover_mereologies() ≡
  for  $\forall v:PVAL \cdot v \in \text{gen}$ 
  do  $\text{txt} := \text{txt} \cup \text{observe\_mereology}(v)$  end
discover_attributes: Unit → Unit
discover_attributes() ≡
  for  $\forall v:(PVAL|MVAL) \cdot v \in \text{gen}$ 
  do  $\text{txt} := \text{txt} \cup \text{observe\_attributes}(v)$  end

analysis+description: Unit → Unit
analysis+description() ≡
  discover_sorts(); discover_uids(); discover_mereologies(); discover_attributes()

```

9.3. Relation to Other Formal Specification Languages

- In this contribution we have based the analysis and description calculi and the specification texts emanating as domain descriptions on RSL [65].
- There are other formal specification languages:
 - **Alloy** [67],
 - **CafeObj** [69],
 - **VDM** [71, 72, 73],
 - **B** (etc.) [68],
 - **CASL** [70],
 - **Z** [74],to mention a few.

- Two conditions appears to apply for any of these other formal specification languages to become a basis for analysis and description calculi similar to the ones put forward in the current paper:
 - (i) it must be possible, as in RSL, to define and express sorts, i.e., *further undefined types*, and
 - (ii) it must be possible, as with RSL’s “built-in” **CSP** [60], in some form or another, to define and express concurrency.
- Insofar as these and other formal languages can satisfy these two conditions, they can certainly also be the basis for domain analysis & description.

- We do not consider **Coq** [75, 76, 77]⁵⁷, **CSP** [60], **The Duration Calculus** [78] nor **TLA+** [79] as candidates for expressing full-fledged domain descriptions.
- Some of these formal specification languages, like **Coq**, are very specifically oriented towards proofs (of properties of specifications).
- Some, like **The Duration Calculus** and **CSP**, go very well in hand with other formal specification languages like **VDM**, **RAISE**⁵⁸ and **Z**.

⁵⁷<http://doi.org/10.5281/zenodo.1028037>

⁵⁸A variant of **CSP** is thus “embedded” in **RSL**

- It seems, common to these languages, that, taken taken in isolation, they can be successfully used for the development and proofs of properties of algorithms and code for, for example safety-critical and embedded systems.
- But our choice (of not considering) is not a “hard nailed” one !
- Also less formal, usually computable, languages, like **Scala** [<https://www.scala-lang.org/>] or **Python** [<https://www.python.org/>], can, if they satisfy criteria (i-ii), serve similarly.

- We refer, for a more general discussion – of issues related to the choice of other formal language being the basis for domain analysis & description – to [80, 40 Years of Formal Methods — 10 Obstacles and 3 Possibilities] for a general discussion that touches upon the issue of formal, or near-formal, specification languages.

9.4. Two Frequently Asked Questions

- *How much of a DOMAIN must or should we ANALYSE & DESCRIBE ?*
 - When this question is raised, after a talk of mine over the subject, and by a colleague researcher & scientist I usually reply:
 - *As large a domain as possible !*
 - This reply is often met by this *comment* (from the audience) *Oh ! No, that is not reasonable !*

- To me that comment shows either or both of:
 - the questioner was not asking as a researcher/scientist, but as an engineer. Yes, an engineer needs only analyse & describe up to and slightly beyond the “border” of the domain-of-interest for a current software development – but
 - a researcher cum scientist is, of course, interested not only in a possible requirements engineering phase beyond domain engineering, but is also curious about the larger context of the domain, in possibly establishing a proper domain theory, etc.

- *How, then, should a domain engineer pursue DOMAIN MODELLING ?*
- My answer assumes a “state-of-affairs” of domain science & engineering
 - in which domain modelling is an established subject, i.e.,
 - where the domain analysis & description topic, i.e., its methodology, is taught,
 - where there are “text-book” examples from relevant fields –
 - that the domain engineers can rely on,
 - and in whose terminology they can communicate with one another;
 - that is, there is an acknowledged *body of knowledge*.

- My answer is therefore:
 - the domain engineer, referring to the relevant *body of knowledge*,
 - develops a domain model
that covers the domain
and the context on which the software is to function,
 - just, perhaps covering a little bit more of the context,
 - than possibly necessary — just to be sure.

- Until such a “state-of-affairs” is reached
 - the domain model developer has to act both as a
 - domain scientist and as a
 - domain engineer,
 - researching and developing models
 - for rather larger domains
 - than perhaps necessary
 - while contributing also to
the **domain science & engineering body of knowledge.**

9.5. On How to Pursue Domain Science & Engineering

- We set up a dogma and discuss a ramification.
 - One thing is the doctrine, the method for domain analysis & description outlined in this paper.
 - Another thing is its practice.
 - I find myself, when experimentally pursuing the modelling of domains, as, for example, reported in [16, 17, 18, 81, 82, 83, 21, 19, 84, 28, 24, 27, 26, 29],
that I am often not following the doctrine !

- That is:
 - (i) in not first, carefully, exploring parts, components and materials, the external properties,
 - (ii) in not then, again carefully settling issues of unique identifiers,
 - (iii) then, carefully, the issues of mereology,
 - (iv) followed by careful consideration of attributes,then the transcendental deduction of behaviours from parts;

- (v) carefully establishing channels:
 - (v.i) their message types, and
 - (v.ii) declarations,
- (vi) followed by the careful consideration of behaviour signatures, systematically, one for each transcendently deduced part,
- (vii) then the careful definition of each of all the deduced behaviours, and, finally,
- (iix) the definition of the overall system initialisation.

- No, instead I falter,
get diverted into exploring “*this & that*” in the domain exploration.
 - And I get stuck.
 - When despairing I realise that
I must “*slavically*” follow the doctrine.
 - When reverting to the strict adherence of the doctrine,
I find that I, very quickly, find my way,
and the domain modelling get’s *unstuck* !

- I remarked this situation to a dear friend and colleague. His remark stressed what was going on:
 - the **creative** engineer **took possession**,
 - the **exploring, sceptic** scientist **entered the picture**,
 - the well-trained engineer **lost ground in the realm of imagination**.
 - But perhaps, in the interest of **innovation etc.** it is necessary to be **creative** and **sceptic** and **loose ground** – for a while !
- I knew that, but had sort-of-forgotten it !
- The lesson is: *waver between adhering to the method and being innovative, curious – a dreamer !*

9.6. Related Work

- The present lectures is but one in a series on the topic of *domain science & engineering*.
 - With these lectures the author expects to have laid a foundation.
 - With the many experimental case studies, referenced in Example *Universes of Discourse* Page 47, the author seriously think that reasonably convincing arguments are given for this *domain science & engineering*.

- We comment on some previous publications:
 - [85, 3] explores additional views on analysing & describing domains, in terms of *domain facets*:
 - * *intrinsic*s,
 - * *support technologies*,
 - * *rules & regulations*,
 - * *scripts*,
 - * *management & organisation*,
 - * *and human behaviour*.
- [86, 5] explores relations between Stanisław Leśniewski's mereology and ours.
- [1, 2] shows how to rigorously transform domain descriptions into software system requirements prescriptions.

- [87] explores relations between the present domain analysis & description approach and issues of *safety critical software design*.
- [88] discusses various interpretations of domain models:
as bases for
 - demos,
 - simulators,
 - real system monitors and
 - real system monitor & controllers.
- [89] is a compendium of reports around the management and engineering of software development based in domain analysis & description.
These reports were the result of a year at JAIST:
Japan Institute of Science & Technology, Ishikawa, Japan.

9.7. Tony Hoare's Summary on 'Domain Modelling'

- In a 2006 e-mail, in response, undoubtedly to my steadfast – perhaps conceived as stubborn – insistence, on domain engineering,
- Tony Hoare summed up his reaction to domain engineering as follows, and I quote⁵⁹:

⁵⁹E-Mail to Dines Bjørner, July 19, 2006

“There are many unique contributions that can be made by domain modelling.

1 The models describe all aspects of the real world that are relevant for any good software design in the area.

They describe possible places to define the system boundary for any particular project.

2 They make explicit the preconditions about the real world that have to be made in any embedded software design,

especially one that is going to be formally proved.

3 They describe the whole range of possible designs for the software, and the whole range of technologies available for its realisation.

4 They provide a framework for a full analysis of requirements, which is wholly independent of the technology of implementation.

5 They enumerate and analyse the decisions that must be taken earlier or later in any design project,

and identify those that are independent and those that conflict.

Late discovery of feature interactions can be avoided.”

- All of these issues were covered in [90, Part IV].

9.8. Acknowledgements

- I thank the three reviewers for their many fine observations and suggestions.
- I also thank colleagues in Austria, China, Germany, France, Norway, Singapore, Sweden and the United States:
 - Yamine Ait Ameer, – Klaus Havelund, – Hans Langmaack,
 - Dominique Méry, – Otthein Herzog, – Chin Wei Ngan,
 - Andreas Harmfeldt, – Steve McKeever – Yang Shao Fa and
 - Magne Haveraaen, – Jens Knoop, – Zhu HuiBiao.

- I appreciate very much their comments on recent papers and their acting as sounding boards for the case studies that lead to a number of
 - clarifications,
 - simplifications and
 - solidificationsof the *domain analysis & description* method of [15] now reported in the present paper.

-
- I thank Wang ShuLin for incisive questions – answers to which are found, in particular, in Sect. of this paper.
 - And I thank Ole N. Oest for some remarks that lead to my remarks on Slide 421.

9.9. References

- [1] Dines Bjørner. From Domains to Requirements. In *Montanari Festschrift*, volume 5065 of *Lecture Notes in Computer Science* (eds. Pierpaolo Degano, Rocco De Nicola and José Meseguer), pages 1–30, Heidelberg, May 2008. Springer. URL: <http://www.imm.dtu.dk/~dibj/montanari.pdf>.
- [2] Dines Bjørner. From Domain Descriptions to Requirements Prescriptions – A Different Approach to Requirements Engineering. Technical report, Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, 2016. Extensive revision of [1] URL: <http://www2.compute.dtu.dk/~dibj/2015/faoc-req/faoc-req.pdf>.
- [3] Dines Bjørner. Domain Facets: Analysis & Description. Technical report, Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, May 2018. Extensive revision of [85]. URL: <http://www.imm.dtu.dk/~dibj/2016/facets/faoc-facets.pdf>.
- [4] Dines Bjørner. Domain Analysis and Description – Formal Models of Processes and Prompts. Technical report, Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, 2016. Extensive revision of [91]. URL: <http://www.imm.dtu.dk/~dibj/2016/process/process-p.pdf>.
- [5] Dines Bjørner. To Every Manifest Domain a CSP Expression — A Rôle for Mereology in Computer Science. *Journal of Logical and Algebraic Methods in Programming*, (94):91–108, January 2018. URL: <http://www2.compute.dtu.dk/~dibj/2016/mereo/mereo.pdf>.
- [6] Dines Bjørner. A Philosophy of Domain Science & Engineering – An Interpretation of Kai Sørlander’s Philosophy. Research Note, Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, Spring 2018. URL: <http://www.imm.dtu.dk/~dibj/2018/philosophy/filo.pdf>.
- [7] Dines Bjørner. Domain Science & Engineering – A Review of 10 Years Work and a Laudatio. In NaiJun Zhan and Cliff B. Jones, editors, *Symposium on Real-Time and Hybrid Systems – A Festschrift Symposium in Honour of Zhou ChaoChen*, LNCS 11180, pp. 6184. Springer Nature Switzerland AG URL: <http://www.imm.dtu.dk/~dibj/2017/zcc/ZhouBjorner2017.pdf>, June 2018.
- [8] Roberto Casati and Achille C. Varzi. *Parts and Places: the structures of spatial representation*. MIT Press, 1999.
- [9] E.C. Luschei. *The Logical Systems of Leśniewski*. North Holland, Amsterdam, The Netherlands, 1962.
- [10] J.T.J. Srzednicki and Z. Stachniak, editors. *Leśniewski’s Lecture Notes in Logic*. Dordrecht, 1988.
- [11] Kai Sørlander. *Det Uomgængelige – Filosofiske Deduktioner [The Inevitable – Philosophical Deductions, with a foreword by Georg Henrik von Wright]*. Munksgaard · Rosinante, 1994. 168 pages.
- [12] Kai Sørlander. *Under Evighedens Synsvinkel [Under the viewpoint of eternity]*. Munksgaard · Rosinante, 1997. 200 pages.
- [13] Kai Sørlander. *Den Endegyldige Sandhed [The Final Truth]*. Rosinante, 2002. 187 pages.
- [14] Kai Sørlander. *Indføring i Filosofien [Introduction to The Philosophy]*. Informations Forlag, 2016. 233 pages.
- [15] Dines Bjørner. Manifest Domains: Analysis & Description. *Formal Aspects of Computing*, 29(2):175–225, Online: July 2016. URL: <https://doi.org/10.1007/s00165-016-0385-z> (doi: 10.1007/s00165-016-0385-z).
- [16] Dines Bjørner. Formal Software Techniques in Railway Systems. In Eckehard Schnieder, editor, *9th IFAC Symposium on Control in Transportation Systems*, pages 1–12, Technical University, Braunschweig, Germany, 13–15 June 2000. VDI/VDE-Gesellschaft Mess- und Automatisierungstechnik, VDI-Gesellschaft für Fahrzeug- und Verkehrstechnik. Invited talk.
- [17] Dines Bjørner, Chris W. George, and Søren Prehn. Computing Systems for Railways — A Rôle for Domain Engineering. Relations to Requirements Engineering and Software for Control Applications. In *Integrated Design and Process Technology*. Editors: Bernd Kraemer and John C. Petterson, P.O.Box 1299, Grand View, Texas 76050-1299, USA, 24–28 June 2002. Society for Design and Process Science. URL: <http://www2.imm.dtu.dk/~dibj/pasadena-25.pdf>.

- [18] Dines Bjørner. Dynamics of Railway Nets: On an Interface between Automatic Control and Software Engineering. In *CTS2003: 10th IFAC Symposium on Control in Transportation Systems*, Oxford, UK, August 4-6 2003. Elsevier Science Ltd. Symposium held at Tokyo, Japan. Editors: S. Tsugawa and M. Aoki. URL: <http://www2.imm.dtu.dk/~dibj/ifac-dynamics.pdf>.
- [19] Dines Bjørner. A Container Line Industry Domain. Techn. report, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, June 2007. URL: <http://www2.imm.dtu.dk/~db/container-paper.pdf>.
- [20] Dines Bjørner. The Tokyo Stock Exchange Trading Rules. R&D Experiment, Techn. Univ. of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, 2010. URL: <http://www2.imm.dtu.dk/~db/todai/tse-1.pdf>, <http://www2.imm.dtu.dk/~db/todai/tse-2.pdf>.
- [21] Dines Bjørner. Pipelines – a Domain. Experimental Research Report 2013-2, DTU Compute and Frelsvej 11, DK-2840 Holte, Denmark, Spring 2013. URL: <http://www2.imm.dtu.dk/~dibj/pipe-p.pdf>.
- [22] Dines Bjørner. Domain Models of "The Market" — in Preparation for E-Transaction Systems. In *Practical Foundations of Business and System Specifications (Eds.: Haim Kilov and Ken Baclawski)*, The Netherlands, December 2002. Kluwer Academic Press. URL: <http://www2.imm.dtu.dk/~dibj/themarket.pdf>.
- [23] Dines Bjørner. On Development of Web-based Software: A Divertimento of Ideas and Suggestions. Technical, Technical University of Vienna, August–October 2010. URL: <http://www.imm.dtu.dk/~dibj/wfdftp.pdf>.
- [24] Dines Bjørner. Weather Information Systems: Towards a Domain Description. Technical Report: Experimental Research, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, November 2016. URL: <http://www.imm.dtu.dk/~dibj/2016/wis/wis-p.pdf>.
- [25] Dines Bjørner. A Credit Card System: Uppsala Draft. Technical Report: Experimental Research, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, November 2016. URL: <http://www.imm.dtu.dk/~dibj/2016/credit/accs.pdf>.
- [26] Dines Bjørner. What are Documents? Research Note, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, July 2017. URL: <http://www.imm.dtu.dk/~dibj/2017/docs/docs.pdf>.
- [27] Dines Bjørner. Urban Planning Processes. Research Note, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, July 2017. URL: <http://www.imm.dtu.dk/~dibj/2017/up/urban-planning.pdf>.
- [28] Dines Bjørner. A Space of Swarms of Drones. Research Note, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, December 2017. URL: <http://www.imm.dtu.dk/~dibj/2017/swarms/swarm-paper.pdf>.
- [29] Dines Bjørner. Container Terminals. Technical report, Technical University of Denmark, Frelsvej 11, DK-2840 Holte, Denmark, September 2018. An incomplete draft report; currently 60+ pages. URL: <http://www.imm.dtu.dk/~dibj/2018/yangshan/maersk-pa.pdf>.
- [30] Donald Sannella and Andrzej Tarlecki. *Foundations of Algebraic Semantics and Formal Software Development*. Monographs in Theoretical Computer Science. Springer, Heidelberg, 2012.
- [31] Dines Bjørner. *A Rôle for Mereology in Domain Science and Engineering*. Synthese Library (eds. Claudio Calosi and Pierluigi Graziani). Springer, Amsterdam, The Netherlands, October 2014.
- [32] Michael A. Jackson. *Software Requirements & Specifications: a lexicon of practice, principles and prejudices*. ACM Press. Addison-Wesley, Reading, England, 1995.
- [33] Ted Honderich. *The Oxford Companion to Philosophy*. Oxford University Press, Walton St., Oxford OX2 6DP, England, 1995.
- [34] Rober Audi. *The Cambridge Dictionary of Philosophy*. Cambridge University Press, The Pitt Building, Trumpington Street, Cambridge CB2 1RP, England, 1995.
- [35] Nicholas Bunnin and E.P. Tsui-James, editors. *The Blackwell Companion to Philosophy*. Blackwell Companions to Philosophy. Blackwell Publishers, 108 Cowley Road, Oxford OX4 1JF, UK, 1996.

- [36] Matt Kaufmann, Panagiotis Manolios, and J Strother Moore. *Computer-Aided Reasoning: An Approach*. Kluwer Academic Publishers, June 2000.
- [37] Matt Kaufmann, Panagiotis Manolios, and J Strother Moore. *Computer-Aided Reasoning: ACL2 Case Studies*. Kluwer Academic Publishers, June 2000.
- [38] Yves Bertot and Pierre Castéran. *Interactive Theorem Proving and Program Development. Coq'Art: The Calculus of Inductive Constructions*. EATCS Series: Texts in Theoretical Computer Science. Springer, 2004.
- [39] Tobias Nipkow, Lawrence C. Paulson, and Markus Wenzel. *Isabelle/HOL, A Proof Assistant for Higher-Order Logic*, volume 2283 of *Lecture Notes in Computer Science*. Springer-Verlag, 2002.
- [40] Nikolaj Bjørner, Anca Browne, Michael Colon, Bernd Finkbeiner, Zohar Manna, Henny Sipma, and Tomas Uribe. Verifying Temporal Properties of Reactive Systems: A STeP Tutorial. *Formal Methods in System Design*, 16:227–270, 2000.
- [41] N. Shankar, S. Owre, J. M. Rushby, and D. W. J. Stringer-Calvert. *PVS Prover Guide*. Computer Science Laboratory, SRI International, Menlo Park, CA, September 1999.
- [42] Nikolaj Bjørner, Ken McMillan, and Andrey Rybalchenko. Higher-order Program Verification as Satisfiability Modulo Theories with Algebraic Data-types. In *Higher-Order Program Analysis*, June 2013. <http://hopa.cs.rhul.ac.uk/files/proceedings.html>.
- [43] Gerard J. Holzmann. *The SPIN Model Checker, Primer and Reference Manual*. Addison-Wesley, Reading, Massachusetts, 2003.
- [44] P. Cousot and R. Cousot. Abstract Interpretation: A Unified Lattice Model for Static Analysis of Programs by Construction or Approximation of Fixpoints. In *4th POPL: Principles of Programming and Languages*, pages 238–252. ACM Press, 1977.
- [45] Bruno Blanchet, Patrick Cousot, Radhia Cousot, Laurent Mauborgne Jerome Feret, Antoine Miné, David Monniaux, and Xavier Rival. A static analyzer for large safety-critical software. In *Programming Language Design and Implementation*, pages 196–207, 2003 .
- [46] Johan van Benthem. *The Logic of Time*, volume 156 of *Synthese Library: Studies in Epistemology, Logic, Methodology, and Philosophy of Science (Editor: Jaakko Hintikka)*. Kluwer Academic Publishers, P.O.Box 17, NL 3300 AA Dordrecht, The Netherlands, second edition, 1983, 1991.
- [47] David John Farmer. *Being in time: The nature of time in light of McTaggart's paradox*. University Press of America, Lanham, Maryland, 1990. 223 pages.
- [48] J. M. E. McTaggart. The Unreality of Time. *Mind*, 18(68):457–84, October 1908. New Series. See also: [49].
- [49] Robin Le Poidevin and Murray MacBeath, editors. *The Philosophy of Time*. Oxford University Press, 1993.
- [50] Arthur Prior. *Changes in Events and Changes in Things*, chapter in [49]. Oxford University Press, 1993.
- [51] Arthur N. Prior. *Logic and the Basis of Ethics*. Clarendon Press, Oxford, UK, 1949.
- [52] Arthur N. Prior. *Formal Logic*. Clarendon Press, Oxford, UK, 1955.
- [53] Arthur N. Prior. *Time and Modality*. Oxford University Press, Oxford, UK, 1957.
- [54] Arthur N. Prior. *Past, Present and Future*. Clarendon Press, Oxford, UK, 1967.
- [55] Arthur N. Prior. *Papers on Time and Tense*. Clarendon Press, Oxford, UK, 1968.
- [56] Gerald Rochelle. *Behind time: The incoherence of time and McTaggart's atemporal replacement*. Avebury series in philosophy. Ashgate, Brookfield, Vt., USA, 1998. vii + 221 pages.

- [57] Wayne D. Blizard. A Formal Theory of Objects, Space and Time. *The Journal of Symbolic Logic*, 55(1):74–89, March 1990.
- [58] Carlo A. Furia, Dino Mandrioli, Angelo Morzenti, and Matteo Rossi. *Modeling Time in Computing*. Monographs in Theoretical Computer Science. Springer, 2012.
- [59] Wang Yi. *A Calculus of Real Time Systems*. PhD thesis, Department of Computer Sciences, Chalmers University of Technology, Göteborg, Sweden, 1991.
- [60] C.A.R. Hoare. *Communicating Sequential Processes*. C.A.R. Hoare Series in Computer Science. Prentice-Hall International, 1985. Published electronically: <http://www.usingcsp.com/cspbook.pdf> (2004).
- [61] A. W. Roscoe. *Theory and Practice of Concurrency*. C.A.R. Hoare Series in Computer Science. Prentice-Hall, 1997. URL: <http://www.comlab.ox.ac.uk/people/bill.roscoe/publications/68b.pdf>.
- [62] Steve Schneider. *Concurrent and Real-time Systems — The CSP Approach*. Worldwide Series in Computer Science. John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England, January 2000.
- [63] W. Little, H.W. Fowler, J. Coulson, and C.T. Onions. *The Shorter Oxford English Dictionary on Historical Principles*. Clarendon Press, Oxford, England, 1973, 1987. Two vols.
- [64] Edward N. Zalta. The Stanford Encyclopedia of Philosophy. 2016. Principal Editor: <https://plato.stanford.edu/>.
- [65] Chris W. George, Peter Haff, Klaus Havelund, Anne Elisabeth Haxthausen, Robert Milne, Claus Bendix Nielsen, Søren Prehn, and Kim Ritter Wagner. *The RAISE Specification Language*. The BCS Practitioner Series. Prentice-Hall, Hemel Hempstead, England, 1992.
- [66] Dines Bjørner. *Software Engineering, Vol. 1: Abstraction and Modelling*. Texts in Theoretical Computer Science, the EATCS Series. Springer, 2006. .
- [67] Daniel Jackson. *Software Abstractions: Logic, Language, and Analysis*. The MIT Press, Cambridge, Mass., USA, April 2006. ISBN 0-262-10114-9.
- [68] Jean-Raymond Abrial. *The B Book: Assigning Programs to Meanings and Modeling in Event-B: System and Software Engineering*. Cambridge University Press, Cambridge, England, 1996 and 2009.
- [69] K. Futatsugi, A.T. Nakagawa, and T. Tamai, editors. *CAFE: An Industrial-Strength Algebraic Formal Method*, Sara Burgerhartstraat 25, P.O. Box 211, NL-1000 AE Amsterdam, The Netherlands, 2000. Elsevier. Proceedings from an April 1998 Symposium, Numazu, Japan.
- [70] CoFI (The Common Framework Initiative). *CASL Reference Manual*, volume 2960 of *Lecture Notes in Computer Science (IFIP Series)*. Springer-Verlag, 2004.
- [71] Dines Bjørner and Cliff B. Jones, editors. *The Vienna Development Method: The Meta-Language*, volume 61 of *LNCS*. Springer, 1978.
- [72] Dines Bjørner and Cliff B. Jones, editors. *Formal Specification and Software Development*. Prentice-Hall, 1982.
- [73] John Fitzgerald and Peter Gorm Larsen. *Modelling Systems – Practical Tools and Techniques in Software Development*. Cambridge University Press, The Edinburgh Building, Cambridge CB2 2RU, UK, 1998. ISBN 0-521-62348-0.
- [74] J. C. P. Woodcock and J. Davies. *Using Z: Specification, Proof and Refinement*. Prentice Hall International Series in Computer Science, 1996.
- [75] The Coq development team. *The Coq proof assistant reference manual*. LogiCal Project, 2004. Version 8.0.
- [76] G. Huet, G. Kahn, and Ch. Paulin-Mohring. *The Coq Proof Assistant - A tutorial - Version 7.1*, October 2001. <http://coq.inria.fr>.

- [77] Christine Paulin-Mohring. Modelisation of timed automata in Coq. In N. Kobayashi and B. Pierce, editors, *Theoretical Aspects of Computer Software (TACS'2001)*, volume 2215 of *Lecture Notes in Computer Science*, pages 298–315. Springer-Verlag, 2001.
- [78] Chao Chen Zhou and Michael R. Hansen. *Duration Calculus: A Formal Approach to Real-time Systems*. Monographs in Theoretical Computer Science. An EATCS Series. Springer-Verlag, 2004.
- [79] Leslie Lamport. *Specifying Systems*. Addison-Wesley, Boston, Mass., USA, 2002.
- [80] Dines Bjørner and Klaus Havelund. 40 Years of Formal Methods — 10 Obstacles and 3 Possibilities. In *FM 2014, Singapore, May 14-16, 2014*. Springer, 2014. Distinguished Lecture. URL: <http://www.imm.dtu.dk/~dibj/2014/fm14-paper.pdf>.
- [81] Martin Pěnička, Alben Kirilova Strupchanska, and Dines Bjørner. Train Maintenance Routing. In *FORMS'2003: Symposium on Formal Methods for Railway Operation and Control Systems*. L'Harmattan Hongrie, 15–16 May 2003. Conf. held at Techn.Univ. of Budapest, Hungary. Editors: G. Tarnai and E. Schnieder, Germany. URL: <http://www2.imm.dtu.dk/~dibj/martin.pdf>.
- [82] Alben Kirilova Strupchanska, Martin Pěnička, and Dines Bjørner. Railway Staff Rostering. In *FORMS2003: Symposium on Formal Methods for Railway Operation and Control Systems*. L'Harmattan Hongrie, 15–16 May 2003. Conf. held at Techn.Univ. of Budapest, Hungary. Editors: G. Tarnai and E. Schnieder, Germany. URL: <http://www2.imm.dtu.dk/~dibj/albena.pdf>.
- [83] Dines Bjørner. Road Transportation – a Domain Description. Experimental Research Report 2013-4, DTU Compute and Fredsvej 11, DK-2840 Holte, Denmark, Spring 2013. URL: <http://www2.imm.dtu.dk/~dibj/road-p.pdf>.
- [84] Dines Bjørner. Software Systems Engineering — From Domain Analysis to Requirements Capture: An Air Traffic Control Example. In *2nd Asia-Pacific Software Engineering Conference (APSEC '95)*. IEEE Computer Society, 6–9 December 1995. Brisbane, Queensland, Australia.
- [85] Dines Bjørner. Domain Engineering. In Paul Boca and Jonathan Bowen, editors, *Formal Methods: State of the Art and New Directions*, Eds. Paul Boca and Jonathan Bowen, pages 1–42, London, UK, 2010. Springer.
- [86] Dines Bjørner. On Mereologies in Computing Science. In *Festschrift: Reflections on the Work of C.A.R. Hoare*, History of Computing (eds. Cliff B. Jones, A.W. Roscoe and Kenneth R. Wood), pages 47–70, London, UK, 2009. Springer. URL: <http://www2.imm.dtu.dk/~dibj/bjorner-hoare75-p.pdf>.
- [87] Dines Bjørner. Domain Engineering – A Basis for Safety Critical Software. Invited Keynote, ASSC2014: Australian System Safety Conference, Melbourne, 26–28 May. , Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, December 2014. URL: <http://www.imm.dtu.dk/~dibj/2014/assc-april-bw.pdf>.
- [88] Dines Bjørner. Domains: Their Simulation, Monitoring and Control – A Divertimento of Ideas and Suggestions. Technical report, Technical University of Denmark, Fredsvej 11, DK-2840 Holte, Denmark, 2016. Extensive revision of [92]. URL: <http://www.imm.dtu.dk/~dibj/2016/demos/faoc-demo.pdf>.
- [89] Dines Bjørner. *Domain Engineering: Technology Management, Research and Engineering*. A JAIST Press Research Monograph # 4, 536 pages, March 2009.
- [90] Dines Bjørner. *Software Engineering, Vol. 3: Domains, Requirements and Software Design*. Texts in Theoretical Computer Science, the EATCS Series. Springer, 2006.
- [91] Dines Bjørner. Domain Analysis: Endurants – An Analysis & Description Process Model. In Shusaku Iida and José Meseguer and Kazuhiro Ogata, editor, *Specification, Algebra, and Software: A Festschrift Symposium in Honor of Kokichi Futatsugi*. Springer, May 2014. URL: <http://www.imm.dtu.dk/~dibj/2014/kanazawa/kanazawa-p.pdf>.
- [92] Dines Bjørner. Domains: Their Simulation, Monitoring and Control – A Divertimento of Ideas and Suggestions. In *Rainbow of Computer Science, Festschrift for Hermann Maurer on the Occasion of His 70th Anniversary.*, Festschrift (eds. C. Calude, G. Rozenberg and A. Saloma), pages 167–183. Springer, Heidelberg, Germany, January 2011. URL: <http://www2.imm.dtu.dk/~dibj/maurer-bjorner.pdf>.

A APPENDIX

1.1. Miscellaneous Example Concepts

1.1.1. Unique Identifier Concepts

- We define a few concepts related to unique identification.

Extract Parts from Their Unique Identifiers:

90 *From the unique identifier of a part we can retrieve, \wp , the part having that identifier.*

type

90 $P = H \mid L \mid BC \mid B \mid A$

value

90 $\wp: H_UI \rightarrow H \mid L_UI \rightarrow L \mid BC_UI \rightarrow BC \mid B_UI \rightarrow B \mid A_UI \rightarrow A$

90 $\wp(ui) \equiv \mathbf{let} \ p:(H|L|BC|B|A) \cdot p \in ps \wedge uid_P(p)=ui \ \mathbf{in} \ p \ \mathbf{end}$

Unique Identifier Constants

We can calculate:

91 *the set, $h_{ui}s$, of unique hub identifiers;*

92 *the set, $l_{ui}s$, of unique link identifiers;*

93 *the map, $hl_{ui}m$, from unique hub identifiers to the set of unique link identifiers of the links*

- connected to the zero, one or more identified hubs,
- 94 the map, $lh_{ui}m$, from unique link identifiers to the set of unique hub identifiers of the two hubs connected to the identified link;
- 95 the set, $r_{ui}s$, of all unique hub and link, i.e., road identifiers;
- 96 the set, $bc_{ui}s$, of unique bus company identifiers;
- 97 the set, $b_{ui}s$, of unique bus identifiers;
- 98 the set, $a_{ui}s$, of unique private automobile identifiers;
- 99 the set, $v_{ui}s$, of unique bus and automobile, i.e., vehicle identifiers;
- 100 the map, $bcb_{ui}m$, from unique bus company identifiers to the set of its unique bus identifiers; and
- 101 the (bijective) map, $bbc_{ui}bm$, from unique bus identifiers to their unique bus company identifiers.

<p>91 $h_{ui}s:H_UI\text{-set} \equiv \{uid_H(h) h:H \cdot h \in hs\}$</p> <p>92 $l_{ui}s:L_UI\text{-set} \equiv \{uid_L(l) l:L \cdot l \in ls\}$</p> <p>95 $r_{ui}s:R_UI\text{-set} \equiv h_{ui}s \cup l_{ui}s$</p> <p>93 $hl_{ui}m:(H_UI \xrightarrow{m} L_UI\text{-set}) \equiv$ $[h_ui \mapsto luis h_ui:H_UI, luis:L_UI\text{-set} \cdot h_ui \in h_{ui}s$ $\wedge (_, luis, _) = mereo_H(\eta(h_ui))]$</p> <p>94 $lh_{ui}m:(L+UI \xrightarrow{m} H_UI\text{-set}) \equiv$ $[l_ui \mapsto huis \quad [cf. \text{Item 25}]$ $h_ui:L_UI, huis:H_UI\text{-set} \cdot l_ui \in l_{ui}s$ $\wedge (_, huis, _) = mereo_L(\eta(l_ui))]$</p> <p>96 $bcb_{ui}s:BC_UI\text{-set} \equiv \{uid_BC(bc) bc:BC \cdot bc \in bcs\}$</p>	<p>97 $b_{ui}s:B_UI\text{-set} \equiv \cup\{uid_B(b) b:B \cdot b \in bs\}$</p> <p>98 $a_{ui}s:A_UI\text{-set} \equiv \{uid_A(a) a:A \cdot a \in as\}$</p> <p>99 $v_{ui}s:V_UI\text{-set} \equiv b_{ui}s \cup a_{ui}s$</p> <p>100 $bcb_{ui}m:(BC_UI \xrightarrow{m} B_UI\text{-set}) \equiv$ $[bc_ui \mapsto buis$ $bc_ui:BC_UI, bc:BC \cdot$ $bc \in bcs \wedge bc_ui = uid_BC(bc)$ $\wedge (_, _, buis) = mereo_BC(bc)]$</p> <p>101 $bbc_{ui}bm:(B_UI \xrightarrow{m} BC_UI) \equiv$ $[b_ui \mapsto bc_ui$ $b_ui:B_UI, bc_ui:BC_UI \cdot$ $bc_ui = \mathbf{dom} bcb_{ui}m \wedge b_ui \in bcb_{ui}m(bc_ui)]$</p>
--	--

Uniqueness of Part Identifiers:

- We refer to Sect. *Slide 237*.
- *We must express the following axioms:*

- | | |
|--|---|
| <p>102 All hub identifiers are distinct.</p> <p>103 All link identifiers are distinct.</p> <p>104 All bus company identifiers are distinct.</p> <p>105 All bus identifiers are distinct.</p> | <p>106 All private automobile identifiers are distinct.</p> <p>107 All part identifiers are distinct.</p> |
|--|---|

102 $\text{card } hs = \text{card } h_{ui}s$
 103 $\text{card } ls = \text{card } l_{ui}s$
 104 $\text{card } bcs = \text{card } bc_{ui}s$
 105 $\text{card } bs = \text{card } b_{ui}s$

106 $\text{card } as = \text{card } a_{ui}s$
 107 $\text{card } \{h_{ui}s \cup l_{ui}s \cup bc_{ui}s \cup b_{ui}s \cup a_{ui}s\}$
 107 $= \text{card } h_{ui}s + \text{card } l_{ui}s + \text{card } bc_{ui}s + \text{card } b_{ui}s + \text{card } a_{ui}s$

1.1.2. Further Transport System Attributes

Links: We show just a few attributes.

108 There is a link state. It is a set of pairs, (h_f, h_t) , of distinct hub identifiers, where these hub identifiers are in the mereology of the link. The meaning of a link state in which (h_f, h_t) is an element is that the link is open, **“green”**, for traffic from hub h_f to hub h_t . Link states can have either 0, 1 or 2 elements.

109 There is a link state space. It is a set of link states. The meaning of the link state space is that its states are all those the which the link can attain. The current link state must be in its state space. If a link state space is empty then the link is (permanently) closed. If it has one element then it is a

one-way link. If a one-way link, l , is imminent on a hub whose mereology designates that link, then the link is a “trap”, i.e., a “blind cul-de-sac”.

440
1. **Closing** 1.1. **Miscellaneous Example Concepts** 1.1.2. **Further Transport System Attributes**

110 Since we can think rationally about it, it can be described, hence it can model, as an attribute of links a history of its traffic: the recording, per unique bus and automobile identifier, of the time ordered positions along the link (from one hub to the next) of these vehicles.

111 The hub identifiers of link states must be in the set, h_{ui} s, of the road net's hub identifiers.

type

108 $L\Sigma = H_UI\text{-set}$

axiom

108 $\forall l\sigma:L\Sigma \cdot \text{card } l\sigma = 2$

108 $\forall l:L \cdot \text{obs_}L\Sigma(l) \in \text{obs_}L\Omega(l)$

type

109 $L\Omega = L\Sigma\text{-set}$

110 $L_Traffic$

110 $L_Traffic = (A_UI|B_UI) \xrightarrow{m} (\mathcal{T} \times (H_UI \times \text{Frac} \times H_UI))^*$

110 $\text{Frac} = \mathbf{Real}$, **axiom** $\text{frac}:\text{Fract} \cdot 0 < \text{frac} < 1$

value

108 $\text{attr_}L\Sigma: L \rightarrow L\Sigma$

109 $\text{attr_}L\Omega: L \rightarrow L\Omega$

110 $\text{attr_}L_Traffic: : \rightarrow L_Traffic$

axiom

110 $\forall lt:L_Traffic, ui:(A_UI|B_UI) \cdot ui \in \mathbf{dom } ht$

110 $\Rightarrow \text{time_ordered}(ht(ui))$

111 $\forall l:L \cdot l \in ls \Rightarrow$

111 **let** $l\sigma = \text{attr_}L\Sigma(l)$ **in**

111 $\forall (h_{ui}i, h_{ui}i'):(H_UI \times K_UI) \cdot$

111 $(h_{ui}i, h_{ui}i') \in l\sigma \Rightarrow \{h_{ui}i, h_{ui}i'\} \subseteq \text{obs_}L\Sigma(l)$ **end** [Programmer's Handbook, Df.8 Pg.205]

Bus Companies:

- *Bus companies operate a number of lines that service passenger transport along routes of the road net. Each line being serviced by a number of buses.*

112 Bus companies have a physical, i.e., “real, actual” time attribute.

113 Bus companies create, maintain, revise and distribute [to the public (not modeled here), and to buses] bus time tables, not further defined.

type	value
112 \mathcal{I}	112 attr_T: BC \rightarrow [\mathcal{I} inert, Df.3 Pg.203]
113 BusTimTbl	113 attr_BusTimTbl: BC \rightarrow [programmable, Df.8 Pg.205]

- *There are two notions of time at play here:*
 - *the inert “real” or “actual” time as an inert attribute provided by some outside “agent”; and*
 - *the calendar, hour, minute and second time designation occurring in some textual form in, e.g., time tables..*

Buses: *We show just a few attributes:*

<p>112 <i>Buses have a time attribute.</i></p> <p>114 <i>Buses run routes, according to their line number, $ln:LN$, in the</i></p>	<p>115 <i>bus time table, $btt:BusTimTbl$ obtained from their bus company, and and keep, as</i></p>
---	--

inert attributes, their segment of that time table.

other identified hub, th_ui .

116 Buses occupy positions on the road net:

- a. either at a hub identified by some h_ui ,*
- b. or on a link, some fraction, $f:Fract$, down an identified link, l_ui , from one of its identified connecting hubs, fh_ui , in the direction of the*

117 Et cetera.

type

112 \mathcal{T}

114 LN

115 BusTimTbl

116 BPos == atHub | onLink

[programma

116a. atHub :: $h_ui:H_UI$

116b. onLink :: $fh_ui:H_UI \times l_ui:L_UI \times frac:Fract \times th_ui:H_UI$

116b. Fract = **Real**, **axiom** $frac:Fract \cdot 0 < frac < 1$

117 ...

value

112 attr_T: $B \rightarrow \mathcal{T}$

115 attr_BusTimTbl: $B \rightarrow BusTimTbl$

116 attr_BPos: $B \rightarrow BPos$

Private Automobiles: *We show just a few attributes:*

- *We illustrate but a few attributes:*

112 Automobiles have a time attribute.

118 Automobiles have static number plate registration numbers.

119 Automobiles have dynamic positions on the road net:

*[116a.] either at a hub identified by some h_{ui} ,
[116b.] or on a link, some fraction, $frac:Fract$ down an identified link, l_{ui} , from one*

of its identified connecting hubs, fh_{ui} , in the direction of the other identified hub, th_{ui} .

type

112 \mathcal{I} [inert, Df.3 Pg.203]
 118 RegNo [static, Df.1 Pg.202]
 119 APos == atHub | onLink [programmable, Df.8 Pg.205]
 116a. atHub :: h_ui:H_UI
 116b. onLink :: fh_ui:H_UI \times l_ui:L_UI \times frac:Fract \times th_ui:H_UI
 116b. Fract = **Real**, **axiom** frac:Fract \cdot $0 < \text{frac} < 1$

value

112 attr_T: A \rightarrow \mathcal{I}
 118 attr_RegNo: A \rightarrow RegNo
 119 attr_APos: A \rightarrow APos

- *Obvious attributes that are not illustrated are those of*
 - *velocity and acceleration,*
 - *forward or backward movement,*
 - *turning right, left or going straight,*
 - *etc.*

- *The acceleration, deceleration, even velocity, or turning right, turning left, moving straight, or forward or backward are seen as command actions.*
 - *As such they denote actions by the automobile —*
 - *such as pressing the*

accelerator, or lifting accelerator pressure or braking, or turning the wheel in one direction or another, etc.

- *As actions they have a kind of counterpart in the velocity, the acceleration, etc. attributes.*

1.1.3. Discussion:

- Observe that bus companies each have their own distinct *bus time table*, and that these are modeled as *programmable*, Item 112 on Slide 442, Page 442.
- Observe then that buses each have their own distinct *bus time table*, and that these are modeled as *inert*, Item 115 on Slide 443, Page 443.
- In Items 129–130b. Slide 458 we shall see how the buses communicate with their respective bus companies in order for the buses to obtain the *programmed* bus time tables “in lieu” of their *inert* one !

- In Items 33 Slide 208 and 110 Slide 441, we illustrated an aspect of domain analysis & description that may seem, and at least some decades ago would have seemed, strange: namely that if we can think, hence speak, about it, then we can model it “as a fact” in the domain. The case in point is that we include among hub and link attributes their histories of the timed whereabouts of buses and automobiles.⁶⁰

Automobile Behaviour (on a link)

120 We abstract automobile behaviour on a Link.

a. Internally

non-deterministically, either

i the automobile remains, “idling”, i.e., not moving, on the link,

ii however, first informing

⁶⁰In this day and age of road cameras and satellite surveillance these traffic recordings may not appear so strange: We now know, at least in principle, of technologies that can record approximations to the hub and link traffic attributes.

the link of its position,

b. or

i **if** if the automobile's
position on the link *has not
yet reached the hub*, **then**

A then the automobile
moves an arbitrary small,
positive **Real**-valued
increment along the link

B informing the hub of this,

C while resuming being an
automobile at the new
position, or

ii **else,**

A while obtaining a “next link” from the mereology of the hub (where that next link could very well be the same as the link the vehicle is about to leave),

B the vehicle informs both the link and the imminent hub that it is now at that hub, identified by `th_ui`,

C whereupon the vehicle

resumes the vehicle behaviour positioned at that hub;

c. or

d. the vehicle “disappears — off the radar” !

120	automobile _{au} (a _{ui} ,({},ruis,{}),rno)	120(b.)iC	(onL(onl))
120	(vp:onL(fh _{ui} ,l _{ui} ,f,th _{ui})) ≡	120(b.)i	end end)
120(a.)ii	(ba_r_ch[thui,au]!atH(lui,thui,nxt_lui) ;	120(b.)ii	else
120(a.)i	automobile _{au} (a _{ui} ,({},ruis,{}),rno)(vp))	120(b.)iiA	(let nxt_lui:L_UI·nxt_lui ∈ mereo_H(\wp (th _{ui})) in
120b.	□	120(b.)iiB	ba_r_ch[thui,au]!atH(l _{ui} ,th _{ui} ,nxt_lui) ;
120(b.)i	(if not_yet_at_hub(f)	120(b.)iiC	automobile _{au} (a _{ui} ,({},ruis,{}),rno)
120(b.)i	then	120(b.)iiC	(atH(l _{ui} ,th _{ui} ,nxt_lui)) end)
120(b.)iA	(let incr = increment(f) in	120(b.)i	end)
83	let onl = (tl _{ui} ,h _{ui} ,incr,th _{ui}) in	120c.	□
120(b.)iB	ba_r_ch[l _{ui} ,a _{ui}] ! onL(onl) ;	120d.	stop
120(b.)iC	automobile _{au} (a _{ui} ,({},ruis,{}),rno)	120(b.)iA	increment: Fract → Fract

Hub Behaviour

We model the hub behaviour vis-a-vis vehicles: buses and automobiles.

121 The hub behaviour

- a. non-deterministically, externally offers
- b. to accept timed vehicle positions —

- c. which will be at the hub,
from some vehicle, v_{ui} .
- d. The timed vehicle hub
position is appended to the
front of that vehicle's entry
in the hub's traffic table;
- e. whereupon the hub proceeds
as a hub behaviour with the
updated hub traffic table.
- f. The hub behaviour offers to
accept from any vehicle.
- g. A **post** condition expresses
what is really a **proof
obligation**: that the hub

traffic, ht' satisfies the **axiom**
of the enduring hub traffic
attribute Item 33 Slide 208.

<p>value</p> <p>121 $\text{hub}_{h_{ui}}(h_{ui},(,(luis,vuis)),h\omega)(h\sigma,ht) \equiv$</p> <p>121a. \square</p> <p>121b. $\{ \text{let } m = \text{ba_r_ch}[h_{ui},v_{ui}] ?$</p>	<p>121c. assert: $m=(_ ,\text{atHub}(_,h_{ui},_))$</p> <p>121d. let $ht' = ht \dagger [h_{ui} \mapsto \langle m \rangle \hat{ht}(h_{ui})]$</p> <p>121e. \equiv</p> <p>121f. $\{ \text{let } m = \text{ba_r_ch}[h_{ui},v_{ui}] ?$</p>	<p>$\text{hub}_{h_{ui}}(h_{ui},(,(luis,vuis)),(h\omega))(h\sigma,ht')$</p> <p>$v_{ui}:V_UI \cdot v_{ui} \in vuis \text{ end end } \}$</p> <p>post: $\forall v_{ui}:V_UI \cdot v_{ui} \in \text{dom } ht' \Rightarrow \text{time_ord}$</p>
--	---	--

Link Behaviour

- | | |
|---|--|
| <p>122 The link behaviour non-deterministically, externally offers</p> <p>123 to accept timed vehicle positions —</p> <p>124 which will be on the link, from some vehicle, v_{ui}.</p> | <p>125 The timed vehicle link position is appended to the front of that vehicle's entry in the link's traffic table;</p> <p>126 whereupon the link proceeds as a link behaviour with the updated link traffic table.</p> |
|---|--|

- 127 The link behaviour offers to accept from any vehicle.
- 128 A **post** condition expresses what is really a **proof obligation**: that the link traffic, lt' satisfies the **axiom** of the enduring link traffic attribute
Item 110 Slide 441.


```

122 linklui(lui,(__,(huis,vuis),__),lω)(hσ,lt) ≡ let lt' = lt † [lui ↦ ⟨m⟩ ^lt(lui)] in
122   [] 126 linklui(lui,(huis,vuis),hω)(hσ,lt')
123   { let m = ba_r_ch[lui,vui] ? in | vui:V_UI.vui∈vuis end end }
124   assert: m=(__,onLink(__,lui,__,_))vui:V_UI.vui ∈ dom lt' ⇒ time_order

```

Bus Company Behaviour

- We model bus companies very rudimentary.
 - Bus companies keep a fleet of buses.
 - Bus companies create, maintain, distribute bus time tables.
 - Bus companies deploy their buses to honor obligations of their bus time tables.
 - We shall basically only model the distribution of bus time tables to buses.
 - We shall not cover other aspects of bus company management,

etc.

129 Bus companies

non-deterministically,
internally, chooses among

- a. updating their bus time tables
- b. whereupon they resume
being bus companies, albeit
with a new bus time table;

130 “interleaved” with

- a. offering the current
time-stamped bus time table
to buses which offer
willingness to received them

- b. whereupon they resume
being bus companies with
unchanged bus time table.

80 bus_company_{bc_{ui}}(bcui,(__,buis,__))(btt) ≡

129a. (let btt' = update(btt,...) in

129b. bus_company_{bc_{ui}}(bcui,(__,buis,__))(btt')

- We model the interface between buses and their owning companies

- as well as the interface between buses and the road net,
- the latter by almost “carbon-copying” all elements of the automobile behaviour(s).

131 The bus behaviour chooses to either

a. accept a (latest)

time-stamped buss time table
from its bus company –

b. where after it resumes being the bus behaviour now with the updated bus time table.

or, non-deterministically, internally,

- a. based on the bus position
 - i if it is at a hub then it behaves as prescribed in the case of automobiles at a hub,
 - ii else, it is on a link, and then it behaves as prescribed in the case of automobiles on a link.

```

131 busbui(bui,(__,(bcui,ruis),__))(132(a.)i) ≡ atH(flui,hui,tlui) →
131a. (let btt' = bbc_ch[bui,bcui](132(a.)i) in atHbusbui(bui,(__,(bcui,ruis),__))(l
131b. busbui(bui,({},(bcui,ruis),{}))(132(a.)ii) onL(flui,lui,f,thui) →
132 ⊐ 132(a.)ii onLbusbui(bui,(__,(bcui,ruis),__))(l
132a. (case bpos of 132a. end)

```

Bus Behaviour at a Hub

- The atH_{bus_{b_{ui}}} behaviour definition is a simple transcription of the
 - automobile_{a_{ui}} (atH) behaviour definition:
 - mereology expressions being changed from to ,
 - programmed attributes being changed from atH(fl_{ui},h_{ui},tl_{ui}) to (ln,btt,atH(fl_{ui},h_{ui},tl_{ui})),
 - channel references a_{ui} being replaced by b_{ui}, and
 - behaviour invocations

renamed from
automobile $_{a_{ui}}$ to bus $_{b_{ui}}$.

- So formula lines 84–120d.
below presents “nothing new” !


```

120(b.)iC
132(a.)ii onL_busbui(b_ui,(_(bc_ui,ruis),_)) 120(b.)iC
132(a.)ii (ln,btt,bpos:onL(fh_ui,l_ui,f,th_ui)) 120(b.)i
84 (ba_r_ch[b_ui,h_ui] ! (attr_T_ch?,bpos); 120(b.)ii
85 busbui(b_ui,({},{(bc_ui,ruis),{}}))(ln,btt,bpos) 120(b.)iiA
131a. [] 120(b.)iiB
120(b.)i (if not_yet_at_hub(f) 120(b.)iiC
120(b.)i then 120(b.)iiC
120(b.)iA (let incr = increment(f) in 120(b.)iiA
83 let onl = (tl_ui,h_ui,incr,th_ui) in 120c.
120(b.)iB ba_r_ch[l_ui,b_ui] ! onl(onl) ;133 []
stop
busbui(b_ui,({},{(bc_ui,ruis),{}}))
(ln,btt,onl(onl))
end end)
else
(let nl_ui:L_UI·nxt_lui∈mereo_H(∅(th_ui)) in
ba_r_ch[thui,b_ui]!atH(l_ui,th_ui,nxt_lui) ;
busbui(b_ui,({},{(bc_ui,ruis),{}}))
(ln,btt,atH(l_ui,h_ui,nxt_lui))
end)end)

```

1.2. Example Index

Sorts

Part Sorts		H	6, 17	sBC	8, 17
A	10, 17	L	7, 17	SH	4a., 16
B	9, 17	PA	5b., 16	sH	6, 17
BC	8, 17	RN	2, 16	SL	4b., 16
BC	9, 17	sA	10, 17	sL	7, 17
FV	3, 16	SBC	5a., 16	UoD	1, 16

Types

Attribute Types		B: BPos [programmable]	116a., 57	BC: T [inert]	112, 57
A: A_ Hi	??, 30	B: BusTimTbl [programmable]	115, 57	H: HΩ [static]	32, 28
A: APos==atHub onLink [programmable]	119, 57	B: LN [programmable]	114, 57	H: HΣ [programmable]	31, 28
A: RegNo [static]	112, 57	B: T [inert]	116a., 57	H: H_ Traffic [programmable]	33, 28
A: T [inert]	112, 57	BC: BusTimTbl [programmable]	113, 57	H: H_ Trf [programmable]	33, 30

L: $L\Omega$ [static]	108, 56	Types		BC_ UI	17, 23
L: $L\Sigma$ [programmable]	108, 56	A: atHub::H_ UI	116a., 57	H_ UI	15, 23
L: L_ Traffic [programmable]	110, 56	A: Frac= Real	116b., 57	H_ UI	16, 23
L: L_ Trf [programmable]	110, 30	A: onLink::H_ UI×L_ UI×Fract×H_ UI	116b., 57	L_ UI	16, 23
		B: atHub::H_ UI	116a., 57	L_ UI	17, 23
Mereology Types		B: Fract= Real	116b., 57	R_ UI	16, 23
A_ Mer=R_ UI-set	28, 25	B: onLink::H_ UI×L_ UI×Fract×H_ UI	116b., 57	R_ UI=H_ UI L_ UI	16, 23
B_ Mer=BC_ UI×R_ UI-set	27, 25			V_ UI	17, 23
BC_ Mer=B_ UI-set	26, 25	Unique Identifier Types		V_ UI=B_ UI A_ UI	17, 23
H_ Mer=V_ UI-set×L_ UI-set	24, 25	A_ UI	17, 23		
L_ Mer=V_ UI-set×H_ UI-set	25, 25	B_ UI	17, 23		

Functions

Extract Functions		L: attr_ Intent	??, 30	obs_ sBC	8, 17
\emptyset	90, 55	L: attr_ $L\Sigma$	108, 56	obs_ SH	4a., 16
Observe Attributes		L: attr_ L_ Traffic	110, 56	obs_ sH	6, 17
A: attr_ APos	119, 57	Observe Mereology		obs_ SL	4b., 16
A: attr_ Intent	??, 30	mereo_ A	28, 25	obs_ sL	7, 17
A: attr_ RegNo	118, 57	mereo_ B	27, 25	Observe Unique Identifiers	
A: attr_ T	112, 57	mereo_ BC	26, 25	uid_ A	18e., 23
B: attr_ BPos	116, 57	mereo_ H	24, 25	uid_ B	18d., 23
B: attr_ BusTimTbl	115, 57	mereo_ L	25, 25	uid_ BC	18c., 23
B: attr_ T	112, 57	Observe Part Sorts		uid_ H	18a., 23
BC: attr_ BusTimTbl	113, 57	obs_ BC	5a., 16	uid_ L	18b., 23
BC: attr_ T	112, 57	obs_ FV	3, 16	Other Functions	
H: attr_ $H\Omega$	32, 28	obs_ Ms	9, 17	time_ ordered	33, 28
H: attr_ $H\Sigma$	31, 28	obs_ PA	5b., 16	System Initialisation Function	
H: attr_ H_ Traffic	33, 28	obs_ RN	2, 16	initial_ system: Unit → Unit	89, 46
H: attr_ Intent	??, 30	obs_ sA	10, 17		

Values

Part Constants		ps	61, 34	$bc_{ui}m$	100, 56
as	60, 34	Unique Id. Constants		h_{uis}	91, 56
bcs	57, 34	a_{uis}	98, 56	$hl_{ui}m$	93, 56
bs	58, 34	b_{uis}	97, 56	l_{uis}	92, 56
hls	56, 34	$bbc_{ui}bm$	101, 56	$lh_{ui}m$	94, 56
hs	54, 34	bc_{uis}	96, 56	r_{uis}	95, 56
ls	55, 34			v_{uis}	99, 56

Channels

Channel Message Types		L_ H_ Msg	65, 37	hl_ ch[i,j]:HL_ Msg	69, 37
BC_ B_ Msg=(T×BusTimTbl)	66, 37	V_ R_ Msg=(T×(BPos APos))	67, 37	v_ r_ ch[i,j]:V_ R_ Msg	71, 37
H_ L_ Msg	65, 37	Channels			
HL_ Msg=H_ L_ Msg L_ F_ Msg	65, 37	bc_ b_ ch[i,j]:BC_ B_ Msg	70, 37		

Behaviours

automobile_{ai} 82, 44

bus_{bi} 81, 43

link_{li} 79, 43

bus_ company_{bc_{ai}} 80, 43

hub_{hi} 78, 43

Contents

1. Introduction	8
1.1. Foreword	8
1.2. An Engineering and a Science Viewpoint	11
1.2.1. A Triptych of Software Development	11
1.2.2. Domain Science & Engineering:	13
1.3. Some Issues: Metaphysics, Epistemology, Mereology and Ontology	15
1.3.1. Kai Sørlander's Philosophy:	26
1.4. The Precursor	29
1.5. What are these Lectures About?	31
2. Entities: Endurants and Perdurants	37
2.1. A Generic Domain Ontology – A Synopsis	37
2.2. Universes of Discourse	47
2.3. Entities	54
a: Analysis Prompt: is-entity	55
2.4. Endurants and Perdurants	58
b: Analysis Prompt: is-endurant	61
c: Analysis Prompt: is-perdurant	64
3. Endurants: Analysis of External Qualities	65
3.1. Discrete and Continuous Endurants	65
d: Analysis Prompt: is discrete	67
e: Analysis Prompt: is continuous	70

3.2. Discrete Endurants	72
3.2.1. Physical Parts	73
f: Analysis Prompt: is physical part	74
3.2.2. Living Species	75
g: Analysis Prompt: living species	76
3.2.3. Structures	78
h: Analysis Prompt: is structure	85
3.3. Physical Parts	88
3.3.1. Natural Parts	90
3.3.2. Artifacts	92
3.3.3. Parts	94
i: Analysis Prompt: is part	95
3.3.4. Atomic and Composite Parts:	96
3.3.5. Atomic Parts	98
j: Analysis Prompt: is-atomic	99
3.3.6. Composite Parts	101
k: Analysis Prompt: is-composite	102
3.4. Living Species	104
l: Analysis Prompt: is living species	107
3.4.1. Plants	108
m: Analysis Prompt: is plant	109
3.4.2. Animals	110
n: Analysis Prompt: is animal	111
3.4.3. Humans	113

	o: Analysis Prompt: is human	114
3.5. Components		117
	p: Analysis Prompt: is component	120
3.6. Continuous Endurants \equiv Materials		121
	q: Analysis Prompt: has-materials	124
3.7. Artifacts		125
	r: Analysis Prompt: is artifact	127
3.8. States		128
4. Endurants: The Description Calculus		130
4.1. Parts: Natural or Man-made		130
4.1.1. On Discovering Endurant Sorts		130
	s: Analysis Prompt: observe-parts	133
4.1.2. Endurant Sort Observer Functions:		138
	1: Description Prompt: observe-endurant-sorts	139
4.2. Concrete Part Types		146
	t: Analysis Prompt: has-concrete-type	146
	2: Description Prompt: observe-part-type	147
4.3. On Endurant Sorts		153
4.3.1. Derivation Chains		153
4.3.2. No Recursive Derivations:		154
4.3.3. Names of Part Sorts and Types:		155
4.4. Components		157
	3: Description Prompt: observe-component-sorts	157
4.5. Materials		162

	4: Description Prompt: observe-material-sorts	163
5.	Endurants: Analysis & Description of Internal Qualities	167
5.1.	Unique Identifiers	168
	5: Description Prompt: observe-unique-identifier	170
5.2.	Mereology	175
5.2.1.	Part Relations:	176
5.2.2.	Part Mereology: Types and Functions	178
	u: Analysis Prompt: has-mereology	178
	6: Description Prompt: observe-mereology	182
5.2.3.	Formulation of Mereologies:	188
5.2.4.	Some Modelling Observations:	189
5.3.	Attributes	191
5.3.1.	Technical Issues:	192
	v: Analysis Prompt: attributes	194
	7: Description Prompt: observe-attributes	197
5.3.2.	Basic Principles for Ascribing Attributes:	214
5.4.	The Unfolding of an Ontology	235
5.5.	Some Axioms and Proof Obligations	237
5.6.	Discussion of Endurants	245
6.	A Transcendental Deduction	248
6.1.	An Explanation	248
6.2.	Classical Transcendental Deductions	257
6.2.1.	Space:	257

	471
6.2.2. Time:	258
6.3. Some Special Notation	259
7. Space and Time	262
7.1. Space	263
7.1.1. General:	263
7.1.2. Space Motivated Philosophically	264
7.1.3. Space Types	266
7.1.4. Spatial Observers	267
7.2. Time	268
7.2.1. General	268
7.2.2. Time Motivated Philosophically	270
7.2.3. Time Values	273
7.2.4. Temporal Observers	276
7.2.5. Models of Time:	277
7.2.6. Spatial and Temporal Modelling:	278
7.3. Whither Attributes?	279
8. Perdurants	280
8.1. States, Actors, Actions, Events and Behaviours: A Preview	280
8.1.1. Actors, Actions, Events, Behaviours and Channels	285
8.1.2. Time Considerations	286
8.1.3. Actors	287
8.1.4. Discrete Actions	289
8.1.5. Discrete Events	290

8.1.6. Discrete Behaviours	292
8.2. Channels and Communication	296
8.2.1. The CSP Story:	298
8.2.2. From Mereologies to Channel Declarations:	307
8.2.3. Continuous Behaviours:	314
8.3. Perdurant Signatures	315
8.3.1. Action Signatures and Definitions:	317
8.3.2. Event Signatures and Definitions:	322
8.3.3. Discrete Behaviour Signatures	325
8.3.4. Attribute Access:	328
8.3.5. Calculating In/Output Channel Signatures:	331
8.4. Discrete Behaviour Definitions	339
8.5. Running Systems	363
8.6. Concurrency: Communication and Synchronisation	373
8.7. Summary and Discussion of Perdurants	374
8.7.1. Summary	375
8.7.2. Discussion	376
9. Closing	377
9.1. What Have We Achieved ?	378
9.2. The Four Languages of Domain Analysis & Description	391
9.2.1. The Analysis Language:	394
9.2.2. The Description Language:	397
9.2.3. The Language of Explaining Domain Analysis & Description:	400
9.2.4. The Language of Domains:	402

9.2.5. An Analysis & Description Process:	404
9.3. Relation to Other Formal Specification Languages	407
9.4. Two Frequently Asked Questions	412
9.5. On How to Pursue Domain Science & Engineering	417
9.6. Related Work	422
9.7. Tony Hoare’s Summary on ‘Domain Modelling’	425
9.8. Acknowledgements	427
9.9. References	430
A APPENDIX	435
1.1. Miscellaneous Example Concepts	435
1.1.1. Unique Identifier Concepts	435
1.1.2. Further Transport System Attributes	438
1.1.3. Discussion:	449
1.2. Example Index	464